

**GAMBARAN PENGETAHUAN IBU TENTANG DETEKSI DINI DAN
FAKTOR RISIKO *STUNTING* PADA ANAK
USIA 1-5 TAHUN DI KOTA TASIKMALAYA**

HASIL KARYA TULIS ILMIAH

Diajukan sebagai salah satu syarat memperoleh gelar DIII Keperawatan

MELSA NIKITA

10118083



**PROGRAM STUDI D-III KEPERAWATAN
SEKOLAH TINGGI ILMU KESEHATAN**

BAKTI TUNAS HUSADA

TASIKMALAYA

2021

ABSTRAK

GAMBARAN PENGETAHUAN IBU TENTANG DETEKSI DINI DAN FAKTOR RISIKO *STUNTING* DI KOTA TASIKMALAYA

Melsa Nikita

Prodi D-III Keperawatan STIKes Bakti Tunas Husada Tasikmalaya
Jl. Cilolohan No. 36 Tasikmalaya
Email: melsanikita8@gmail.com

Abstrak

Latar Belakang: *Stunting* adalah masalah kurang gizi kronis dan kurang asupan gizi dalam waktu yang cukup lama sehingga mengakibatkan gangguan pertumbuhan pada anak. Berdasarkan data lapangan dari Dinas Kesehatan Kota Tasikmalaya angka *stunting* di tahun 2019 sudah mencapai 10,95%. **Tujuan:** Penelitian ini bertujuan untuk mengetahui gambaran pengetahuan ibu tentang deteksi dini *stunting* di Kota Tasikmalaya dan untuk mengetahui gambaran pengetahuan ibu tentang Faktor risiko *stunting* pada anak usia 1-5 tahun di Kota Tasikmalaya. **Metode penelitian:** penelitian ini menggunakan metode deskriptif kuantitatif. Populasi penelitian ini adalah ibu yang memiliki anak usia 1-5 tahun di Kota Tasikmalaya. Teknik sampling yang digunakan dalam penelitian ini yaitu dengan teknik *accidental sampling*. Instrumen penelitian menggunakan kuesioner dan data diolah menggunakan SPSS. **Hasil:** Hasil penelitian diketahui bahwa pengetahuan ibu tentang deteksi dini *stunting* pada anak usia 1-5 tahun di Kota Tasikmalaya yaitu baik 39 orang (61,9%), cukup 15 orang (23,8%), dan kurang 9 orang (14,3%). Pengetahuan ibu tentang faktor risiko *stunting* kategori baik 34 orang (54,0%), cukup 17 orang (27,0), 12 orang (19,0%).

Kata kunci : Pengetahuan, Deteksi dini *stunting*, Faktor Risiko *Stunting*, anak usia 1-5 tahun

ABSTRACT

DESCRIPTION OF MOTHER'S KNOWLEDGE ABOUT EARLY DETECTION AND STUNTING RISK FACTOR IN TASIKMALAYA CITY

Melsa Nikita

Abstract

Background: Stunting is a problem of chronic malnutrition and lack of nutritional intake for a long time, resulting in growth disorders in children. Based on field data from the Tasikmalaya City Health Office in 2019, the stunting rate has reached 10.95%. Purpose: This research aims to determine the description of this knowledge about early detection of stunting in Tasikmalaya City and to describe mothers' knowledge about the risk factors for stunting in children aged 1-5 years in Tasikmalaya City. Method: This research method used a quantitative descriptive method. The population of this research is mothers who have children aged 1-5 years in Tasikmalaya City. The sampling technique used in this study is the accidental sampling technique. The research instrument used a questionnaire and the data which was processed using SPSS. Result: The results of the research showed that the knowledge of mothers about early detection of stunting in children aged 1-5 years in Tasikmalaya City is 39 people (61.9%), enough there are 15 people (23.8%), and the less there are 9 people (14.3%). Mother's knowledge about risk factors in the good category was 34 people (54.0%), 17 people (27.0%), 12 people (19.0%).

Keywords : *Knowledge, early detection of stunting, risk factor for stunting, children aged 1-5 years.*