

DAFTAR PUSTAKA

- Bjerre, M., Hilden, J., Winkel, P., Jensen, G. B., Kjøller, E., Sajadieh, A., Kastrup, J., Kolmos, H. J., Larsson, A., Ärnlöv, J., Jakobsen, J. C., & Gluud, C. (2020). Serum osteoprotegerin as a long-term predictor for patients with stable coronary artery disease and its association with diabetes and statin treatment: A CLERICOR trial 10-year follow-up substudy. *Atherosclerosis*, 301, 8–14. <https://doi.org/10.1016/j.atherosclerosis.2020.03.030>
- Bouitbir, J., Sanjeev, G. M., Panajatovic, M. V., Singh, F., & Krähenbühl, S. (2020). Mechanisms of statin-associated skeletal muscle-associated symptoms. In *Pharmacological Research* (Vol. 154). Academic Press. <https://doi.org/10.1016/j.phrs.2019.03.010>
- Casula, M., Mozzanica, F., Scotti, L., Tragni, E., Pirillo, A., Corrao, G., & Catapano, A. L. (2017). Statin use and risk of new-onset diabetes: A meta-analysis of observational studies. *Nutrition, Metabolism and Cardiovascular Diseases*, 27(5), 396–406. <https://doi.org/10.1016/j.numecd.2017.03.001>
- Chang, C. F., Liou, Y. S., Lin, T. K., Ma, S., Hu, Y. R., Chen, H. Y., & Jong, G. P. (2019). High exposure to statins decrease the risk of new-onset dementia: A nationwide population-based longitudinal cohort study. *Medicine*, 98(34), e16931. <https://doi.org/10.1097/MD.00000000000016931>
- Chrysant, S. G. (2017). New onset diabetes mellitus induced by statins: current evidence. *Postgraduate Medicine*, 129(4), 430–435. <https://doi.org/10.1080/00325481.2017.1292107>
- Coleman, C. I., Reinhart, K., Kluger, J., & White, C. M. (2008). The effect of statins on the development of new-onset type 2 diabetes: A meta-analysis of randomized controlled trials. *Current Medical Research and Opinion*, 24(5), 1359–1362. <https://doi.org/10.1185/030079908X292029>
- Dewi, I. P., & Merry, M. S. (2017). Peranan Obat Golongan Statin. *Berkala Ilmiah Kedokteran Duta Wacana*, 2(3), 1. <https://doi.org/10.21460/bikdw.v2i3.75>
- Ganda, O. P. (2016). Statin-induced diabetes: Incidence, mechanisms, and implications [version 1; referees: 2 approved]. *F1000Research*, 5(0), 1–7. <https://doi.org/10.12688/F1000RESEARCH.8629.1>
- Jeong, H. S., Hong, S. J., Son, S., An, H., Kook, H., Joo, H. J., Park, J. H., Yu, C. W., & Lim, D. S. (2019). Incidence of new-onset diabetes with 1 mg versus 4 mg pitavastatin in patients at high risk of developing diabetes during a 3-year follow-up. *Cardiovascular Diabetology*, 18(1). <https://doi.org/10.1186/s12933-019-0969-z>
- Kang, J., Kim, Y. C., Park, J. J., Kim, S., Kang, S. H., Cho, Y. J., Yoon, Y. E., Oh, I. Y., Yoon, C. H., Suh, J. W., Cho, Y. S., Youn, T. J., Chae, I. H., & Choi, D. J. (2018). Increased epicardial adipose tissue thickness is a predictor of new-

onset diabetes mellitus in patients with coronary artery disease treated with high-intensity statins. *Cardiovascular Diabetology*, 17(1). <https://doi.org/10.1186/s12933-017-0650-3>

Kim, D. W., Kim, D. H., Park, J. H., Choi, M., Kim, S., Kim, H., Seul, D. eun, Park, S. G., Jung, J. H., Han, K., & Park, Y. G. (2019). Association between statin treatment and new-onset diabetes mellitus: a population based case-control study. *Diabetology and Metabolic Syndrome*, 11(1), 1–8. <https://doi.org/10.1186/s13098-019-0427-9>

Kim, Y. S., Han, Y. E., Choi, E. A., You, N. Y., Lee, J. woo, You, H. S., Kim, Y., Kim, J., & Kang, H. T. (2020). Statin use increased new-onset diabetes in hypercholesterolemic individuals: Data from the Korean National Health Insurance Service-National Health Screening Cohort database (NHIS-HEALS). *Primary Care Diabetes*, 14(3), 246–253. <https://doi.org/10.1016/j.pcd.2019.08.005>

Ko, M. J., Ae, ;, Jo, J., Yun, ;, Kim, J., Shin, M. ;, Kang, H., Cho, S., Jo, S.-H., Park, ; Cheol-Young, Yun, S.-C., Woo, ;, Lee, J., & Park, ; Duk-Woo. (n.d.). *Time-and Dose-Dependent Association of Statin Use With Risk of Clinically Relevant New-Onset Diabetes Mellitus in Primary Prevention: A Nationwide Observational Cohort Study*. <https://doi.org/10.1161/JAHA>

Larasanti, L. P. F. (2014). *Review Artikel Dislipidemia: Panduan Terapi untuk Penyakit Kronis*. http://www.medscape.org/viewarticle/550620_2

Lee, J., Noh, Y., Shin, S., Lim, H. S., Park, R. W., Bae, S. K., Oh, E., Kim, G. J., Kim, J. H., & Lee, S. (2016). Impact of statins on risk of new onset diabetes mellitus: A population-based cohort study using the Korean National Health Insurance claims database. *Therapeutics and Clinical Risk Management*, 12, 1533–1543. <https://doi.org/10.2147/TCRM.S117150>

Luman, A. (2014). Statin-Induced Diabetes. *Continuing Professional Development*, 41(4), 250–253. http://www.kalbemed.com/Portals/6/06_215CPD_Statin-Induced%20Diabetes.pdf

Ma, T., Chang, M. H., Tien, L., Liou, Y. S., & Jong, G. P. (2012). The long-term effect of statins on the risk of new-onset diabetes mellitus in elderly Taiwanese patients with hypertension and dyslipidaemia: A retrospective longitudinal cohort study. *Drugs and Aging*, 29(1), 45–51. <https://doi.org/10.2165/11597250-00000000-00000>

Ma, T., Tien, L., Fang, C. L., Liou, Y. S., & Jong, G. P. (2012). Statins and New-Onset Diabetes: A Retrospective Longitudinal Cohort Study. *Clinical Therapeutics*, 34(9), 1977–1983. <https://doi.org/10.1016/j.clinthera.2012.08.004>

Maki, K. C., Ridker, P. M., Brown, W. V., Grundy, S. M., & Sattar, N. (2014). An assessment by the Statin diabetes safety task force: 2014 update. *Journal of Clinical Lipidology*, 8(3 SUPPL). <https://doi.org/10.1016/j.jacl.2014.02.012>

Moda Arsana Rulli Rosandi Asman Manaf AAG Budhiarta Hikmat Permana, P., & Sucipta Dharma Lindarto Soebagijo Adi Bowo Pramono Dante Saksono Harbuwono Alwi Shahab Sugiarto Jazil Karimi Luthfan Budi Purnomo Agus Yuwono Tony Suhartono, K. W. (2015). *Panduan Pengelolaan Dislipidemia di Indonesia-2015* Penulis Penerbit PB. PERKENI.

Preiss, D., Welsh, P., Murphy, S. A., Ho, J. E., Waters, D. D., Demicco, D. A., Cannon, C. P., & Sabatine, M. S. (2011). CLINICIAN 'S CORNER Risk of Incident Diabetes With Intensive-Dose. *Jama*, 305(24), 2556–2564.

Ruscica, M., MacChi, C., Morlotti, B., Sirtori, C. R., & Magni, P. (2014). Statin therapy and related risk of new-onset type 2 diabetes mellitus. *European Journal of Internal Medicine*, 25(5), 401–406. <https://doi.org/10.1016/j.ejim.2014.03.003>

Sattar, N., Preiss, D., Murray, H. M., Welsh, P., Buckley, B. M., de Craen, A. J., Seshasai, S. R. K., McMurray, J. J., Freeman, D. J., Jukema, J. W., Macfarlane, P. W., Packard, C. J., Stott, D. J., Westendorp, R. G., Shepherd, J., Davis, B. R., Pressel, S. L., Marchioli, R., Marfisi, R. M., ... Ford, I. (2010). Statins and risk of incident diabetes: a collaborative meta-analysis of randomised statin trials. *The Lancet*, 375(9716), 735–742. [https://doi.org/10.1016/S0140-6736\(09\)61965-6](https://doi.org/10.1016/S0140-6736(09)61965-6)

Sudrajad, G. B., Kusuma, A. S., & Kusumaratna, R. K. (2020). Paradigma baru penggunaan statin: efek kardioprotektif atau penyebab onset baru diabetes melitus? *Jurnal Biomedika Dan Kesehatan*, 3(2), 101–108. <https://doi.org/10.18051/jbiomedkes.2020.v3.101-108>

Vallejo-Vaz, A. J., Kondapally Seshasai, S. R., Kurogi, K., Michishita, I., Nozue, T., Sugiyama, S., Tsimikas, S., Yoshida, H., & Ray, K. K. (2015). Effect of pitavastatin on glucose, HbA1c and incident diabetes: A meta-analysis of randomized controlled clinical trials in individuals without diabetes. *Atherosclerosis*, 241(2), 409–418. <https://doi.org/10.1016/j.atherosclerosis.2015.06.001>

Wahjuni, S. (2015). *Dislipidemia Menyebabkan Stress Oksidatif Ditandai Oleh Meningkatnya Malondialdehid* (S. Wahjuni (ed.); 1st ed., Vol. 1). Udayana University Press.

Zhao, W., & Zhao, S. P. (2015). Different effects of statins on induction of diabetes mellitus: An experimental study. *Drug Design, Development and Therapy*, 9, 6211–6223. <https://doi.org/10.2147/DDDT.S87979>