

DAFTAR PUSTAKA

- Agustina, W., Susanti, E., Yunita, N., & Yamtinah, S. (2018). *Modul Chem Office (Chem Draw & Chem 3D)*. Draw, C. (n.d.). *Chem Draw & Chem 3D.*, 1–22.
- Amelia, F. (2019). Modeling Struktur Protein Vaksin H5N1 HA BTB Menggunakan I-Tasser. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Apriani, F. (2015). Studi Penambatan Molekul Senyawa-Senyawa Amidasi Etil Para Metokisinamat Pada Peroxisome Proliferator-Activated Receptor-Gamma (Ppar γ). *Skripsi*, 1–121.
- Arwansyah, Ambarsari, L., & Sumaryada, T. I. (2014). Simulasi Docking Senyawa Kurkumin Dan Analognya Sebagai Inhibitor Enzim 12-Lipoksigenase. *Current Biochemistry, I(in silico)*, 36–39.
- Berman, H. M., Battistuz, T., Bhat, T. N., Bluhm, W. F., Bourne, P. E., Burkhardt, K., Feng, Z., Gilliland, G. L., Iype, L., Jain, S., Fagan, P., Marvin, J., Padilla, D., Ravichandran, V., Schneider, B., Thanki, N., Weissig, H., Westbrook, J. D., & Zardecki, C. (2002). The protein data bank. *Acta Crystallographica Section D: Biological Crystallography*, 58(6 I), 899–907. <https://doi.org/10.1107/S0907444902003451>
- Bielenica, A., Drzewiecka-Antonik, A., Rejmak, P., Stefańska, J., Koliński, M., Kmiecik, S., Lesyng, B., Włodarczyk, M., Pietrzyk, P., & Struga, M. (2018). Synthesis, structural and antimicrobial studies of type II topoisomerase-targeted copper(II) complexes of 1,3-disubstituted thiourea ligands. *Journal of Inorganic Biochemistry*, 182(Ii), 61–70. <https://doi.org/10.1016/j.jinorgbio.2018.01.005>
- Costa, C. (2016). *Uji Aktivitas Analgesik Senyawa 4-Bromobenzoilurea Pada Mencit Putih (Mus musculus) Dengan Metode Writhing Test*.
- Dachriyanus. (2004). *Analiaia Struktur Senyawa Organik Secara Spektroskopi*.

Lembaga Pengembangan Teknologi Universitas dan Komunikasi (LPTIK)
Universitas Andalas.

- Deng, C. X. (2009). SIRT1, is it a tumor promoter or tumor suppressor? *International Journal of Biological Sciences*, 5(2), 147–152.
<https://doi.org/10.7150/ijbs.5.147>
- Dias, R., & de Azevedo Jr., W. (2008). Molecular Docking Algorithms. *Current Drug Targets*, 9(12), 1040–1047.
<https://doi.org/10.2174/138945008786949432>
- E.M Krovat, T. Steindl, T. L. (2005). *Current Computer-Aided Drug Design* (S. C. Basak (ed.); volume 1). Bentham Science.
<https://doi.org/https://doi.org/10.2174/1573409052952314>
- Ferwadi, S., Gunawan, R., & Astuti, W. (2017). Studi Docking Molekular Senyawa Asam Sinamat Dan Derivatnya Sebagai Inhibitor Protein 1J4X Pada Sel Kanker Serviks. *Jurnal Kimia Mulawarman*, 14(2), 85–90.
<http://jurnal.kimia.fmipa.unmul.ac.id/index.php/JKM/article/view/401/307>
- Forestryana, D., & Arnida. (2020). Skrining Fitokimia dan Analisis Kromatografi Lapis Tipis Ekstrak Etanol Daun Jeruju (*hydrolea spinosa* l.). *Jurnal Ilmiah Farmako Bahari*, 113–124.
- Geldenhuys, W. J., Gaasch, K. E., Watson, M., Allen, D. D., & Van Der Schyf, C. J. (2006). Optimizing the use of open-source software applications in drug discovery. *Drug Discovery Today*, 11(3–4), 127–132.
[https://doi.org/10.1016/S1359-6446\(05\)03692-5](https://doi.org/10.1016/S1359-6446(05)03692-5)
- Hardjono, S. (2013). Sintesis Dan Uji Aktivitas Antikanker Senyawa 1-(2-Klorobenzoiloksi)Urea Dan 1-(4-Klorobenzoiloksi)Urea. *Berkala Ilmiah Kimia Farmasi*, 2(1), 16–21.
- Hariono, M., Nuwarda, R. F., Yusuf, M., Rollando, R., Jenie, R. I., Al-Najjar, B., Julianus, J., Putra, K. C., Nugroho, E. S., Wisnumurti, Y. K., Dewa, S. P., Jati, B. W., Tiara, R., Ramadani, R. D., Qodria, L., & Wahab, H. A. (2020).

Arylamide as Potential Selective Inhibitor for Matrix Metalloproteinase 9 (MMP9): Design, Synthesis, Biological Evaluation, and Molecular Modeling. *Journal of Chemical Information and Modeling*, 60(1), 349–359. <https://doi.org/10.1021/acs.jcim.9b00630>

Huhtiniemi, T., Suuronen, T., Rinne, V. M., Wittekindt, C., Lahtela-Kakkonen, M., Jarho, E., Wallén, E. A. A., Salminen, A., Poso, A., & Leppänen, J. (2008). Oxadiazole-carbonylaminothioureas as SIRT1 and SIRT2 inhibitors. *Journal of Medicinal Chemistry*, 51(15), 4377–4380. <https://doi.org/10.1021/jm800639h>

Jawoor, S. S., Patil, S. A., & Toragalmath, S. S. (2018). Synthesis and characterization of heteroleptic Schiff base transition metal complexes: a study of anticancer, antimicrobial, DNA cleavage and anti-TB activity. *Journal of Coordination Chemistry*, 71(2), 271–283. <https://doi.org/10.1080/00958972.2017.1421951>

Jensen, F. (2007). *Introduction to Computational Chemistry* (2nd ed.). Department of Chemistry, University of Southern Denmark, Odense, Denmark.

Kementerian Kesehatan RI Badan Penelitian dan Pengembangan. (2018). Hasil Utama Riset Kesehatan Dasar. *Kementrian Kesehatan Republik Indonesia*, 1–100. <http://www.depkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018.pdf>

Khan, S. A., Singh, N., & Saleem, K. (2008). Synthesis, characterization and in vitro antibacterial activity of thiourea and urea derivatives of steroids. *European Journal of Medicinal Chemistry*, 43(10), 2272–2277. <https://doi.org/10.1016/j.ejmech.2007.12.012>

Kong, S., Kim, S. J., Sandal, B., Lee, S. M., Gao, B., Zhang, D. D., & Fang, D. (2011). The type III histone deacetylase Sirt1 protein suppresses p300-mediated histone H3 lysine 56 acetylation at Bclaf1 promoter to inhibit T cell activation. *Journal of Biological Chemistry*, 286(19), 16967–16975. <https://doi.org/10.1074/jbc.M111.218206>

- Kristianingrum, S. (2012). *Handout Spektroskopi Infra Merah (Infrared Spectroscopy, IR)*. 15.
- Kumar, A., Singh, P., & Nanda, A. (2020). Hot stage microscopy and its applications in pharmaceutical characterization. *Applied Microscopy*, 50(1). <https://doi.org/10.1186/s42649-020-00032-9>
- Lan, J., Huang, L., Lou, H., Chen, C., Liu, T., Hu, S., Yao, Y., Song, J., Luo, J., Liu, Y., Xia, B., Xia, L., Zeng, X., Ben-David, Y., & Pan, W. (2018). Design and synthesis of novel C14-urea-tetrandrine derivatives with potent anti-cancer activity. *European Journal of Medicinal Chemistry*, 143, 1968–1980. <https://doi.org/10.1016/j.ejmech.2017.11.007>
- Lin, Z., & Fang, D. (2013). The Roles of SIRT1 in Cancer. *Genes and Cancer*, 4(3–4), 97–104. <https://doi.org/10.1177/1947601912475079>
- Lin, Z., Yang, H., Kong, Q., Li, J., Lee, S. M., Gao, B., Dong, H., Wei, J., Song, J., Zhang, D. D., & Fang, D. (2012). USP22 Antagonizes p53 Transcriptional Activation by Deubiquitinating Sirt1 to Suppress Cell Apoptosis and Is Required for Mouse Embryonic Development. *Molecular Cell*, 46(4), 484–494. <https://doi.org/10.1016/j.molcel.2012.03.024>
- Lipinski, C. A. (2004). Lead- and drug-like compounds: The rule-of-five revolution. *Drug Discovery Today: Technologies*, 1(4), 337–341. <https://doi.org/10.1016/j.ddtec.2004.11.007>
- Mardianingrum, R., Bachtiar, K. R., Susanti, S., Aas Nuraisah, A. N., & Ruswanto, R. (2021). Studi In Silico Senyawa 1,4-Naphthalenedione-2-Ethyl-3-Hydroxy sebagai Antiinflamasi dan Antikanker Payudara. *ALCHEMY Jurnal Penelitian Kimia*, 17(1), 83. <https://doi.org/10.20961/alchemy.17.1.43979.83-95>
- Morris, G. M. (2009). AutoDock4 and AutoDockTools4: Automated Docking with Selective Receptor Flexibility. In *Journal of computational chemistry*. Wiley InterScience. <https://doi.org/10.1002/jcc>
- Muttaqin, F. Z. (2019). Studi Molecular Docking, Molecular Dynamic, Dan

Prediksi Toksisitas Senyawa Turunan Alkaloid Naftiridin Sebagai Inhibitor Protein Kasein Kinase 2-A Pada Kanker Leukemia. *Pharmacoscript*, 2(1), 49–64. <https://doi.org/10.36423/pharmacoscript.v2i1.241>

Nasyanka, A. L., Siswodihardjo, S., & Hardjono, S. (2017). Docking, synthesis, and cytotoxic activity of N-4-methoxybenzoyl-N'-(4-fluorophenyl)thiourea on HeLa cell line. *Thai Journal of Pharmaceutical Sciences*, 41(3), 99–102.

North, E. J., Scherman, M. S., Bruhn, D. F., Scarborough, J. S., Maddox, M. M., Jones, V., Grzegorzewicz, A., Yang, L., Hess, T., Morisseau, C., Jackson, M., McNeil, M. R., & Lee, R. E. (2013). Design, synthesis and anti-tuberculosis activity of 1-adamantyl-3- heteroaryl ureas with improved in vitro pharmacokinetic properties. *Bioorganic and Medicinal Chemistry*, 21(9), 2587–2599. <https://doi.org/10.1016/j.bmc.2013.02.028>

Nugraha, Y. (2016). *PENGENALAN SPEKTROSKOPI FTIR (FOURIER TRANSFORM INFRARED)*.

Nursamsiar, Toding, A. T., & Awaluddin, A. (2016). Studi In Silico Senyawa Turunan Analog Kalkon Dan Pirimidin Sebagai Antiinflamasi: Prediksi Absorpsi, Distribusi, dan Toksisitas. *Pharmacy*, 13(01), 92–100.

Peck, B., Chen, C. Y., Ho, K. K., Di Fruscia, P., Myatt, S. S., Charles Coombes, R., Fuchter, M. J., Hsiao, C. D., & Lam, E. W. F. (2010). SIRT inhibitors induce cell death and p53 acetylation through targeting both SIRT1 and SIRT2. *Molecular Cancer Therapeutics*, 9(4), 844–855. <https://doi.org/10.1158/1535-7163.MCT-09-0971>

Pires, D. E. V., Blundell, T. L., & Ascher, D. B. (2015). pkCSM: Predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures. *Journal of Medicinal Chemistry*, 58(9), 4066–4072. <https://doi.org/10.1021/acs.jmedchem.5b00104>

Putra, G. S., Yuniarta, T. A., Syahrani, A., & Rudyanto, M. (2016). Synthesis, molecular docking study and brine shrimp lethality test of benzoxazine and

aminomethyl derivatives from eugenol. *International Journal of Pharma Research & Review*, 5(4), 1–11.

Rollando. (2017). *Pengantar Kimia Medisinal*.

Ruswanto, Miftah, A. M., Tjahjono, D. H., & Siswandono. (2018). Synthesis and in vitro Cytotoxicity of 1-Benzoyl-3-methyl Thiourea Derivatives. *Procedia Chemistry*, 17, 157–161. <https://doi.org/10.1016/j.proche.2015.12.105>

Ruswanto, R., Mardianingrum, R., Lestari, T., Nofianti, T., & Siswandono, S. (2018). 1-(4-Hexylbenzoyl)-3-methylthiourea. *MolBank*, 2018(3), 2–6. <https://doi.org/10.3390/M1005>

Ruswanto, Siswandono, Richa, M., Tita, N., & Tresna, L. (2017). Molecular docking of 1-benzoyl-3-methylthiourea as anti cancer candidate and its absorption, distribution, and toxicity prediction. *Journal of Pharmaceutical Sciences and Research*, 9(5), 680–684.

Schwartz, B. D., Skinner-Adams, T. S., Andrews, K. T., Coster, M. J., Edstein, M. D., MacKenzie, D., Charman, S. A., Koltun, M., Blundell, S., Campbell, A., Pouwer, R. H., Quinn, R. J., Beattie, K. D., Healy, P. C., & Davis, R. A. (2015). Synthesis and antimalarial evaluation of amide and urea derivatives based on the thiaplakortone A natural product scaffold. *Organic and Biomolecular Chemistry*, 13(5), 1558–1570. <https://doi.org/10.1039/c4ob01849d>

Siswandono. (2014). *Pengembangan obat baru* (1st ed.). Airlangga University Press.

Siswandono. (2018). *KIMIA MEDISINAL 1, Edisi Kedua, 2016* (Siswandono (ed.); 2nd ed., Issue October 2016). Airlangga University Press.

Skoog, D. A. (2007). *Principles of instrumental analysis* (6th ed.). Belmont, CA : Thomson Brooks/Cole, ©2007.

Suhartati, T. (2017). *Dasar-dasar spektrofotometri UV-Vis dan spektrometri massa untuk penentuan struktur senyawa organik*.

<http://repository.lppm.unila.ac.id/id/eprint/2700>

- Tumbarello, D. A., & Turner, C. E. (2006). Hic-5 Contributes to Transformation Through a RhoA / ROCK-dependent Pathway. *Journal Cellular Physiology*, *211*(3)(May), 736–747. <https://doi.org/10.1002/JCP>
- Upadhayaya, R. S., Kulkarni, G. M., Vasireddy, N. R., Vandavasi, J. K., Dixit, S. S., Sharma, V., & Chattopadhyaya, J. (2009). Design, synthesis and biological evaluation of novel triazole, urea and thiourea derivatives of quinoline against *Mycobacterium tuberculosis*. *Bioorganic and Medicinal Chemistry*, *17*(13), 4681–4692. <https://doi.org/10.1016/j.bmc.2009.04.069>
- Vaziri, H., Dessain, S. K., Eaton, E. N., Imai, S.-I., Frye, R. A., Pandita, T. K., Guarente, L., & Weinberg, R. A. (2001). hSIR2 SIRT1 Functions as an NAD-Dependent p53 Deacetylase involved in DNA damage responses (Martin et al mammalian cells is also involved in the DNA damage. *Cell*, *107*, 149–159.
- Wardani, G. A., & Wulandari, W. T. (2018). Pemanfaatan Limbah Kulit Pisang Kepok (*Musa acuminata*) sebagai Biosorben Ion Timbal(II). *Jurnal Kimia VALENSI*, *4*(2), 143–148. <https://doi.org/10.15408/jkv.v4i2.6918>
- Wen, Y. C., Wang, D. H., RayWhay, C. Y., Luo, J., Gu, W., & Baylin, S. B. (2005). Tumor suppressor HIC1 directly regulates SIRT1 to modulate p53-dependent DNA-damage responses. *Cell*, *123*(3), 437–448. <https://doi.org/10.1016/j.cell.2005.08.011>
- WHO. (2018). *Cancer*. 2018.
- Yamashita, S., Furubayashi, T., Kataoka, M., Sakane, T., Sezaki, H., & Tokuda, H. (2000). Optimized conditions for prediction of intestinal drug permeability using Caco-2 cells. *European Journal of Pharmaceutical Sciences*, *10*(3), 195–204. [https://doi.org/10.1016/S0928-0987\(00\)00S076-2](https://doi.org/10.1016/S0928-0987(00)00S076-2)
- Yao, J., Chen, J., He, Z., Sun, W., & Xu, W. (2012). Design, synthesis and biological activities of thiourea containing sorafenib analogs as antitumor agents. *Bioorganic and Medicinal Chemistry*, *20*(9), 2923–2929.