

DAFTAR REFERENSI

- Ahmed, S., & Ikram, S. (2017). *Chitosan: Derivates, Composites, and Application*. John Wiley & Sons Inc.
- Ali, M., & Gherissi, A. (2017). Synthesis and Characterization of The Composite Material PVA/Chitosan/5% sorbitol with Different Ratio of Chitosan. *International Journal of Mechanical and Mechatronics Engineering*, 17(2), 15–28.
- Alven, S., Nqoro, X., & Aderibigbe, B. A. (2020). Polymer-Based Materials Loaded with Curcumin for Wound Healing Applications. *Polymers*, 12(10), 1–25. <https://doi.org/10.3390/polym12102286>
- Amer, M. A., & Attia, E. M. H. (2020). Characterization and Evaluation for Wound Healing of Chitosan Extracted from The Exoskeleton of Freshwater Crab Potamonautes Niloticus. *Journal of Applied Pharmaceutical Science*, 10(5), 43–48. <https://doi.org/10.7324/JAPS.2020.10506>
- Ammar, H. O., Ghorab, M., El-Nahhas, S. A., & Kamel, R. (2009). Polymeric Matrix System for Prolonged Delivery of Tramadol Hydrochloride, Part I: Physicochemical Evaluation. *AAPS PharmSciTech*, 10(1), 7–20. <https://doi.org/10.1208/s12249-008-9167-0>
- Archana, D., Dutta, J., & Dutta, P. K. (2013). Evaluation of Chitosan Nano Dressing for Wound Healing: Characterization, in vitro and in vivo Studies. *International Journal of Biological Macromolecules*, 57, 193–203. <https://doi.org/10.1016/j.ijbiomac.2013.03.002>
- Arifin, A., & Iqbal, M. (2019). Formulasi dan Uji Karakteristik Fisik Sediaan Patch Ekstrak Etanol Daun Kumis Kucing (Orthosiphon Stamineus). *Jurnal Ilmiah Manuntung*, 5(2), 187–191.
- Arifin, A., & Marianti, S. (2019). Evaluasi Karakteristik Fisik dan Uji Permeasi pada Formula Patch Aspirin Menggunakan Kombinasi Etilselulosa dengan Polivinilpirolidon. *Jurnal Sains Dan Kesehatan*, 1(2004), 2234–2239. <https://doi.org/10.16285/j.rsm.2007.10.006>
- Arulmoorthy, M. P., Anbarasi, G., Srinivasan, M., & Vishnupriya, B. (2020). Biosynthesis and Characterization of Chitosan Based Hydrogel: A potential in vitro Wound Healing Agent. *Materials Today: Proceedings*, xxxx. <https://doi.org/10.1016/j.matpr.2020.07.186>
- Arun Raj, R. (2014). Formulation Evaluation and In Vitro Permeation Studies of Transdermal Nifedipine from Matrix Type Patches. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(1), 185–188.
- Bajpai, M., Bajpai, S. K., & Gautam, D. (2014). Investigation of Regenerated Cellulose/Poly(acrylic acid) Composite Films for Potential Wound Healing Applications: A Preliminary Study. *Journal of Applied Chemistry*, 2014, 1–9. <https://doi.org/10.1155/2014/325627>
- Bano, I., Arshad, M., Yasin, T., Ghauri, M. A., & Younus, M. (2017). Chitosan: A Potential Biopolymer for Wound Management. *International Journal of Biological Macromolecules*, 102, 380–383. <https://doi.org/10.1016/j.ijbiomac.2017.04.047>
- Boateng, J. S., Matthews, K. H., Stevens, H. N. E., & Eccleston, G. M. (2008). Wound Healing Dressings and Drug Delivery Systems: A review. *Journal of Pharmaceutical Sciences*, 97(8), 2892–2923.

- <https://doi.org/10.1002/jps.21210>
- Burnett, C. L., & Heldreth, B. (2017). Polyvinyl Alcohol. *International Journal of Toxicology*, 36, 46S-47S. <https://doi.org/10.1177/1091581817716650>
- Chakraborty, S., & Ilagan, A. P. D. (2020). Chitosan Curcumin Film as a Sensor for Detection of O-Nitrophenol and Fluoride Ion Using Fluoresce Quenching Technique. *Philippine Journal of Science*, 149(1), 27–33.
- Chidambaram, M., & Krishnasamy, K. (2014). Drug-Drug/Drug-Excipient Compatibility Studies on Curcumin Using Non-Thermal Methods. *Advanced Pharmaceutical Bulletin*, 4(3), 309–312. <https://doi.org/10.5681/apb.2014.045>
- Durgaprasad, S., Reetesh, R., Hareesh, K., & Rajput, R. (2011). Effect of a Topical Curcumin Preparation (BIOCURCUMAX) on Burn Wound Healing in Rats. *Journal of Pharmaceutical and Biomedical Sciences*, 08(08).
- El-banna, F. S., Mahfouz, M. E., Leporatti, S., El-Kemary, M., & Hanafy, N. A. N. (2019). Chitosan as a Natural Copolymer with Unique Properties for the Development of Hydrogels. *Applied Sciences*, 9(2193), 1–11. <https://doi.org/10.3390/app912193>
- El-Hefian, E. A., Nasef, M. M., & Yahaya, A. H. (2010). The Preparation and Characterization of Chitosan / Poly (Vinyl Alcohol) Blended Films. *E-Journal of Chemistry*, 7(4), 1212–1219. <https://doi.org/10.1155/2010/626235>
- Emiroglu, G., Ozergin Coskun, Z., Kalkan, Y., Celebi Erdivanli, O., Tumkaya, L., Terzi, S., Özgür, A., Demirci, M., & Dursun, E. (2017). The Effects of Curcumin on Wound Healing in a Rat Model of Nasal Mucosal Trauma. *Evidence-Based Complementary and Alternative Medicine*, 2017. <https://doi.org/10.1155/2017/9452392>
- Fatmawaty, A., Nisa, M., Irmayanti, & Sunarti. (2017). Formulasi Patch Ekstrak Etanol Daun Murbei (*Morus Alba L.*) dengan Variasi Konsentrasi Polimer Polivinil Pirolidon dan Etil Selulosa. *Journal of Pharmaceutical and Medicinal Sciences*, 2(1), 17–20.
- Febriani, A., Maruya, I., & Sulistyaningsih, F. (2020). *Formulasi dan Uji Iritasi Sediaan Gel Kombinasi Ekstrak Etanol Rimpang Kencur (Kaempferia galanga L .) dan Ekstrak Etanol Herba Pegagan (Centella asiatica (L .) Urban).* 13(1).
- Feldman, D. (2020). Poly(Vinyl Alcohol) Recent Contributions to Engineering and Medicine. *Journal of Composites Science*, 4(4), 1–11. <https://doi.org/10.3390/jcs4040175>
- Felton, L. A. (2007). Film Coating Oral Solid Dosage Form. *Encyclopedia of Pharmaceutical Technology*, 1, 135–176. <https://doi.org/10.1201/b13757-6>
- Gadekar, R., Saurabh, M. K., Thakur, G. S., & Saurabh, A. (2012). Study of Formulation, Characterisation and Wound Healing Potential of Transdermal Patches of Curcumin. *Asian Journal of Pharmaceutical and Clinical Research*, 5(SUPPL.4), 225–230.
- Gal, A., & Nussinovitch, A. (2009). Plasticizers in The Manufacture of Novel Skin-Bioadhesive Patches. *International Journal of Pharmaceutics*, 370(1–2), 103–109. <https://doi.org/10.1016/j.ijpharm.2008.11.015>
- Gu, Z., Xie, H. X., Huang, C., Li, L., & Yu, X. (2013). Preparation of Chitosan/Silk Fibroin Blending Membrane Fixed with Alginate dialdehyde for Wound Dressing. *International Journal of Biological Macromolecules*, 58, 121–126.

- <https://doi.org/10.1016/j.ijbiomac.2013.03.059>
- Gunes, S., & Tihminlioglu, F. (2017). Hypericum Perforatum Incorporated Chitosan Films as Potential Bioactive Wound Dressing Material. *International Journal of Biological Macromolecules*, 102, 933–943. <https://doi.org/10.1016/j.ijbiomac.2017.04.080>
- Gungor, S., Erdal, M. S., & ÖZsoy, Y. (2012). Plasticizers in Transdermal Drug Delivery Systems. *Recent Advances in Plasticizers*, May. <https://doi.org/10.5772/38156>
- Gupta, S. C., Prasad, S., Kim, J. H., Patchva, S., Webb, L. J., Priyadarsini, I. K., & Aggarwal, B. B. (2011). Multitargeting by Curcumin as Revealed by Molecular Interaction Studies. *Natural Product Reports*, 23(1), 1–7. <https://doi.org/10.1039/c1np00051a>.Multitargeting
- Hazra, M. K., Roy, S., & Bagchi, B. (2014). Hydrophobic Hydration Driven Self-assembly of Curcumin in Water: Similarities to Nucleation and Growth Under Large Metastability, and An Analysis of Water Dynamics at Heterogeneous Surfaces. *Journal of Chemical Physics*, 141(18), 1–31. <https://doi.org/10.1063/1.4895539>
- Her, C., Venier-Julienne, M.-C., & Roger, E. (2018). Improvement of Curcumin Bioavailability for Medical Applications. *Medicinal & Aromatic Plants*, 07(06). <https://doi.org/10.4172/2167-0412.1000326>
- Hermanto, F. J., Lestari, F., Hermawati, C., & Nurviana, V. (2019). Evaluasi Sediaan Patch Daun Handeuleum (*Graptophyllum griff L*) sebagai Penurun Panas. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analis Kesehatan Dan Farmasi*, 19(2), 209. <https://doi.org/10.36465/jkbth.v19i2.499>
- Huan, Y., Peng, K. J., Wang, Q. L., Gu, Z. Y., Lu, Y. Q., Zhao, J., Xu, F., Liu, Y. L., Tang, Y., Deng, F. M., Zhou, P., Jin, J. G., & Wang, X. C. (2013). Effect of Pomegranate Peel Polyphenol Gel on Cutaneous Wound Healing in Alloxan-Induced Diabetic Rats. *Chinese Medical Journal*, 126(9), 1700–1706. <https://doi.org/10.3760/cma.j.issn.0366-6999.20122728>
- Indriaty, S., Rizikiyan, Y., Firmansyah, D., Tinggi, S., Muhammadiyah, F., & Fulica, A. (2019). Formulasi dan Uji Stabilitas Gel Antiaging dari Kombinasi Ekstrak Etanol Kulit Buah Naga Merah (*Hylocereus polyehizus*) dan Lendir Bekicot (*Achatina Fulica*) dengan Variasi Gelling Agent Carbomer 940 1%, 1,25%, 1,5%, dan 1,75%. *Journal of Pharmacopolium*, 2(2), 104–111.
- Jatmiko, T. H., Poeloengasih, C. D., Prasetyo, D. J., & Rosyida, V. T. (2016). Effect of Plasticizer on Moisture Sorption Isotherm of Sugar Palm (*Arenga Pinnata*) Starch Film. *AIP Conference Proceedings*, 1711(February 2016). <https://doi.org/10.1063/1.4941651>
- Kamoun, E. A., Kenawy, E. R. S., & Chen, X. (2017). A Review on Polymeric Hydrogel Membranes for Wound Dressing Applications: PVA-based Hydrogel Dressings. *Journal of Advanced Research*, 8(3), 217–233. <https://doi.org/10.1016/j.jare.2017.01.005>
- Kant, V., Gopal, A., Pathak, N. N., Kumar, P., Tandan, S. K., & Kumar, D. (2014). Antioxidant and Anti-Inflammatory Potential of Curcumin Accelerated The Cutaneous Wound Healing in Streptozotocin-Induced Diabetic Rats. *International Immunopharmacology*, 20(2), 322–330. <https://doi.org/10.1016/j.intimp.2014.03.009>

- Kementrian Kesehatan RI. (2020). *Farmakope Indonesia Edisi VI*. Direktorat Jenderal Kefarmasian dan Alat Kesehatan.
- Khan, M. A., & Mujahid, M. (2018). A Review on Recent Advances in Chitosan Based Composite for Hemostatic Dressings. *International Journal of Biological Macromolecules*, 124(August), 138–147. <https://doi.org/10.1016/j.ijbiomac.2018.11.045>
- Kim, J. O., Noh, J.-K., Thapa, R. K., Hasan, N., Choi, M., Kim, J. H., Lee, J.-H., Ku, S. K., & Yoo, J.-W. (2015). Nitric oxide-releasing chitosan film for enhanced antibacterial and in vivo wound-healing efficacy. *International Journal of Biological Macromolecules*, 1(1), 1–6. <https://doi.org/10.1016/j.jinf.2020.02.020>
- Kouchak, M., Ameri, A., Naseri, B., & Kargar Boldaji, S. (2014). Chitosan and polyvinyl alcohol composite films containing nitrofurazone: Preparation and evaluation. *Iranian Journal of Basic Medical Sciences*, 17(1), 14–20. <https://doi.org/10.22038/ijbms.2014.2150>
- Kumar, S. S., Behury, B., & Sachinkumar, P. (2013). Formulation and Evaluation of Transdermal Patch of Stavudine. *Dhaka University Journal of Pharmaceutical Sciences*, 12(1), 63–69. <https://doi.org/10.3329/dujps.v12i1.16302>
- Kurniawaty, E., Putranta, N. R., Kedokteran, F., & Lampung, U. (2019). Potensi Biopolimer Kitosan dalam Pengobatan Luka. *Medula*, 9, 459–464.
- Leksono, T., Mus, S., & Annisa, Z. (2019). Antibacterial Potential of Chitosan Extracted from Rama Shrimp (*Thalassina Anomala*) Carapace. *Journal of Physics: Conference Series*, 1351(1). <https://doi.org/10.1088/1742-6596/1351/1/012088>
- Lestari, M. L. A. D., & Indrayanto, G. (2014). Profiles of Drug Substances, Excipients, and Related Methodology Volume 39 Chapter Three : Curcumin. In *Profiles of Drug Substances, Excipients and Related Methodology* (Vol. 39). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800173-8.00003-9>
- Li, J., & Zhuang, S. (2020). Antibacterial activity of chitosan and its derivatives and their interaction mechanism with bacteria: Current state and perspectives. *European Polymer Journal*, 138(September). <https://doi.org/10.1016/j.eurpolymj.2020.109984>
- Li, S. (2011). Chemical Composition and Product Quality Control of Turmeric (*Curcuma longa* L.). *Pharmaceutical Crops*, 5(1), 28–54. <https://doi.org/10.2174/2210290601102010028>
- Liu, H., Wang, C., Li, C., Qin, Y., Wang, Z., Yang, F., Li, Z., & Wang, J. (2018). A functional chitosan-based hydrogel as a wound dressing and drug delivery system in the treatment of wound healing. *RSC Advances*, 8(14), 7533–7549. <https://doi.org/10.1039/c7ra13510f>
- Liu, M., Duan, X. P., Li, Y. M., Yang, D. P., & Long, Y. Z. (2017). Electrospun Nanofibers for Wound Healing. *Materials Science and Engineering C*, 76, 1413–1423. <https://doi.org/10.1016/j.msec.2017.03.034>
- Ma, Y., Xin, L., Tan, H., Fan, M., Li, J., Jia, Y., Ling, Z., Chen, Y., & Hu, X. (2017). Chitosan Membrane Dressings Toughened by Glycerol to Load Antibacterial Drugs for Wound Healing. *Materials Science and Engineering C*, 81, 522–531. <https://doi.org/10.1016/j.msec.2017.08.052>
- Madhulata, & Naga. (2013). Formulation and Evaluation of Ibuprofen Transdermal

- Patches. *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 4(1), 351–362.
- Mali, A. D., Bathe, R., & Patil, M. (2015). An Effective Approach on Physical and Dielectric Properties of PZT- PVDF Composites. *International Journal of Advances in Scientific Research*, 1(08), 322–328. <https://doi.org/10.7439/ijasr>
- Matica, M. A., Aachmann, F. L., Tøndervik, A., Sletta, H., & Ostafe, V. (2019). Chitosan as a Wound Dressing Starting Material: Antimicrobial Properties and Mode of Action. *International Journal of Molecular Sciences*, 20(23), 1–33. <https://doi.org/10.3390/ijms20235889>
- Mehrabani, D., Farjam, M., Geramizadeh, B., Tanideh, N., Amini, M., & Panjehshahin, M. R. (2015). The Healing Effect of Curcumin on Burn Wounds in Rat. *World Journal of Plastic Surgery*, 4(1), 29–35.
- Misnamayanti, M., Sugihantoro, H., & Fauziyah, B. (2019). Pengaruh Variasi Konsentrasi Propilen Glikol sebagai Enhancer terhadap Sediaan Transdermal Patch Ibuprofen In Vitro. *Journal of Islamic Pharmacy*, 4(2), 27. <https://doi.org/10.18860/jip.v4i2.8029>
- Mita, S. R., Rahayu, D., Kurniawansyah, I. S., Chaerunisaa, A. Y., & Purnama, H. (2018). Development of Patch Ketoprofen Using Chitosan as Polymer Matrix. *Journal of Pharmaceutical Sciences and Research*, 10(1), 8–15.
- Moeini, A., Pedram, P., Makvandi, P., Malinconico, M., & Gomez d’Ayala, G. (2020). Wound Healing and Antimicrobial Effect of Active Secondary Metabolites in Chitosan-based Wound Dressings: A review. *Carbohydrate Polymers*, 233(November 2019), 115839. <https://doi.org/10.1016/j.carbpol.2020.115839>
- Mohanty, C., & Sahoo, S. K. (2017). Curcumin and Its Topical Formulations for Wound Healing Applications. *Drug Discovery Today*, 22(10), 1582–1592. <https://doi.org/10.1016/j.drudis.2017.07.001>
- Murti, D. A., Salim, M. N., Sabri, M., Pendidikan, S., Hewan, D., Kedokteran, F., Universitas, H., Kuala, S., Aceh, B., Patologi, L., Kedokteran, F., Universitas, H., Kuala, S., Anatomi, L., Kedokteran, F., Universitas, H., & Kuala, S. (2017). Efektifitas Salep Getah Jarak Pagar (*Jatropha curcas* L) pada Fase Epitelisasi Penyembuhan Luka Sayat Kulit Mencit (*Mus musculus*) dengan Pewarnaan Masson trichrome. *Jimvet*, 01(3), 465–472.
- Nilsen-Nygaard, J., Strand, S. P., Vårum, K. M., Draget, K. I., & Nordgård, C. T. (2015). Chitosan: Gels and Interfacial Properties. *Polymers*, 7(3), 552–579. <https://doi.org/10.3390/polym7030552>
- Niranjan, R., Kaushik, M., Selvi, R. T., Prakash, J., Venkataprasanna, K. S., Prema, D., Pannerselvam, B., & Venkatasubbu, G. D. (2019). PVA/SA/TiO₂-CUR Patch for Enhanced Wound Healing Application: In Vitro and In Vivo Analysis. *International Journal of Biological Macromolecules*, 138, 704–717. <https://doi.org/10.1016/j.ijbiomac.2019.07.125>
- Niranjan, R., M., K., J., P., K.S., V., Arpana, C., Balashanmugam, P., & Venkatasubbu, G. D. (2019). Enhanced Wound Healing by PVA/Chitosan/Curcumin Patches: In Vitro and In Vivo Study. *Colloids and Surfaces B: Biointerfaces*, 182(July). <https://doi.org/10.1016/j.colsurfb.2019.06.068>
- Nisa, M., Nuraisyah, A., Farmasi, A., Makassar, K., Tinggi, S., & Farmasi, I. (2016). Formulasi Patch Kosmetik Lendir Bekicot (*Achantina fulica*) dengan

- Polimer Kitosan dan Berbagai Variasi Amilum. *Jurnal Ilmiah Manuntung*, 2(2), 233–238.
- Nugraheni, A. D., Purnawati, D., & Kusumaatmaja, A. (2018). Physical Evaluation of PVA/Chitosan Film Blends with Glycerine and Calcium Chloride. *Journal of Physics: Conference Series*, 1011(1). <https://doi.org/10.1088/1742-6596/1011/1/012052>
- Nurahmanto, D., Shalikha, N., & Ameliana, L. (2017). Optimasi Hidroksipropil Metilselulosa K-4M dan Carbopol® 940 pada Sediaan Patch Dispersi Padat Piroksikam. *Kartika : Jurnal Ilmiah Farmasi*, 5(2), 80. <https://doi.org/10.26874/kjif.v5i2.121>
- Nurmesa, A., Nurhabibah, N., & Najihudin, A. (2019). Formulasi dan Evaluasi Stabilitas Fisik Patch Transdermal Alkaloid Nikotin Daun Tembakau (Nicotiana tobacum Linn) dengan Variasi Polimer dan Asam oleat. *Jurnal Penelitian Farmasi & Herbal*, 2(1), 1–8. <https://doi.org/10.36656/jpfh.v2i1.150>
- Ou, K., Wu, X., Wang, B., Meng, C., Dong, X., & He, J. (2017). Controlled in Situ Graft Polymerization of DMAEMA onto Cotton Surface Via SI-ARGET ATRP for Low-adherent Wound Dressings. *Cellulose*, 24(11), 5211–5224. <https://doi.org/10.1007/s10570-017-1449-9>
- Panahi, Y., Fazlolahzadeh, O., Atkin, S. L., Majeed, M., Butler, A. E., Johnston, T. P., & Sahebkar, A. (2018). Evidence of Curcumin and Curcumin Analogue Effects in Skin Diseases: A Narrative Review. *Journal of Cellular Physiology*, 234(2), 1165–1178. <https://doi.org/10.1002/jcp.27096>
- Pandey, A. K., & Dwivedi, A. K. (2019). Recent Advancement in Wound Healing Dressing Material. *International Journal of Research in Pharmaceutical Sciences*, 10(3), 2572–2577. <https://doi.org/10.26452/ijrps.v10i3.1512>
- Parivesh, S., Sumeet, D., & Abhishek, D. (2010). Design, Evaluation, Parameters and Marketed Products of transdermal patches: A Review. *Journal of Pharmacy Research*, 3(2), 235–240.
- Parthiban, F., Balasundari, S., Gopalakannan, A., Rathnakumar, K., & Felix, S. (2017). Comparison of the Quality of Chitin and Chitosan from Shrimp, Crab and Squilla Waste. *Current World Environment*, 12(3), 670–677. <https://doi.org/10.12944/cwe.12.3.18>
- Paulraj, F., Abas, F., Lajis, N. H., Othman, I., & Naidu, R. (2019). Molecular Pathways Modulated by Curcumin Analogue, Diarylpentanoids in Cancer. *Biomolecules*, 9(7), 1–14. <https://doi.org/10.3390/biom9070270>
- Peles, Z., & Zilberman, M. (2012). Novel Soy Protein Wound Dressings with Controlled Antibiotic Release: Mechanical and Physical Properties. *Acta Biomaterialia*, 8(1), 209–217. <https://doi.org/10.1016/j.actbio.2011.08.022>
- Puspitasari, K. D., Nurahmanto, D., & Ameliana, L. (2016). Optimasi Hidroksipropil Metilselulosa dan Carbopol terhadap Moisture Content dan Laju Pelepasan Patch Ibuprofen In Vitro. *Pustaka Kesehatan*, 4(2), 229–234.
- Rahim, F., Deviarny, C., Yenti, R., & Ramadani, P. (2016). Formulasi Sediaan Patch Transdermal dari Rimpang Rumput Teki (Cyperus Rotundus L.) untuk Pengobatan Nyeri Sendi Pada Tikus Putih Jantan. *Scientia : Jurnal Farmasi Dan Kesehatan*, 6(1), 1. <https://doi.org/10.36434/scientia.v6i1.34>
- Ramesh, Y., & Sireesha, V. (2017). Transdermal Patch Ramipril Loaded Chitosan Nanoparticles Dispersed in Carbopol Gel. *Journal of Drug Delivery and*

- Therapeutics*, 7(6), 56–65.
- Ravichandiran, V., & Manivannan, S. (2015). Wound Healing Potential of Transdermal Patches Containing Bioactive Fraction from The Bark of Ficus racemosa. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(6), 326–332.
- Resmi, R., Yoonus, J., & Beena, B. (2020). Anticancer and Antibacterial Activity of Chitosan Extracted from Shrimp Shell Waste. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2020.05.251>
- Roy, J. C., Salaün, F., Giraud, S., Ferri, A., Chen, G., & Guan, J. (2017). Solubility of Chitin: Solvents, Solution Behaviors and Their Related Mechanisms. *Solubility of Polysaccharides*. <https://doi.org/10.5772/intechopen.71385>
- Salim, M. N., Silvia, M., Aliza, D., Masyitha, D., Iskandar, C. D., Rusli, R., Hasan, M., Sabri, M., Harris, A., Medicine, V., Kuala, U. S., & Aceh, B. (2020). Efficacy of Jatropha curcas Latex Cream in Epithelialization Phase of Wound Healing in Mice Skin. *E3S Web of Conferences*, 151(004), 1–6. <https://doi.org/10.1051/e3sconf/202015101038>
- Shams, M. S., Alam, M. I., Ali, A., Sultana, Y., & Aqil, M. (2010). Pharmacodynamics of A Losartan Transdermal System for The Treatment of Hypertension. *Drug Development and Industrial Pharmacy*, 36(4), 385–392. <https://doi.org/10.3109/03639040903188471>
- Sharma, A., Puri, V., Kumar, P., & Singh, I. (2021). Rifampicin-loaded alginate-gelatin fibers incorporated within transdermal films as a fiber-in-film system for wound healing applications. *Membranes*, 11(1), 1–16. <https://doi.org/10.3390/membranes11010007>
- Sharma, P., Mathur, G., Goswami, N., Sharma, S. K., Dhakate, S. R., Chand, S., & Mathur, A. (2015). Evaluating the Potential of Chitosan/Poly(vinyl alcohol) Membranes as Alternative Carrier Material for Proliferation of Vero cells. *E-Polymers*, 15(4), 237–243. <https://doi.org/10.1515/epoly-2015-0021>
- Shirsand, S. ., Ladhan, S. P., & Prakash, P. . (2012). Design and Evaluation of Matrix Transdermal Patches of Meloxicam. *RGUHS Journal Pharmaceutical Sciences*, 2(4).
- Siddiqui, N. A. I. (2015). Evaluation of Thermo Sensitivity of Curcumin and Quantification of Ferulic acid and Vanillin as Degradation Products by a Validated HPTLC Method. *Pakistan Journal of Pharmaceutical Sciences*, 28(1), 299–305.
- Suksaeree, J., Charoenchai, L., Madaka, F., Monton, C., Sakunpak, A., Charoonratana, T., & Pichayakorn, W. (2015). Zingiber Cassumunar Blended Patches for Skin Application: Formulation, Physicochemical Properties, and In vitro studies. *Asian Journal of Pharmaceutical Sciences*, 10(4), 341–349. <https://doi.org/10.1016/j.ajps.2015.03.001>
- Suksaeree, J., Monton, C., Madaka, F., Chusut, T., Saingam, W., Pichayakorn, W., & Boonme, P. (2015). Formulation, Physicochemical Characterization, and In Vitro Study of Chitosan/HPMC Blends-Based Herbal Blended Patches. *AAPS PharmSciTech*, 16(1), 171–181. <https://doi.org/10.1208/s12249-014-0216-6>
- Sulaksmono, M. (2006). Keuntungan dan Kerugian Patch Test (Uji Tempel) Dalam Upaya Menegakkan Diagnosa Penyakit Kulit Akibat Kerja (Occupational Dermatosis). *Fakultas Kesehatan Masyarakat Universitas Airlangga*, 1–6.

- Sulistijowati, R., Husain, R., Datau, M. C., & Kusbidinandri. (2019). Antioxidant, Antibacterial and Antifungal Activity of Edible Coating Chitosan-galactose Complex. *IOP Conference Series: Earth and Environmental Science*, 370(1). <https://doi.org/10.1088/1755-1315/370/1/012032>
- Suryani, Musnina, W. O. S., Ruslin, Nisa, M., Aprianti, R., Hasanah, M., Putri, F. R., Adjeng, A. N. T., Yuniar, N., Sahumena, M. H., & Aswan, M. (2019). Formulation and Physical Characterization of Curcumin Nanoparticle Transdermal Patch. *International Journal of Applied Pharmaceutics*, 11(6), 217–221. <https://doi.org/10.22159/ijap.2019v11i6.34780>
- Thakur, G., Singh, A., & Singh, I. (2016). Formulation and Evaluation of Transdermal Composite Films of Chitosan-montmorillonite for The Delivery of Curcumin. *International Journal of Pharmaceutical Investigation*, 6(1), 23. <https://doi.org/10.4103/2230-973x.176468>
- Thariq, M. R. A., Fadli, A., Rahmat, A., & Handayani, R. (2016). Pengembangan Kitosan Terkini pada Berbagai Aplikasi Kehidupan : Review. *Jurnal Teknologi Pangan, October*, 4–11. <https://www.researchgate.net/publication/311806381>
- Ustundag Okur, N., Hökenek, N., Okur, M. E., Ayla, Ş., Yoltaş, A., Siafaka, P. I., & Cevher, E. (2019). An alternative Approach to Wound Healing Field; New Composite Films from Natural Polymers for Mupirocin Dermal Delivery. *Saudi Pharmaceutical Journal*, 27(5), 738–752. <https://doi.org/10.1016/j.jsps.2019.04.010>
- Vollono, L., Mattia, F., Roberta, G., Federico, I., Emi, D., Chiara, T., Luca, B., & Elena, C. (2019). Potential of curcumin in skin disorders. *Nutrients*, 11(9). <https://doi.org/10.3390/nu11092184>
- Wang, J., & Chen, C. (2014). Chitosan-Based Biosorbents: Modification and Application for Biosorption of Heavy Metals and Radionuclides. *Bioresource Technology*, 160, 129–141. <https://doi.org/10.1016/j.biortech.2013.12.110>
- Wang, W., Meng, Q., Li, Q., Liu, J., Zhou, M., Jin, Z., & Zhao, K. (2020). Chitosan derivatives and their application in biomedicine. *International Journal of Molecular Sciences*, 21(2). <https://doi.org/10.3390/ijms21020487>
- Wardani, V. K., & Saryanti, D. (2021). *Formulasi Transdermal Patch Ekstrak Etanol Biji Pepaya (Carica Papaya L.) dengan Basis Hydroxypropil Metilcellulose (HPMC)*. 4(1), 38–44. <https://doi.org/10.13057/smj.v4i1>.
- Widiarti, N., Sumarni, W., & Setyaningrum, L. (2017). The Synthesis of Chitosan Polymer Membrane/Pva as an Eco-Friendly Battery for Alternative Energy Resource. *Jurnal Bahan Alam Terbarukan*, 6(1), 14–19. <https://doi.org/10.15294/jbat.v6i1.6880>
- Wilantari, P. D. (2020). Aktivitas Penyembuhan Luka Insisi dari Salep Daun Binahong (Anrederra scandens (L.) Moq.). *Jurnal Farmasi Udayana*, 8(2), 78. <https://doi.org/10.24843/jfu.2019.v08.i02.p04>
- Xu, R., Xia, H., He, W., Li, Z., Zhao, J., Liu, B., Wang, Y., Lei, Q., Kong, Y., Bai, Y., Yao, Z., Yan, R., Li, H., Zhan, R., Yang, S., Luo, G., & Wu, J. (2016). Controlled Water Vapor Transmission Rate Promotes Wound-healing via Wound Re-epithelialization and Contraction Enhancement. *Scientific Reports*, 6(November 2015), 1–12. <https://doi.org/10.1038/srep24596>
- Yodkhum, M. K. (2013). *Chitosan-Aluminum Monostearate Composite Sponges Containing Asiaticoside for Promoting Angiogenesis in Chronic Wound*.

- Silpakorn University.
- Zhuang, P. Y., Li, Y. L., Fan, L., Lin, J., & Hu, Q. L. (2012). Modification of Chitosan Membrane with Poly(vinyl Alcohol) and Biocompatibility evaluation. *International Journal of Biological Macromolecules*, 50(3), 658–663. <https://doi.org/10.1016/j.ijbiomac.2012.01.026>