

DAFTAR PUSTAKA

- Afiah, N. (2015). Men-Download , Menginstall Dan Menggunakan Chemketch Dan Marvin Sketch Serta Cara Men-Download Ligan Dan Protein. Sulawesi Selasa: Palopo.
- Alvarez, J., & Shoichet, B. (2005). *Virtual Screening in Drug Discovery*. CRC PRESSTaylor & Francis Group.
- Al-Khafaji, K., AL-DuhaidahawiL, D., & Taskin Tok, T. (2020). Using integrated computational approaches to identify safe and rapid treatment for SARS-CoV-2. *Journal of Biomolecular Structure and Dynamics*, 0(0), 000. <https://doi.org/10.1080/07391102.2020.1764392>
- Case, D. A., Walker, R. C., Cheatham, T. E., Simmerling, C., Roitberg, A., Merz, K. M., Luo, R., & Darden, T. (2018). Amber 2018. *University of California, San Francisco*. 2018, 1–923. <http://ambermd.org/doc12/Amber18.pdf>
- Dharmayanti, A., & Martak, F. (2015). Sintesis Senyawa Aktif Kompleks Mangan(II) dengan Ligan 2(4-nitrofenil)-4,5-difenil-. *Jurnal Sains Dan Seni ITS*, 4(2), 1–5.
- Das, P., Majumder, R., Mandal, M., & Basak, P. (2020). In-Silico approach for identification of effective and stable inhibitors for COVID-19 main protease (M) from flavonoid based phytochemical constituents of Calendula officinalis. *Journal of Biomolecular Structure and Dynamics*, 0(0), 1–16. <https://doi.org/10.1080/07391102.2020.1796799>
- Frimayanti, N. (2021). Simulasi Molecular Dynamic (MD) Senyawa Analog Kalkon Sebagai Inhibitor Untuk Sel Kanker Paru A549. *Jurnal Penelitian Farmasi Indonesia*, 9(2), 56–60. <https://doi.org/10.51887/jpfi.v9i2.852>
- Gao, Y., Yan, L., Huang, Y., Liu, F., Zhao, Y., Cao, L., Wang, T., Sun, Q., Ming, Z., Zhang, L., Ge, J., Zheng, L., Zhang, Y., Wang, H., Zhu, Y., Zhu, C., Hu, T., Hua, T., Zhang, B., ... Rao, Z. (2020). Structure of the RNA-dependent RNA polymerase from COVID-19 virus. *Science*, 368(6492), 779–782. <https://doi.org/10.1126/science.abb7498>
- Gupta, P. K., & Pulapalli, S. (2015). *Research and Reviews : Journal of Medicinal Chemistry Tulsi : An elixir for human life*. 4(1), 1–5.
- Hamza, M., Ali, A., Khan, S., Ahmed, S., Attique, Z., Ur Rehman, S., Khan, A., Ali, H., Rizwan, M., Munir, A., Khan, A. M., Siddique, F., Mehmood, A., Nouroz, F., & Khan, S. (2020). nCOV-19 peptides mass fingerprinting identification, binding, and blocking of inhibitors flavonoids and anthraquinone of Moringa oleifera and hydroxychloroquine. *Journal of Biomolecular Structure and Dynamics*, 0(0), 1–11. <https://doi.org/10.1080/07391102.2020.1778534>
- Han, R. M., Zhang, J. P., & Skibsted, L. H. (2012). Reaction dynamics of flavonoids and carotenoids as antioxidants. *Molecules*, 17(2), 2140–2160. <https://doi.org/10.3390/molecules17022140>

Harapan, H., Itoh, N., Yufika, A., Winardi, W., Keam, S., Te, H., Megawati, D., Hayati, Z., Wagner, A. L., & Mudatsir, M. (2020). Coronavirus disease 2019 (COVID-19): A literature review. *Journal of Infection and Public Health*, 13(5), 667–673. <https://doi.org/10.1016/j.jiph.2020.03.019>

Hariono, M., Nuwarda, R. F., Yusuf, M., Rollando, R., Jenie, R. I., Al-Najjar, B., Julianus, J., Putra, K. C., Nugroho, E. S., Wisnumurti, Y. K., Dewa, S. P., Jati, B. W., Tiara, R., Ramadani, R. D., Qodria, L., & Wahab, H. A. (2020). Arylamide as Potential Selective Inhibitor for Matrix Metalloproteinase 9 (MMP9): Design, Synthesis, Biological Evaluation, and Molecular Modeling. *Journal of Chemical Information and Modeling*, 60(1), 349–359. <https://doi.org/10.1021/acs.jcim.9b00630>

Hatada, R., Okuwaki, K., Mochizuki, Y., Handa, Y., Fukuzawa, K., Komeiji, Y., Okiyama, Y., & Tanaka, S. (2020). Fragment Molecular Orbital Based Interaction Analyses on COVID-19 Main Protease - Inhibitor N3 Complex (PDB ID: 6LU7). *Journal of Chemical Information and Modeling*, 60(7), 3593–3602. <https://doi.org/10.1021/acs.jcim.0c00283>

Huang, F., Li, Y., Leung, E. L. H., Liu, X., Liu, K., Wang, Q., Lan, Y., Li, X., Yu, H., Cui, L., Luo, H., & Luo, L. (2020). A review of therapeutic agents and Chinese herbal medicines against SARS-COV-2 (COVID-19). *Pharmacological Research*, 158(May), 104929. <https://doi.org/10.1016/j.phrs.2020.104929>

Kamiya, Y., Takaku, H., Yamada, R., Akase, C., Abe, Y., Sekiguchi, Y., Murayama, N., Shimizu, M., Kitajima, M., Shono, F., Funatsu, K., & Yamazaki, H. (2020). Determination and prediction of permeability across intestinal epithelial cell monolayer of a diverse range of industrial chemicals/drugs for estimation of oral absorption as a putative marker of hepatotoxicity. *Toxicology Reports*, 7(October 2019), 149–154. <https://doi.org/10.1016/j.toxrep.2020.01.004>

Khaerunnisa, S., Kurniawan, H., Awaluddin, R., & Suhartati, S. (2020). Potential Inhibitor of COVID-19 Main Protease (M pro) from Several Medicinal Plant Compounds by Molecular Docking Study. *Preprints*, March, 1–14. <https://doi.org/10.20944/preprints202003.0226.v1>

Kim, J., Zhang, J., Cha, Y., Kolitz, S., Funt, J., Chong, R. E., Barrett, S., Zeskind, B., Kusko, R., & Kaufman, H. (2020). Coronavirus Disease - 2019 (COVID-19). *ChemRxiv*, 2019(April). <https://doi.org/10.26434/chemrxiv.12037416.v1>

Koosha, S., Alshawsh, M. A., Yeng, L. C., Seyedian, A., & Mohamed, Z. (2016). An association map on the effect of flavonoids on the signaling pathways in colorectal cancer. *International Journal of Medical Sciences*, 13(5), 374–385. <https://doi.org/10.7150/ijms.14485>

Liu, Y., Tong, J., Tong, Y., Li, P., Cui, X., & Cao, H. (2018). In vitro anti-influenza virus effect of total flavonoid from *Trollius ledebouri* Reichb. *Journal of International Medical Research*, 46(4), 1380–1390. <https://doi.org/10.1177/0300060517750284>

Lukassen, S., Chua, R. L., Trefzer, T., Kahn, N. C., Schneider, M. A., Muley, T., Winter, H., Meister, M., Veith, C., Boots, A. W., Hennig, B. P., Kreuter, M., Conrad, C., & Eils, R.

(2020). SARS -CoV-2 receptor ACE 2 and TMPRSS 2 are primarily expressed in bronchial transient secretory cells. *The EMBO Journal*, 39(10), 1–15.
<https://doi.org/10.15252/embj.20105114>

Mousavizadeh, L., & Ghasemi, S. (2020). Genotype and phenotype of COVID-19: Their roles in pathogenesis. *Journal of Microbiology, Immunology and Infection*, xxxx, 0–4.
<https://doi.org/10.1016/j.jmii.2020.03.022>

Ngwa, W., Kumar, R., Thompson, D., Lyerly, W., Moore, R., Reid, T., Lowe, H., & Toyang, N. (2020). *Potential of Flavonoid-Inspired Phytomedicines against COVID-19*. 1–10.

Nurjanah, N., Izzati, L., Abdullah, A., & Metode, M. (2012). Aktivitas Antioksidan dan Komponen Bioaktif Kerang Pisau (*Solen* spp). *ILMU KELAUTAN: Indonesian Journal of Marine Sciences*, 16(3), 119–124–124. <https://doi.org/10.14710/ik.ijms.16.3.119-124>

Pachetti, M., Marini, B., Benedetti, F., Giudici, F., Mauro, E., Storici, P., Masciovecchio, C., Angeletti, S., Ciccozzi, M., Gallo, R. C., Zella, D., & Ippodrino, R. (2020). Emerging SARS-CoV-2 mutation hot spots include a novel RNA-dependent-RNA polymerase variant. *Journal of Translational Medicine*, 18(1), 1–9. <https://doi.org/10.1186/s12967-020-02344-6>

Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5. <https://doi.org/10.1017/jns.2016.41>

Pires, D. E. V., & D, B. Ta. (2015). pkCSM: Predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures. *Journal of Medicinal Chemistry*, 58(9), 4066–4072. <https://doi.org/10.1021/acs.jmedchem.5b00104>

Prasetiawati, R., Suherman, M., & Permana, B. (2021). Molecular Docking Study of Anthocyanidin Compounds Against Epidermal Growth Factor Receptor (EGFR) as Anti-Lung Cancer Studi Molecular Docking Senyawa Antosianidin Terhadap Epidermal Growth Factor Receptor (EGFR) Sebagai Anti Kanker Paru. *Indonesian Journal of Pharmaceutical Science and Technology*, 8(1), 8–20.

Puspaningtyas, A. R., Kimia, D. J., Farmasi, F., & Jember, U. (2012). *MOLEKULAR DOCKING DENGAN METODE MOLEGRO VIRTUAL DOCKER TURUNAN KALKON SEBAGAI ANTIMIKROBA*. 9(1), 39–47.

Qiang, Z., Renhong, Y., Yuanyuan, Z., Yaning, L., Lu, X., & Yingying, G. (2020). *Structural basis for the recognition of SARS-CoV-2 by full-length human ACE2*. 2(March), 1444–1448.

Redha, A. (2010). Flavonoid: Struktur, Sifat Antioksidatif dan Peranannya Dalam Sistem Biologis. *Jurnal Berlin*, 9(2), 196–202. <https://doi.org/10.1186/2110-5820-1-7>

Russo, M., Moccia, S., Spagnuolo, C., Tedesco, I., & Russo, G. L. (2020). Roles of flavonoids against coronavirus infection. *Chemico-Biological Interactions*, 328(July), 109211. <https://doi.org/10.1016/j.cbi.2020.109211>

Ruswanto, R., Nofianti, T., Mardianingrum, R., & Lestari, T. (2018). Desain dan Studi In

Silico Senyawa Turunan Kuwanon-H sebagai Kandidat Obat Anti-HIV. *Jurnal Kimia VALENSI*, 4(1), 57–66. <https://doi.org/10.15408/jkv.v4i1.6867>

Ruswanto, Siswandono, Richa, M., Tita, N., & Tresna, L. (2017). Molecular docking of 1-benzoyl-3-methylthiourea as anti cancer candidate and its absorption, distribution, and toxicity prediction. *Journal of Pharmaceutical Sciences and Research*, 9(5), 680–684.

Sutir, F. (2012). *FLAVONOID TOTAL DALAM SEDIAAN CAIR KASUMBA TURATE (Carthamus tinctorius Linn.) SECARA SPEKTROFOTOMETRI UV-VIS PROGRAM STUDI FARMASI.*

Temelkovski, D., & Terstyanszky, G. (2017). *Molecular docking with Raccoon2 on clouds: extending desktop applications with cloud computing.* June.

Ullrich, S., & Nitsche, C. (2020). *The SARS-CoV-2 main protease as drug target.* January.

Umesh, U., Kundu, D., Selvaraj, C., Singh, S. K., & Dubey, V. K. (2020). Identification of new anti-nCoV drug chemical compounds from Indian spices exploiting SARS-CoV-2 main protease as target. *Journal of Biomolecular Structure and Dynamics*, 0(0), 1–7. <https://doi.org/10.1080/07391102.2020.1763202>

Uzzaman, M., Shawon, J., & Siddique, Z. A. (2019). Molecular docking, dynamics simulation and ADMET prediction of Acetaminophen and its modified derivatives based on quantum calculations. *SN Applied Sciences*, 1(11), 1–10. <https://doi.org/10.1007/s42452-019-1442-z>

Vidak, M., Rozman, D., & Komel, R. (2015). Effects of flavonoids from food and dietary supplements on glial and glioblastoma multiforme cells. *Molecules*, 20(10), 19406–19432. <https://doi.org/10.3390/molecules201019406>

Yeni, Y., Supandi, S., & Merdekawati, F. (2018). In silico toxicity prediction of 1-phenyl-1-(quinazolin-4-yl) ethanol compounds by using Toxtree, pkCSM and preADMET. *Pharmaciana*, 8(2), 216. <https://doi.org/10.12928/pharmaciana.v8i2.9508>

Yin, W., Yin, W., Mao, C., Luan, X., Shen, D., Shen, Q., & Su, H. (2020). *Structural basis for inhibition of the RNA-dependent RNA polymerase from SARS-CoV-2 by remdesivir.* 1560(May), 1–10.

Zhang, H., Penninger, J. M., Li, Y., Zhong, N., & Slutsky, A. S. (2020). Angiotensin-converting enzyme 2 (ACE2) as a SARS-CoV-2 receptor: molecular mechanisms and potential therapeutic target. *Intensive Care Medicine*, 46(4), 586–590. <https://doi.org/10.1007/s00134-020-05985-9>

Zhang, L., Lin, D., Sun, X., Curth, U., Drosten, C., Sauerhering, L., Becker, S., Rox, K., & Hilgenfeld, R. (2020). Crystal structure of SARS-CoV-2 main protease provides a basis for design of improved a-ketoamide inhibitors. *Science*, 368(6489), 409–412. <https://doi.org/10.1126/science.abb3405>

Zubair, M. S., Maulana, S., & Mukaddas, A. (2020). *Penambatan Molekuler dan Simulasi Dinamika Molekuler Senyawa Dari Genus Nigella Terhadap Penghambatan Aktivitas*

Enzyme Protease HIV-1 Protease HIV-1 Enzyme Inhibitors). 6(1), 132–140.
<https://doi.org/10.22487/j24428744.2020.v6.i1.14982>