

## DAFTAR PUSTAKA

- Ansel, H.C., (1989). *Pengantar Bentuk Sediaan Farmasi*, diterjemahkan oleh Farid Ibrahim, Asmanizar, Iis Aisyah, Edisi Keempat. Jakarta : UI Press.
- Aristyanti, N. P. P., Wartini, N. M., & Gunam, I. B. W. (2017). Rendemen Dan Karakteristik Ekstrak Pewarna Bunga Kenikir ( *Tagetes erecta L .* ) Pada Perlakuan Jenis Pelarut Dan Lama Ekstraksi. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 5(3), 13–23.
- Arnanda, Q. P., & Nurwarda, R. F. (2019). Review Article: Penggunaan Radiofarmaka Teknesium-99M Dari Senyawa Glutation Dan Senyawa Flavonoid Sebagai Deteksi Dini Radikal Bebas Pemicu Kanker. *Farmaka*, 17(2), 236–243.
- Arteni, A. A., Fradot, M., Galzerano, D., Mendes-Pinto, M. M., Sahel, J. A., Picaud, S., Robert, B., & Pascal, A. A. (2015). Structure and conformation of the carotenoids in human retinal macular pigment. *PLOS ONE*, 10(8), 1–11. <https://doi.org/10.1371/journal.pone.0135779>
- Asrina, R., Wahyuni, K. T., Farmasi, A., Karsa, S., Studi, P., Sandi, F., & Makassar, K. (2018). Formulasi Gel Ekstrak Etanol Daun Jambu Biki (*Psidium guajva L.*) Dengan Membandingkan Basic HPMC dan Natrium Alginat. *Farmasi Sandi Karsa*, IV(7), 1–5.
- Atmaja, Nila Suryani. (2009). *Pengaruh Kosmetik Anti Aging Terhadap Perawatan Kulit Wajah*. <http://www.lib.unnes.ac.id>.(diakses 29 Oktober 2020).
- Atmaja, N. S., Marwiyah, & Setyowati, E. (2012). Pengaruh Kosmetika Anti Aging Wajah Terhadap Hasil Perawatan Kulit Wajah. *Journal of Beauty and Beauty Health Education*, 1(1), 6–9. <https://doi.org/10.1111/inm.12120>.
- Barel AO., Paye M. & Maibach H.I. (2009). *Handbook of Cosmetic Science and Technology*, 3<sup>rd</sup> Edition. Informa Healthcare USA, Inc., New York.
- Departemen Kesehatan Republik Indonesia. (1978). *Formularium Nasional Edisi Kedua* (p. 315).
- Dewiastuti, M., & Hasanah, I. F. (2016). Pengaruh Faktor-Faktor Risiko Penuaan Dini Di Kulit Pada Remaja Wanita Usia 18-21 Tahun. *Jurnal Profesi Medika : Jurnal Kedokteran Dan Kesehatan*, 10(1), 21–25. <https://doi.org/10.33533/jpm.v10i1.10>.

- Duma, I., Irianto, K., Mardan, M. T., Farmasi, D. B., Farmasi, F., Mada, U. G., Farmasi, F., & Mada, U. G. (2020). Aktivitas Antibakteri dan Uji Sifat Fisik Sediaan Gel Dekokta Sirih Hijau (*Piper betle L.*) Sebagai Alternatif Pengobatan Mastitis Sapi. *Majalah Farmaseutik*, 16(2), 202–210. <https://doi.org/10.22146/farmaseutik.v16i2.53793>
- Edwards, J. A. (2016). Zeaxanthin: Review of Toxicological Data and Acceptable Daily Intake. *Journal of Ophthalmology*, 1–15. <https://doi.org/10.1155/2016/3690140>.
- El-Akabawy, G., & El-Sherif, N. M. (2019). Zeaxanthin exerts protective effects on acetic acid-induced colitis in rats via modulation of pro-inflammatory cytokines and oxidative stress. *Biomedicine and Pharmacotherapy*, 111, 841–851. <https://doi.org/10.1016/j.biopha.2019.01.001>
- George AB. (2010). Fenarolis handbook of flavor ingredients. Sixth edition; CRC Press.1865.
- Guillermme, J. B., Couteau, C., & Coiffard, L. (2017). Applications for marine resources in cosmetics. *Cosmetics*, 4(3), 1–15. <https://doi.org/10.3390/cosmetics4030035>
- Irianti, T., Mada, U. G., Ugm, S., Mada, U. G., Nuranto, S., Mada, U. G., Kuswandi, K., & Mada, U. G. (2017). *Antioksidan* (Issue October).
- Iswara, A. (2009). *Pengaruh Pemberian Antioksidan Vitamin C dan E Terhadap Kualitas Spermatozoa Tikus Putih Terpapar Allethrin*. Sarjana Biologi. Skripsi. Semarang: Universitas Negeri Semarang.
- Juturu, V., Bowman, J. P., & Deshpande, J. (2016). Overall skin tone and skin-lightening-improving effects with oral supplementation of lutein and zeaxanthin isomers: A double-blind, placebo- controlled clinical trial. *Clinical, Cosmetic and Investigational Dermatology*, 9, 325–332. <https://doi.org/10.2147/CCID.S115519>
- Karadag, A., Ozcelik, B., & Saner, S. (2009). Review of methods to determine antioxidant capacities. *Food Analytical Methods*, 2(1), 41–60. <https://doi.org/10.1007/s12161-008-9067-7>
- Kementrian Kesehatan RI. (2014). *Farmakope Indonesia Edisi V*.
- Light, D. (2004). *Your Body:How it Works Cells, Tissues, and Skin*. <http://www.chelseahouse.com>
- Lung, J. K. S., & Destiani, D. P. (2017). Uji Aktivitas Antioksidan Vitamin A, C, E dengan Metode DPPH. *Farmaka*, 15(1), 53–62.

- Maiani, G., Castón, M. J. P., Catasta, G., Toti, E., Cambrodón, I. G., Bysted, A., Granado-Lorencio, F., Olmedilla-Alonso, B., Knuthsen, P., Valoti, M., Böhm, V., Mayer-Miebach, E., Behnlian, D., & Schlemmer, U. (2009). Carotenoids: Actual knowledge on food sources, intakes, stability and bioavailability and their protective role in humans. *Molecular Nutrition and Food Research*, 53(SUPPL. 2), 194–218. <https://doi.org/10.1002/mnfr.200800053>
- Marini, M., Ni'mah, T., Mahdalena, V., Komariah, R. H., & Sitorus, H. (2018). Potensi Daya Tolak Ekstrak Daun Marigold (*Tagetes erecta* L.) terhadap Nyamuk *Aedes aegypti*. *Balaba: Jurnal Litbang Pengendalian Penyakit Bersumber Binatang Banjarnegara*, 14, 53–62. <https://doi.org/10.22435/blb.v14i1.301>
- Martin, A., Swarbrick, J., & Cammarata, A. (2008). *Farmasi Fisik* (KETIGA). UI-Press.
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*, 26(December 2003), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Murillo, A. G., Hu, S., & Fernandez, M. L. (2019). Zeaxanthin: Metabolism, properties, and antioxidant protection of eyes, heart, liver, and skin. *Antioxidants*, 8(9), 1–18. <https://doi.org/10.3390/antiox8090390>
- Nazliniwaty, Karsono, Zebua, N. F., & Nerdy. (2016). *Antioxidant activity and antiaging gel formulation grapefruit peel ( Citrus maxima Merr .) ethanolic extract Departement of Pharmaceutical Technology and 2 Departement of Pharmaceutical Chemistry , Fac.* 8(20), 84–94.
- Nurdianti, L., Aryani, R., & Indra, I. (2017). Formulasi dan Karakterisasi SNE (Self Nanoemulsion) Astaxanthin dari *Haematococcus pluvialis* sebagai Super Antioksidan Alami. *Jurnal Sains Farmasi & Klinis*, 4(2), 30–36. <https://doi.org/10.29208/jsfk.2017.4.1.168>
- Nurdianti, L., Azzahra, S. F., & Aji, N. (2018). Pengembangan Formulasi Sediaan Gel Rambut Antiketombe Ekstrak Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb.) Dengan Menggunakan Viscolam Sebagai Gelling Agent Dan Uji Aktivasnya Terhadap Jamur *Pityrosporum ovale*. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analisis Kesehatan Dan Farmasi*, 17(2), 456. <https://doi.org/10.36465/jkbth.v17i2.273>
- Obana, A., Gohto, Y., Nakazawa, R., Moriyama, T., Gellermann, W., & Bernstein, P. S. (2020). Effect of an antioxidant supplement containing high dose lutein and zeaxanthin on macular pigment and skin carotenoid levels. *Scientific Reports*, 10(10262), 1–12. <https://doi.org/10.1038/s41598-020-66962-2>

- Palombo, P., Fabrizi, G., Ruocco, V., Ruocco, E., Fluhr, J., Roberts, R., & Morganti, P. (2007). Beneficial long-term effects of combined oral/topical antioxidant treatment with the carotenoids lutein and zeaxanthin on human skin: A double-blind, placebo-controlled study. *Skin Pharmacology and Physiology*, 20(4), 199–210. <https://doi.org/10.1159/000101807>
- Ratnasari, D., & Puspitasari, R. N. (2018). Optimasi Formula Sediaan Krim Anti-Aging Dari Ekstrak Terong Ungu (*Solanum melongena* L.) Dan Tomat (*Solanum lycopersicum* L.). *Jurnal Riset Kesehatan*, 7(2), 66. <https://doi.org/10.31983/jrk.v7i2.3703>
- Sajilata, M. G., Singhal, R. S., & Kamat, M. Y. (2008). The carotenoid pigment zeaxanthin - A review. *Comprehensive Reviews in Food Science and Food Safety*, 7(1), 29–49. <https://doi.org/10.1111/j.1541-4337.2007.00028.x>
- Sari, A. N. (2015). *Antioksidan alternatif untuk menangkal bahaya radikal bebas pada kulit*. 1(1), 63–68.
- Sarlina, Razak, A. R., & Tandah, M. R. (2017). Uji Aktivitas Antibakteri Sediaan Gel Ekstrak Daun Sereh (*Cymbopogon nardus* L. Rendle ) terhadap Bakteri *Staphylococcus aureus* Penyebab Jerawat. 3(2), 143–149. <https://doi.org/10.22487/j24428744.2017.v3.i2.8770>
- Schwartz, S., Frank, E., Gierhart, D., Simpson, P., & Frumento, R. (2016). Zeaxanthin-based dietary supplement and topical serum improve hydration and reduce wrinkle count in female subjects. *Journal of Cosmetic Dermatology*, 0, 1–8. <https://doi.org/10.1111/jocd.12226>
- Shetty, L. J., Sakr, F. M., Al-Obaidy, K., Patel, M. J., & Shareef, H. (2015). A brief review on medicinal plant *Tagetes erecta* Linn. *Journal of Applied Pharmaceutical Science*, 5(Suppl 3), 091–095. <https://doi.org/10.7324/JAPS.2015.510.S16>
- Sindhu, E. R., Preethi, K. C., & Kuttan, R. (2010). Antioxidant activity of carotenoid lutein in vitro and in vivo. *Indian Journal of Experimental Biology*, 48(August), 843–848.
- Singh, N., Thakur, R., & Mrinal. (2019). A Review on Pharmacological aspect of *Tagetes erecta* Linn. *Journal of Drug Delivery and Therapeutics*, 10(5), 358–361. <https://doi.org/10.22270/jddt.v10i5.4295>
- Souyoul, S. A., Saussy, K. P., & Lupo, M. P. (2018). Nutraceuticals: A Review. *Dermatology and Therapy*. <https://doi.org/10.1007/s13555-018-0221-x>
- Supomo, Sapri, & Komalasari, A. N. (2016). Formulasi Gel Antioksidan Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L ) Dengan Basis Carbopol Formulation Of Mangosteen Pericarp Ethanolic Extract Into Antioxidants Gel (*Garcinia mangostana* L ) With Base Carbopol. *Jurnal Ilmiah Ibnu Sina*, 1(1), 50–60.

- Suryani, Putri, A. E. P., & Fitrih, W. O. H. (2015). Uji Aktivitas Antioksidan dan Stabilitas Fisik Gel Ekstrak Terpurifikasi Daun Jambu Biji (*Psidium guajava* L.). *Majalah Farmasi, Sains, Dan Kesehatan*, 1(2), 43–48.
- Tranggono, R. I., & Latifah, F. (2007). *Buku Pegangan Ilmu Pengetahuan KOSMETIK* (J. Djajdisastra (ed.)). PT Gramedia Pusaka Utama.
- Tsabitah, A. F., Zulkarnain, A. K., Wahyuningsih, M. S. H., & Nugrahaningsih, D. A. A. (2020). Optimasi Carbomer , Propilen Glikol , dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan ( *Tithonia diversifolia* ). *Majalah Farmaseutik*, 16(2), 111–118. <https://doi.org/10.22146/farmaseutik.v16i2.45666>
- Valyova, M., Stoyanov, S., Markovska, Y., & Ganeva, Y. (2012). Evaluation of in vitro antioxidant activity and free radical scavenging potential of variety of *Tagetes erecta* L. Flowers growing in Bulgaria. *International Journal of Applied Research in Natural Products*, 5(2), 19–25.
- Van De Graaff, M. K., & Rhees Ward, R. (2001). *Human Anatomy and Physiology* (P. Wilhelm Brady (ed.)). [file:///C:/Users/youhe/Downloads/kdoc\\_o\\_00042\\_01.pdf](file:///C:/Users/youhe/Downloads/kdoc_o_00042_01.pdf)
- Warnida, H. (2015). Formulasi Gel Pati Bengkuang (*Pachyrhizus erosus* (L.) Urb.) Dengan Gelling Agent Metilselulosa. *Jurnal Ilmiah Manuntung*, 1(2), 121–126.
- Winarno, F. G., Winarno, W., & Winarno, A. D. (2015). Telomer Membalik Proses Penuaan. <https://books.google.co.id/books>. (diakses pada 29 Oktober 2020).
- Yusuf, N. A., & Fatmawaty, A. (2017). Formulation and in vivo Effectiveness Test of Albumin Gel Isolated From White Egg As Anti-Aging. *Journal of Pharmaceutical and Medicinal Science*, 2(1), 9–12.
- Zalukhu, M. L., Phyma, A. R., & Pinzon, R. T. (2016). *Proses Menua , Stres Oksidatif , dan Peran Antioksidan*. 43(10), 733–736.