

## DAFTAR PUSTAKA

- Al-Amin, M. M., Reza, H. M., Saadi, H. M., Mahmud, W., Ibrahim, A. A., Alam, M. M., Kabir, N., Saifullah, A. R. M., Tropa, S. T., & Quddus, A. H. M. R. (2016). Astaxanthin ameliorates aluminum chloride-induced spatial memory impairment and neuronal oxidative stress in mice. *European Journal of Pharmacology*, 777, 60–69.
- Ambati, R. R., Moi, P. S., Ravi, S., & Aswathanarayana, R. G. (2014). Astaxanthin: Sources, extraction, stability, biological activities and its commercial applications - A review. *Marine Drugs*, 12(1), 128–152. <https://doi.org/10.3390/md12010128>.
- American Dietetic Association. (1999). Diabetic Foot Wound Care. *American Diabetes Association*, 22(7-8 april), 1354–1360.  
<http://www.ncbi.nlm.nih.gov/pubmed/10480782>.
- Asker, D., Beppu, T., & Ueda, K. (2007). Zeaxanthinibacter enoshimensis gen. nov., sp. nov., a novel zeaxanthin-producing marine bacterium of the family Flavobacteriaceae, isolated from seawater off Enoshima Island, Japan. *International Journal of Systematic and Evolutionary Microbiology*, 57(4), 837–843. <https://doi.org/10.1099/ij.s.0.64682-0>.
- Ansel HC. Pengantar Bentuk Sediaan Farmasi, Ed.4. Penerjemah Farida Ibrahim. Jakarta: Universitas Indonesia Press. 1989.
- Ainaro, Elvira Putri, dkk. 2015. Formulasi Sediaan Masker Gel Peel-off Mengandung Lendir Bekicot (*Achatina fulica bowdich*) sebagai Pelembab Kulit. Bandung: Universitas Islam Bandung.
- Ardana, M., Vebry Aeyni., dan Arsyik, I, 2015, Formulasi dan Optimasi Basis Gel HPMC (Hidroxy Propyl Methyl Cellulose) dengan Berbagai Variasi Konsentrasi, J.Top. Pharm. Chem, Volume 3 Nomor 2, pg 102-108.
- Anonim,2004,*DmdmHydantoin* <https://pubchem.ncbi.nlm.nih.gov/compound/Hydantoin>.
- Anonim, Farmakope Indonesia, Edisi keempat. Jakarta: Departemen Kesehatan Republik Indonesia; 1995:5; 488-489; 515; 771.
- Bahagia, W., Kurniawaty, E., & Mustafa, S. (2013). Potensi Ekstrak Buah Pare (*Momordhica charantia*) Sebagai Penurun Kadar Glukosa Darah : Manfaat Di Balik

*Rasa Pahit Potency of Bitter Mellon ( Momordhica charantia ) Fruit as Lowering Blood Glucose Levels : Benefits Behind Bitter Flavor.* 7(10), 177–181.

Bi, J., Cui, R., Li, Z., Liu, C., & Zhang, J. (2017). Astaxanthin alleviated acute lung injury by inhibiting oxidative/nitrative stress and the inflammatory response in mice. *Biomedicine and Pharmacotherapy*, 95(277), 974–982.  
<https://doi.org/10.1016/j.biopha.2017.09.012>.

Bowering, C. K. (2001). Diabetic foot ulcers: Pathophysiology, assessment, and therapy. *Canadian Family Physician*, 47(MAY), 1007–1016.

Candra, S., Susilawati, E., & Adnyana, I. K. (2019). Pengaruh Gel Ekstrak Daun Kerehau (*Callicarpa longifolia* Lam.) Terhadap Penyembuhan Luka Pada Model Tikus Diabetes. *Kartika : Jurnal Ilmiah Farmasi*, 6(2), 70. <https://doi.org/10.26874/kjif.v6i2.154>.

Casner, S. W., Campbell, D. E., & Early, R. G. (1968). A five-week cardiovascular conditioning program. *Journal of Sports Medicine and Physical Fitness*, 8(4), 236–240.

Clayton, W., & Elasy, T. A. (2009). A review of the pathophysiology, classification, and treatment of foot ulcers in diabetic patients. *Clinical Diabetes*, 27(2), 52–58.  
<https://doi.org/10.2337/diaclin.27.2.52>

Edwards, J. A. (2016). Zeaxanthin: Review of Toxicological Data and Acceptable Daily Intake. *Journal of Ophthalmology*, 2016. <https://doi.org/10.1155/2016/3690140>.

Eren B, Tanrıverdi ST, Kose FA, Ozer O. Antioxidant Properties Evaluation of Topical Astaxanthin Formulations as Anti -Aging Products. *Journal of Cosmetic Dermatology*. 2019; 18:242–250.

Fianti, H. P., dan M. Murrukmihadi, 2015, Pengaruh Variasi Kadar Gelling Agent HPMC terhadap Sifat Fisik Sediaan gel Ekstrak Etanolik Daun Kemangi (*Ocimum basilicum* L. Forma citratum Back.), Majalah Farmaseutik, Volume 11 Nomor 2, pg 307-315.

Fakhri, S., Abbaszadeh, F., Dargahi, L., & Jorjani, M. (2018). Astaxanthin: A mechanistic review on its biological activities and health benefits. *Pharmacological Research*, 136, 1–20. <https://doi.org/10.1016/j.phrs.2018.08.012>.

Frykberg, R. G., Zgonis, T., Armstrong, D. G., Driver, V. R., Giurini, J. M., Kravitz, S. R.,

- Landsman, A. S., Lavery, L. A., Moore, J. C., Schuberth, J. M., Wukich, D. K., Andersen, C., & Vanore, J. V. (2006). DIABETIC FOOT DISORDERS: A CLINICAL PRACTICE GUIDELINE (2006 revision). *Journal of Foot and Ankle Surgery*, 45(5 SUPPL.), 1–66. [https://doi.org/10.1016/S1067-2516\(07\)60001-5](https://doi.org/10.1016/S1067-2516(07)60001-5).
- Gursoy, R. N., & Benita, S. (2004). Self-emulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs. *Biomedicine & Pharmacotherapy*, 58(3), 173–182.
- Guerin, M., Huntley, M. E., & Olaizola, M. (2003). Haematococcus astaxanthin: Applications for human health and nutrition. *Trends in Biotechnology*, 21(5), 210–216. [https://doi.org/10.1016/S0167-7799\(03\)00078-7](https://doi.org/10.1016/S0167-7799(03)00078-7).
- Higuera-Ciapara, I., Félix-Valenzuela, L., & Goycoolea, F. M. (2006). Astaxanthin: A review of its chemistry and applications. *Critical Reviews in Food Science and Nutrition*, 46(2), 185–196. <https://doi.org/10.1080/10408690590957188>.
- Juwita, A. P., Yamlean P., Edy H. J. (2013) Formulasi Krim Ekstrak Etanol Daun Lamun (Syringodium isoetifolium). Skripsi, Universitas Sam Ratulangi.
- Lipsky BA. Infectious problems of the foot in diabetic patients. In: Browker JH, Pfeifer MA, editors. Levin and O’Neal’s The Diabetic Foot (Seventh Edition). Philadelphia: Mosby Elsevier, 2008; p. 305-18.
- Lee, Ji Seok., and Song Ki Wong. Rheological Characterization of Carbopol 940 in Staedy Shear and Start-up Flow Fields. *Annual Transaction Of The Nordic Rheology Society*, Vol 19.
- Marzoq, A. K., Mohammed, R. A., & Habib, O. S. (2020). Characteristics of Patients with Diabetic Foot Ulcers and Predictors of Surgical Intervention in Basrah, Southern Iraq. *Indian Journal of Public Health Research & Development*, 11(1), 1397. <https://doi.org/10.37506/v11/i1/2020/ijphrd/194150>.
- Munro, N., Rich, N., McIntosh, C., Foster, a. V., & Edmonds, M. E. (2003). Infections in the diabetic foot: A practical management guide to foot care. *The British Journal of Diabetes & Vascular Disease*, 3(2), 132–136.

- [http://dvd.sagepub.com/cgi/doi/10.1177/14746514030030020901.](http://dvd.sagepub.com/cgi/doi/10.1177/14746514030030020901)
- Mu'awanah U., Setiaji B., Syoufian A., 2014. Pengaruh Konsentrasi Virgin Coconut Oil (VCO) Terhadap Stabilitas Emulsi Kosmetik dan Nilai Sun Protection Factor (SPF). Berkala MIPA, 24 (1).
- Naguib, Y. M. A. (2000). Antioxidant activities of astaxanthin and related carotenoids. *Journal of Agricultural and Food Chemistry*, 48(4), 1150–1154. <https://doi.org/10.1021/jf991106k>.
- Nurdianti, L., Sari, D. A., Yulianti, R., Formulasi, J., Ilmu, I., Bakti, K., & Husada, T. (n.d.). *Formulasi dan evaluasi lotion astaxanthin sebagai antioksidan alami untuk kulit*. 978–979.
- Nurdiana N. 1998. Efek streptozotocin sebagai bahan diabetogenik pada tikus wistar dengan cara intraperitoneal dan intravena. Majalah Kedokteran Unibraw. 14(2): 66-77.
- Of, A. P. M. (2004). A Practical Manual of Diabetic Foot Care. In *A Practical Manual of Diabetic Foot Care*. <https://doi.org/10.1002/9780470988381>.
- Oliver, J., & Syabariah, 2015. (2013). Ulkus Kaki Diabetik. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>.
- Romero-Cerecero, O., Zamilpa, A., Díaz-García, E. R., & Tortoriello, J. (2014). Pharmacological effect of Ageratina pichinchensis on wound healing in diabetic rats and genotoxicity evaluation. *Journal of Ethnopharmacology*, 156, 222–227. <https://doi.org/10.1016/j.jep.2014.09.002>.
- Rowe RC, Sheskey PJ dan Quinn ME. Handbook of Pharmaceutical Excipients, 6th edition. London: Pharmaceutical Press; 2009.
- Rodriguez, D. B. 2001 . A Guide to Carotenoid Analysis in Food. ILSI Press. International Life Sciences Institute. Washington.
- Sajilata, M. G., Singhal, R. S., & Kamat, M. Y. (2008). Pigment Zeaxanthin — A Review. *Comprehensive Reviews In Food Science And Food Safety*, 7, 29–49.

- Sindhu, E. R., Preethi, K. C., & Kuttan, R. (2010). Antioxidant activity of carotenoid lutein in vitro and in vivo. *Indian Journal of Experimental Biology*, 48(8), 843–848.
- Singh, K. N., Patil, S., & Barkate, H. (2020). Protective effects of astaxanthin on skin: Recent scientific evidence, possible mechanisms, and potential indications. *Journal of Cosmetic Dermatology*, 19(1), 22–27.  
<https://doi.org/10.1111/jocd.13019>.
- Sundari, P. M., Asmoro, C. P., & Arifin, H. (2018). *Penurunan tingkat stres penderita diabetes mellitus yang menjalani diet melalui Diabetes Self-Management Pendahuluan Hasil Metode*.
- Septiani, S. dkk. 2012. Formulasi Sediaan Masker Gel Antioksidan dari Ekstrak Etanol Biji Melinjo (*Gnetum gnemon* linn.) Fakultas Farmasi Universitas Padjadjaran.
- Saryanti, D., dan I. N. Zulfa, 2017, Optimasi Karbopol dan Gliserol sebagai Basis Gel Antiseptik Tangan Ekstrak Etanol Daun Ceremai (*Phyllanthus acidus* (L.) Skeels) dengan Metode Simplex Lattice Design, *Journal of Pharmaceutical Science and Clinical Research*, 2(1), pg 35-43.
- Su'aida, N., Destria, I. S., Mia, F., 2017, Optimasi Sediaan Gel Fraksi Etil Asetat Buah Kasturi (*Mangifera casturi* Kosterm) dengan Kombinasi Basis CMC-Na dan Carbopol Menggunakan Metode Simplex Lattice Design, *JCPS (Journal of Current Pharmaceutical Sciences)*, Volume 1 Nomor 1, ISSN 2598-2095, pg 19-24.
- Syamsuni, 2006, Farmasetika Dasar Dan Hitungan Farmasi, Penerbit Buku Kedokteran EGC, Jakarta. 29 – 31.
- Schulz, M., Baranska, R. and Baranski. 2005. Potential of NtRFT-Raman Spectroscopy in Natural Carotenoid Analysis. published online 26 January 2005 in Wiley Inter Science ([www.interscience.wiley.com](http://www.interscience.wiley.com)).
- Tarigan, P. B., & Esmawati, E. (2015). Pengaruh Daun Sirsak Terhadap Kadar Glukosa Darah Dan Histologi Pankreas Tikus Yang Di Induksi Aloksan. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.  
<https://doi.org/10.1017/CBO9781107415324.004>.

Tomita, Y., Hill, R. J., & Good, R. A. (1991). Studies of Immunomodulating Actions of Carotenoids. I. Effects of  $\beta$ -Carotene and Astaxanthin on Murine Lymphocyte Functions and Cell Surface Marker Expression in In Vitro Culture System. *Nutrition and Cancer*, 16(2), 93–105.  
<https://doi.org/10.1080/01635589109514148>.

Uchiyama, K., Naito, Y., Hasegawa, G., Nakamura, N., Takahashi, J., & Yoshikawa, T. (2002). Astaxanthin protects  $\beta$ -cells against glucose toxicity diabetic db/db mice. *Redox Report*, 7(5), 290–293.  
<https://doi.org/10.1179/13510002125000811>.

Winarto L. 2010. Tagetes Erecta. Diakses tanggal 1 Juni tahun 2021 dari sumut.litbang.deptan.go.id.

Xue, C., Rosen, R., Jordan, A., & Hu, D. N. (2015). Management of Ocular Diseases Using Lutein and Zeaxanthin: What Have We Learned from Experimental Animal Studies? *Journal of Ophthalmology*, 2015. <https://doi.org/10.1155/2015/523027>.

Yuan, J. P., Peng, J., Yin, K., & Wang, J. H. (2011). Potential health-promoting effects of astaxanthin: A high-value carotenoid mostly from microalgae. *Molecular Nutrition and Food Research*, 55(1), 150–165. <https://doi.org/10.1002/mnfr.201000414>.