

## DAFTAR PUSTAKA

- Ance, P. E., Wijaya, S., & Setiawan, H. K. (2018). Standarisasi dari daun kirinyuh (*Chromolaena odorata*) dan simplisia kering dari tiga daerah yang berbeda standardization of siam weed (*Chromolaena odorata*) leaves and dry powder form collected from three different areas. *Journal of Pharmacy Science and Practice*, 5(1), 78–86.
- Anief, M. (1997). Ilmu meracik obat. Gajah Mada University Press, Yogyakarta.
- Astuti, E. P. (2012). Pemisahan sitral dari minyak atsiri serai dapur (*Cymbopogon citratus*) sebagai pelangsing aromaterapi.
- Boateng, J. S., Matthews, K. H., Stevens, H. N. E., & Eccleston, G. M. (2008). Wound healing dressings and drug delivery systems: A review. *Journal of Pharmaceutical Sciences*, 97(8), 2892–2923.
- Candra, S., Susilawati, E., & Adnyana, I. K. (2018). Pengaruh gel ekstrak daun kerehau (*Callicarpa longifolia* Lam.) terhadap penyembuhan luka pada model tikus diabetes. *Kartika : Jurnal Ilmiah Farmasi*, 6(2), 70.
- Chakraborty, A. K., Rambhade, S., & Patil, U. (2011). Available online through *Chromolaena odorata* L.: An Overview. *Journal of Pharmacy Research*, 4(3), 573–576.
- Ella, M., Sumiartha, K., Suniti, N., Sudiarta, I., & Antara, N. (2013). Uji efektivitas konsentrasi minyak atsiri serai dapur (*Cymbopogon Citratus* (DC.) Stapf) terhadap pertumbuhan jamur *Aspergillus Sp.* secara *in vitro*. *E-Jurnal Agroekoteknologi Tropika (Journal of Tropical Agroecotechnology)*, 2(1), 39–48.
- Embil, J. M., Albalawi, Z., Bowering, K., & Trepman, E. (2018). Foot care : diabetes canada clinical practice guideline expert committee. *Canadian Journal of Diabetes*, 42, S222–S227.
- Eriadi, A., Arifin, H., & Rizal, Z. (2015). Pengaruh ekstrak etanol daun binahong (*Anredera cordifolia* (Tenore) Steen) terhadap penyembuhan luka sayat pada tikus jantan. *Jurnal Farmasi Higea*, 7(2), 162–163.
- Frastika, D., Pitopang, R., & Suwastika, I. N. (2017). Uji efektivitas ekstrak daun kirinyuh (*Chromolaena odorata* (L.) R. M. King Dan H. Rob) sebagai herbisida alami terhadap perkecambahan biji kacang hijau (*Vigna radiata*

- (L.) R. Wilczek) dan biji karulei (*Mimosa Invisa Mart. ex Colla*). *Natural Science: Journal of Science and Technology*, 6(3), 225–238.
- Garg, A., Aggarwal, D., Garg, S., & Singla, A. K. (2002). Spreading of semisolid formulations: An update. *Pharmaceutical Technology North America*, 26(9), 84–105.
- Haghdoust, F., Baradaran Mahdavi, M. M., Zandifar, A., Sanei, M. H., Zolfaghari, B., & Javanmard, S. H. (2013). Pistacia atlantica resin has a dose-dependent effect on angiogenesis and skin burn wound healing in rat. *Evidence-Based Complementary and Alternative Medicine*, 2013.
- Hasanah, A. N., Nazaruddin, F., Febrina, E., & Zuhrotun, A. (2011). Analisis kandungan minyak atsiri dan uji aktivitas antiinflamasi ekstrak rimpang kencur (*Kaempferia galanga L.*). *Jurnal Matematika & Sains*, 16(3), 147–152.
- Hutagalung, M. B. Z., Eljatin, D. S., Awalita, Sarie, V. P., Sianturi, G. D. A., & Santika, G. (2019). Diabetic Foot Infection (infeksi kaki diabetik): diagnosis dan tatalaksana. *Continuing Medical Education*, 46(6), 414–418.
- Kartika, R. W. (2017). Pengelolaan gangren kaki diabetik. 44(1), 18–22.
- Komakech, R., Matsabisa, M. G., & Kang, Y. (2019). The wound healing potential of *Aspilia africana* (Pers.) C. D. Adams (Asteraceae). *Evidence-Based Complementary and Alternative Medicine*, 2019.
- Kurnawan, E. (2014). Efek salep kombinasi ekstrak daun bangun-bangun dan ekstrak herba pegagan terhadap penyembuhan luka eksisi pada tikus hiperglikemia yang diinduksi aloksan.
- Lachman, L., Lieberman, H. A., & Kaning, J. L. (1994). Theory and practise of industrial pharmacy. Easton pennsylvania: mack publishing company.
- Leelapornpisid, P., Kiattisin, K., Jantrawut, P., & Phrutivorapongkul, A. (2014). Nanoemulsion loaded with marigold flower extract (*Tagetes Erecta L.*) in gel preparation as anti-wrinkles cosmeceutical. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(2), 231–236.
- Mahboubi, M., Taghizadeh, M., Khamechian, T., Reza Tamtaji, O., Mokhtari, R., & Alireza Talaei, S. (2018). The wound healing effects of herbal cream containing oliveria decumbens and pelargonium graveolens essential oils in

diabetic foot ulcer model. *World J Plast Surg*, 45–50.

- Marianne, P. D. L., Sukandar, E. Y., Kurniati, N. F., & Nasution, R. (2014). Antidiabetic activity of leaves ethanol extract *Chromolaena odorata* (L.) R.M. King on induced male mice with alloxan monohydrate. *Jurnal Natural Unsyiah*, 14(1), 115365.
- Mbatu, R. S. T., Kenanda, I. P. B., Suharta, I. G. Y., & Rita, W. S. (2018). Aktivitas minyak atsiri daun cengkeh sebagai antijamur terhadap *Candida albicans*. *Jurnal Media Sains*, 2(1), 61–65.
- Okwu, M. U., Okorie, T. G., Agba, M. I., & Ofeimun, J. (2015). Gas Chromatography-mass spectrometry analysis of the anti-mrsa fractions of *Chromolaena* (L.) R.M King & G. Rob. leaves. *International Journal of Pharmacology and Clinical Science*, 4(2).
- Onkaramurthy, M., Veerapur, V. P., Thippeswamy, B. S., Madhusudana Reddy, T. N., Rayappa, H., & Badami, S. (2013). Antidiabetic and anti-cataract effects of *Chromolaena odorata* Linn.; In streptozotocin-induced diabetic rats. *Journal of Ethnopharmacology*, 145(1), 363–372.
- Pai, A. R., & Nair, B. (2015). Synthesis and characterization of a binary oxide ZrO<sub>2</sub>-TiO<sub>2</sub> and its application in chlorophyll dye-sensitized solar cell with reduced graphene oxide as counter electrodes. *Bulletin of Materials Science*, 38(5), 1129–1133.
- Pazry, M., Busman, H., & Nurcahyani, N. (2017). Potensi ekstrak etanol daun pare (*Momordica charantia* L.) sebagai alternatif obat penyembuh luka pada punggung mencit jantan (*Mus musculus* L.). *Jurnal Penelitian Pertanian*, 17(2), 109–116.
- Penn, J. W., Grobbelaar, A. O., & Rolfe, K. J. (2012). The role of the TGF- $\beta$  family in wound healing, burns and scarring: a review. *International Journal of Burns and Trauma*, 2(1), 18–28.
- Prawiradiputra, B. R. (2007). Kirinyuh (*Chromolaena odorata* (L.) R.M. King Dan H. Robinson): gulma padang rumput yang merugikan. 17(1), 46–52.
- Purnama, H., Sriwidodo, & Ratnawulan, S. (2017). Review sistematik : proses penyembuhan dan perawatan luka. *Farmaka Journal*, 15(2), 251–256.
- Putry, B. O., Harfiani, E., & Tjang, Y. S. (2021). Systematic review : efektivitas

ekstrak daun kirinyuh (*Chromolaena odorata*) terhadap penyembuhan luka studi *In Vivo* dan *In Vitro*. *Sensorik Ii*, 1–13.

- Rikomah, S. E., Firdita, F. R., & Bengkulu, A. F. A. (2020). Efektifitas ekstrak etanol daun rumput malaysia (*Chromolaena odorata* L.) pada luka diabetes mencit (*Mus musculus*). *Jurnal Ilmiah Manuntung*, 6(1), 17–23.
- Rofida, S., & Nurwahdaniati. (2015). Antibacterial activity of *Chromolaena odorata* (L) King Leaves with bioautography siti. *BioNET-EAFRINET UVIMA Project*, 12(01), 29–36.
- Rosdiyawati, R. (2014). Uji efektivitas antibakteri sediaan sabun mandi cair minyak atsiri kulit buah jeruk pontianak (*Citrus nobilis* Lour. Var. *microcarpa*) terhadap *Staphylococcus aureus* dan *Escherichia coli*. 1–13.
- Rowe, R. J., Sheskey, P. J., & Quinn, M. E. (2009). Handbook of pharmaceutical excipient sixth edition. *Pharmaceutical Press: Vol. E.28*.
- Santosa, A., Maulida, I., & Nikmah, N. (2014). Hubungan pengetahuan tentang pengendalian kadar gula darah dengan kejadian ulkus diabetik pada pasien diabetes mellitus. 3, 1–11.
- Sari, Y., Purnawan, I., Kurniawan, D. W., & Sutrisna, E. (2018). A comparative study of the effects of nigella sativa oil gel and aloe Vera gel on wound healing in diabetic rats. *Journal of Evidence-Based Integrative Medicine*, 23, 1–6.
- Seyed Ahmadi, S. G., Farahpour, M. R., & Hamishehkar, H. (2019). Topical application of *Cinnamon verum essential oil* accelerates infected wound healing process by increasing tissue antioxidant capacity and keratin biosynthesis. *Kaohsiung Journal of Medical Sciences*, 35(11), 686–694.
- Shai, A., Maibach, H. I., & Baran, R. (2009). *Handbook of cosmetic and skin care*.
- Stanley, M. C., Ifeanyi, O. E., Nwakaego, C. C., & Esther, I. O. (2014). Antimicrobial effects of *Chromolaena odorata* on some human pathogens *Original Research Article*
- Tranggono, R. I., & Latifah, F. (2007). *Buku Pegangan Ilmu Pengetahuan Kosmetik*. PT. Gramedia Jakarta.
- Tuhin, R. H., Begum, M., Rahman, S., Karim, R., Begum, T., & Ahmed, S. U.

(2017). Wound healing effect of *Euphorbia hirta* linn. (Euphorbiaceae) in alloxan induced diabetic rats. 1–14.

Woollard, A. C., Tatham, K. C., & Barker, S. (2007). The influence of *essential oils* on the process of wound healing: a review of the current evidence. *Journal of Wound Care*, 16(6), 255–257.

Zhang, J., Guan, J., Niu, X., Hu, G., Guo, S., Li, Q., Xie, Z., Zhang, C., & Wang, Y. (2015). Exosomes released from human induced pluripotent stem cells-derived MSCs facilitate cutaneous wound healing by promoting collagen synthesis and angiogenesis. *Journal of Translational Medicine*, 13(1).