

**EVALUASI PENGGUNAAN OBAT PADA PASIEN IBU HAMIL  
DI PUSKESMAS MANGKUBUMI KOTA TASIKMALAYA**

**SKRIPSI**

Diajukan untuk memenuhi syarat salah satu Tugas Akhir pada Program Studi S1  
Farmasi STIKes Bakti Tunas Husada Tasikmalaya

**ANGGIH ZUL KIFLI  
31115121**



**STIKes BAKTI TUNAS HUSADA  
PROGRAM STUDI S1 FARMASI  
TASIKMALAYA  
2022**

## ***ABSTRAK***

Kehamilan adalah pertumbuhan dan perkembangan janin intrauterin mulai sejak konsepsi dan berakhir sampai permulaan persalinan. Umumnya kehamilan berkembang dengan normal, namun hal ini kadang tidak sesuai dengan yang diharapkan. Seorang ibu dapat mengalami berbagai keluhan atau gangguan kesehatan yang membutuhkan obat atau suplemen. Obat dapat menyebabkan efek yang tidak dikehendaki pada janin selama masa kehamilan. Tujuan dari penelitian ini adalah untuk mengetahui jumlah penggunaan obat, jenis obat-obatan, golongan obat yang di berikan pada pasien ibu hamil dan penggunaan obat pada pasien ibu hamil di puskesmas mangkubumi berdasarkan kategori FDA.

Jenis penelitian ini dilakukan dengan rancangan penelitian *retrospective observation* yaitu mengkaji informasi atau mengambil data rekam medis pasien ibu hamil di Puskesmas Mangkubumi Tasikmalaya periode Januari 2016 – Desember 2020. Desain penelitian yang digunakan pada penelitian ini merupakan penelitian deskriptif. Hasil penelitian dapat disimpulkan jumlah penggunaan obat di Puskesmas Mangkubumi Kota Tasikmalaya periode 2016-2020 sebagian besar 3 buah jenis obat yaitu 173 orang. Golongan obat yang di berikan pada pasien ibu hamil adalah Vitamin, (100%) antianemia (62,9%), antimetik (34,7%), gastroentritis (39,7%), Antibakteri (3,5%), kardiovaskuler (6,1%), obat untuk trombolitik (2,4%). Penggunaan obat pada pasien ibu hamil di Puskesmas Mangkubumi berdasarkan kategori FDA adalah kategori A (100%).

Kata Kunci : Penggunaan Obat, Ibu Hamil

## ***ABSTRACT***

Pregnancy is the growth and development of the intrauterine fetus starting from conception and ending until the onset of labor. Generally, pregnancy progresses normally, but this sometimes does not go as expected. A mother can experience various complaints or health problems that require medication or supplements. The drug may cause unwanted effects on the fetus during pregnancy. The purpose of this study was to determine the amount of drug use, types of drugs, drug classes given to pregnant women and drug use in pregnant women at the Mangkubumi Public Health Center based on FDA categories.

This type of research was carried out with a retrospective observation research design, namely reviewing information or taking data on medical records of pregnant women at the Mangkubumi Tasikmalaya Health Center for the period January 2016 - December 2020. The research design used in this study was a descriptive study. The results of the study concluded that the number of drug use at the Mangkubumi Health Center, Tasikmalaya City for the 2016-2020 period was mostly 3 types of drugs, namely 173 people. The class of drugs given to pregnant women are vitamins, (100%) antianemia (62.9%), antimetics (34.7%), gastroenteritis (39.7%), antibacterial (3.5%), cardiovascular ( 6.1%), drugs for thrombolytics (2.4%). The use of drugs in pregnant women at the Mangkubumi Health Center based on the FDA category is category A (100%)

Keywords : Drugs Use, Pregnant