

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN  
PEMILIHAN MEDIS OPERATIF WANITA (MOW) SEBAGAI  
METODE KONTRASEPSI PADA PASANGAN USIA SUBUR  
(PUS)**

**KARYA TULIS ILMIAH**



Universitas Bakti Tunas Husada

**NAMA : WINDI WIDAYANTI**

**NIM : 10119018**

**PROGRAM STUDI DIII KEPERAWATAN**

**FAKULTAS ILMU KESEHATAN**

**UNIVERSITAS BAKTI TUNAS HUSADA**

**TASIKMALAYA**

**JULI 2022**

**PROGRAM STUDI D III KEPERAWATAN**  
**FAKULTAS ILMU KESEHATAN**  
**UNIVERSITAS BAKTI TUNAS HUSADA**

Karya Tulis Ilmiah, Juni 2022

Windi Widayanti, Etty Komariah S., S.Kp, M.Kep, Ns. Soni Hersoni.S.,M.Kep

**Faktor-Faktor Yang Berhubungan Dengan Pemilihan Medis Operatif Wanita (MOW) Sebagai Metode Kontrasepsi Pada Pasangan Usia Subur (PUS)**

xiii + 96 halaman + 1 tabel + 1 gambar + 4 lampiran

**ABSTRAK**

Metode operatif wanita (MOW)/ tubektomi merupakan suatu bentuk kontrasepsi permanen untuk mencegah keluarnya ovum dengan cara mengikat atau memotong pada kedua saluran tuba fallopi. Tujuan penelitian ini untuk mengidentifikasi faktor internal dan faktor eksternal yang berhubungan dengan pemilihan MOW pada PUS. Desain dan jenis penelitian yang dilakukan adalah *literature review*. Pencarian artikel menggunakan data base elektronik melalui google scholar dengan jangka waktu publikasi 10 tahun terakhir tahun 2012-2022. Artikel yang eligible sesuai kriteria inklusi berjumlah 10 artikel .Hasil penelitian: faktor internal meliputi umur,paritas, pendidikan, pekerjaan, pengetahuan, riwayat penyakit dan pendapatan. Faktor eksternal meliputi paparan inforasi, dukungan suami, konseling, wilayah tempat tinggal dan keterpaparan media. Simpulan: faktor internal yang berhubungan dengan pemilihan pemilah MOW pada PUS meliputi umur>30 tahun, paritas >3 anak, pendidikan (tingkat tinggi), pekerjaan (diluar rumah), pengetahuan (baik) dan riwayat penyakit (HIV). Faktor eksternal yang berhubungan dengan pemilihan MOW pada PUS meliputi paparan informasi, dukungan suami dan konseling. Diharapkan untuk penelitian selanjutnya dapat meneliti lebih rinci lagi mengenai faktor internal dan faktor eksternal yang berhubungan dengan pemilihan MOW pada PUS, baik menggunakan metode penelitian literature review ataupun empiris.

**Kata Kunci:** Metode operatif wanita (MOW), tubektomi, kontrasepsi mantap (KONTAP), dan pasangan usia subur (PUS)

**Daftar Pustaka:** 38 buah (2012-2022)

**NURSING DIPLOMA PROGRAM**  
**FACULTY OF HEALTH SCIENCES**  
**BAKTI TUNAS HUSADA UNIVERSITY**

Scientific papers, June 2022

Windi Widayanti, Etty Komariah S., S.Kp, M.Kep, Ns. Soni Hersoni.S.,M.Kep

***Factors Related To The Selection Of Women's Operative Medical As A Contraceptive Method In Couples Of Fertile Age***

*xiii + 96 pages + 1 table + 1 picture + 4 attachments*

**ABSTRACT**

The female operative contraception method (tubectomy) is a form of permanent contraception to prevent the release of the ovum by binding or cutting both fallopian tubes. The purpose of this study was to identify internal and external factors related to the selection of tubectomy in couples of fertile age. The design and type of research conducted was a literature review. Articles search used an electronic data base through Google Scholar with a publication period of the last 10 years in 2012-2022. Eligible articles according to the inclusion criteria were 10 articles. Research results: internal factors include age, parity, education, occupation, knowledge, disease history and income. External factors include exposure to information, husband's support, counseling, area of residence and media exposure. Conclusion: internal factors related to the selection of tubectomy in couples of fertile age include age > 30 years, parity > 3 children, education (high level), occupation (out station), knowledge (good) and history of disease (HIV). External factors related to the selection of tubectomy in couples of fertile age include exposure to information, husband's support and counseling. It is recommended for further research to examine the internal factors and external factors in more detail related to the selection of tubectomy in couples of fertile age, either using literature review or empirical research methods.

**Keywords:** female operative contraception method, tubectomy, steady contraception and couples of fertile age

**Bibliography:** 38 pieces (2012-2022)