

DAFTAR PUSTAKA

- A.A.Kade Harmita-Yahdiana Harahap-Supandi.,2019, *Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) MS.*, 543.8/KAD/1 Agilent Technologies., 2001, Agilent LC-MS Primer, U.S.A 5988-2045EN.
- Ahmad, M.M. 2006. Anti inflammatory activities of Nigella sativa linn. (Kalongi black seed). <http://lalilanurhayati.multiply.com/journal>. Diakses 27 Maret 2015, 20:32.
- Akbar,S, (2020) *Handbook of 200 medical plants*. California USA : Springer <https://doi.org/10.1007/978-3-030-16807-0>.
- Andi,H,(2020) Kajian Identifikasi Senyawa Antosianin pada Bunga Telang (*Clitoria Ternatea L*). Jurnal Farmasi 6(2)...9-11.
- Anthika, B., Kusumocahyo, S. P., & Sutanto, H. (2015). Ultrasonic Approach in *Clitoria ternatea* (Butterfly Pea) Extraction in Water and Extract Sterilization by Ultrafiltration for Eye Drop Active Ingredient. *Procedia Chemistry*, 16(6), 237–244. <https://doi.org/10.1016/j.proche.2015.12.046>
- Aprillia. A.Y., Faturochman. M., Tuslinah L., Gustaman F., Istikomah U.N.,& Alifia L., (2020). Indikator Asam Basa dari Limbah Kulit Rambutan (*Nephelium lappaceum L*). *Jurnal Farmasi Galenika* 7(1).., 12-22.
- Arfamaini, R. (2016). No.3 Title. *Applied Microbiology and Biotechnology*, 85(1), 2071–2079.
- Bondre, Sushma., Patil, Pallavi., Kulkarni, Amaraja., Pillai, M. M. 2012. *Study on Isolation and Purification of Anthocyanins and Its Application as pH Indicator*, International Journal of Advanced Biotechnology and Research, 3(3): 698- 702
- Bowers, LD. 1989. High-performance liquid chromatography/ mass spectrometry; state of the art for the drug analysis laboratory. *Clin Chem* 35; 1282-7.
- Brooks, C and Celli (2019). Anthocyanins from Natural Sources Food Chemistry, United Kingdom Royal Chemistry society doi.10.1039/9781788012614-fp001
- Budiasih, K. S. (2017). Kajian Potensi Farmakologis Bunga Telang (*Clitoria ternatea*). *Prosiding Seminar Nasional Kimia UNY*, 21(4), 183–188.

- Cici Indriani .,Yan Riska Venata, Mochlisin Andriyanto.(2016) Identifikasi dan Uji Metabolit Sekuter Bangun-Bangun (*Coleus Ambonicus*) terhadap Penyakit Jamur Akar Putih (*Rigidoporus Microporus*) di Laboratorium.*Jurnal penelitian karet*,34 (2) ; 189 - 200.
- Cronquist, Arthur. 1981. AnIntegrated System of Classification of Flowering Plants. Columbia University Press. New York
- Dalimarta,S. 2008. Altas Tumbuhan Obat Indonesia Volume .5. Niaga Swadaya. Jakarta.
- Dianatasya, A. (2020). *Analisa Kadar Vitamin C Infused Water Bunga Telang (Clitoria Ternatea) Dan Lemon (Citrus Limon)*(Studi di Perumahan Koala Regency Semolowaru Bahari. <http://repo.stikesicme-jbg.ac.id/id/eprint/4056>.
- Ditjen POM. (2000). Parameter Standar Umum Ekstrak Tumbuhan Obat. DepKes RI, Jakarta. Halaman 3-5, 13-17, 30-31.
- Departemen Kesehatan Republik Indonesia. (2000). *Parameter Standar Umum Ekstrak Tumbuhan ObAT* ,. Jakarta : Departemen Kesehatan Republik Indonesia.
- Effendi, Wijaya. 1991 : Ekstraksi, Purifikasi dan Karakterisasi Antosianin dari Kulit Manggis (*Garcinia mangostana L.*). Fakultas Teknologi Pertanian Institut Pertanian Bogor : Bogor
- Elly Rustanti, Qurrotu A'yunin Lathifah.,(2018) Identifikasi Senyawa *Kuersetin* dari Fraksi Etil Asetat Ekstrak Daun Alpukat (*Persea americana Mill.*) ALCHEMY: JOURNAL OF *CHEMISTRY*, 6 : 2 (2018) 38-42.
- Fatimatuz,Zahroh dan Rudiana Agustini ; DETERMINATION OF THE TOTAL ANTHOCYANINS CONTENT IN YEAST BLACK RICE (*Oryza sativa L. Indica*) USING pH DIFFERENTIAL METHOD. UNESA Journal of Chemistry Vol.10, No.2, May 2021.
- Fennema, O.R., (1996), *Food Chemistry*, Thrid Edition, Marcel Dekker Inc, New York
- Halket JM,Waterman D,Przyborowska AM,Patel RK.2005.Chemical derivatization and mass spectral libraries in metabolic proffiling by GC/MS and LCMS.Journal of experimental.
- Harborne, J.B., 1987, *Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan*, Diterjemahkan oleh Kosasih Padmawinata dan Imam Sudiro, Edisi I, 9-10, ITB. Bandung.

- Harborne, J.B., 1996, *Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan*, Diterjemahkan oleh Kosasih Padmawinata dan Imam Sudiro, Edisi II, Hal 4-7 : 69-76, ITB. Bandung.
- Harborne, J.B. (2006). Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan (alih bahasa: Kosasih Padmawinata & Iwang Soediro). Bandung : Penerbit ITB.
- Hanani, Endang. 2015. *Analisis Fitokimia*. Jakarta : EGC.
- Kazuma K, Noda N, Suzuki M. 2003. Flavonoid composition related to petal color in different lines of *Clitoria ternatea*. *Phytochemistry*. 64:1133-1139.
- Kementerian Kesehatan, R. (2010). *Suplemen I Farmakope Herbal Indonesia*. Kementerian Kesehatan Republik Indonesia.
- Kemenkes RI, 2011, Suplemen II Farmakope Herbal Indonesia, Edisi I, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kementerian Kesehatan RI. 2017. Farmakope Herbal Indonesia Edisi II. Jakarta: Kementerian Kesehatan RI.
- Khatoon, S , & Irshad, S (2015). Comperative Pharmacognostical studies of blue and white flower Varieties of pharmacognosy & Comperative Pharmacognostical Studies of Blues and White Flower Varietes of (*Clitoria ternatea L*) . *pharmacognosy and natural product* 1 (1-6).
- Kumar , M & More DR (2019). Phytochemical analysis and bioactivity of selected medicinal plant of butterfly-pea (*Clitoria ternatea L*) used by kolam tribe addjoing region of telangana and Maharashtra states. *The Pharma Innovation Journal* 8 (1) 417-421.
- Kosai, P., Sirisidhi, K., Jiraungkoorskul, K., & Jiraungkoorskul, W. (2015). Antiepileptic and Antipsychotic Effects of Review on Ethnomedicinal uses of Memory in Boosting Butterfly Pea , *Clitoria ternatea*. *Journal of Natural Remedies Journal of Natural Remedies*, 15(2), 71.
- Khopkar, S. M. 2008. *Konsep Dasar Kimia Analitik*. Jakarta: UI Press.
- Kleinenkuhnhen, N. (2019). A Novel Method For Identification and Quantification of sulfated Flavonoids in plants by neutral loss scan mass spectrometry. 10.
- Lee, J.,Wrolstad E., Durst R W.,(2005). Determination of Total Monomeric Anthocyanin Pigment Content of Fruit Juice, Beverages, Natural Colorant, and Wines by the pH Differential Method : Collaboratve Study. *Journal of AOAC International* 88(05) 1269-1278.

- Lestario, Lydia Ninan (2017) *Antosianin (sifat kimia, peranannya dalam kesehatan, dan prospeknya sebagai pewarna makanan.)* Yogyakarta.Gadjah Mada University Press.
- Mahendra,Nur Alim (2019).Pemanfaatan *Ekstrak Antosianin dari kulit buah Rambutan sebagai indikator pemantauan kualitas Daging Segar.* [skripsi].Tasikmalaya : Prodi S1 Farmasi STIKes Bakti Tunas Husada.
- Markakis, P. 1982. Anthocyanins as Food Colors. Academic Press, New York
- Marpaung A.M., Hariyadi P., Andarwulan N., Faridah D.N.,(2015).Spectral Characteristic and Color Stability of Melastomataceae and Clitoria ternatea L. Extracts.*Innovative ASEAN Food-Research Towards The World.*
- Meskin, M. S., W. R. Bidlack, A. J. Davies, S. T. Omaye. Phytochemicals In Nutrition And Health. London-New York: CRC Press. 2008.
- Mustikasari ,N , Amin , S & Yuliana (2015) *Analisis Zat Warna Antosianin Ubi Jalar Ungu (Ipomea Batatas L) Menggunakan Metode Spektrofotometer Uv-Vis dan Inframerah.* jurnal Bakti Tunas Husada.pp 1-9
- Patras, A....,Brunton, N P.,O'Donnell,C., & Tiwart, B K.(2010) (2010). *Effect of Thermal Processing on Anthocyanin Stability in Foods; Mechanisms and Kinetics of Degradation, Trends in Food Science and Technology*, 21 (q),3-11. <https://doi.org/10.1016/j.tifs.2009.07.004..>
- Prof Dr Ali Esmail Al-Snafi. (2016). *Pharmacological importance of Clitoria ternatea – A review*, 16
- Priska, M., Peni, N., Carvallo, L., & Ngapa, Y. D. (2018). Antosianin dan Pemanfaatannya. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 6(2), 79–97.
- Sari,I. R. M. 2012. Uji aktivitas Antioksidan Ekstrak Jamur *Pleurotus ostreatus* dengan Metode DPPH dan identifikasi Golongan Senyawa Kimia dari Fraksi Teraktif. 6 (2012) 423–428.Jurnal
- Soebagio, B., Rusdiana, T., & Kairudin. (2007). Pembuatan gel dengan aqupec HV-505 dari *ekstrak umbi bawang merah (Allium cepa, L.)* sebagai antioksidan. Prosiding Seminar Penelitian Dosen Fakultas Farmasi Universitas Padjajaran (12p). Bandung, Indonesia: Unpad
- Suzery M., S Lestari., B Cahyon. 2010. Penentuan Total Antosianin Dari Kelopak Bunga Rosela (*Hibiscus sabdariffa L*) Dengan Metode Maserasi Dan Sokshletasi. Jurusan Kimia Fakultas MIPA Universitas Diponegoro Semarang

- Suganda, T., & Adhi, S. R. (2017). Uji Pendahuluan Efek Fungisida Bunga Kembang Telang (*Clitoria ternatea* L.) terhadap Jamur Fusarium oxysporum f.sp. cepae Penyebab Penyakit Moler pada Bawang Merah. *Agrikultura*, 28(3), 136–140. <https://doi.org/10.24198/agrikultura.v28i3.15746>
- Sutedi, E. (2013). Potensi Kembang Telang (*Clitoria ternatea*) sebagai Tanaman Pakan Ternak. *Wartazoa*, 23(2), 51–62.
- Syamsul Hidayat & Rodame Monitorir Napitupulu.(2015) Kitab Tumbuhan Obat books edition.
- Tantituvanont, A., Werawatganone, P., Jiamchaisri, P., & Manopakdee, K. (2008). Preparation and stability of butterfly pea color extract loaded in microparticles prepared by spray drying. *Thai J. Pharm. Sci*, 32, 59–69.
- Taylor, C & Monica,M (2014). Anthocyanins in health and disease. London : CRC Press Taylor and Francis Group.
- Thuy, Nguyen Minh. (2021). *Identification of anthocyanin compounds in butterfly pea flowers (Clitoria ternatea L.) by ultra performance liquid*.
- T'Kindt, R., & Van Bocxlaer, J. (2010). LC-MS based metabolomics. *Handbook on Mass Spectrometry: Instrumentation, Data and Analysis, and Applications*, 8(2), 39–73. https://doi.org/10.1007/978-1-4419-9863-7_1155
- Trikas, E. D. (2016). *A Sensitive LC-MS Method for Anthocyanins and comparison of Byproducts and Equivalent Wine Content*, 12.,MDPI.
- Tuslinah, L.,& Aprillia, A .Y.(2020). Uji Stabilitas Ekstrak Etanol Kulit Buah Rambutan dalam berbagai Suhu,pH& Oksidator. *Jurnal Kesehatan Bakti Tunas Husada*, 20(1), 86-94
- Vankar, P.S.,& Srivastava, J (2010). Evaluation of Anthocyanin Content in Red and Blue Flowers. Internasional Journal of food enginering 6 (4) <https://doi.org/10.2202/1556-3758.1907>.
- Verma,P R., Itankar, P.R, & Arora, S, K (2013). Evaluation of antidiabetic antyhiperlipidemic and pancreatic regeneration, potential of aerial parts of *Clitoria ternatea* L, Revista Brasileria de Farmacolognozi-brazilian journal of Pharmacognozy 23 (5) 819-829.<https://doi.org/10.1590/S0102-695X2013000500015>
- Wrolstad, R.E., Robert W.D., dan Jungmin Lee. 2005. Tracking Color and Pigment Changes in Anthocyanin Products. Trends in Food Science & Technology 16 (2005) 423–428. Jurnal.

- Yanti,Setiawan & Lay (2018) Antibacterial, Antibiofilm and quorum sensing inhibitory activies of *Clitoria ternatea* antochyanin against *streptococcus mutans*. International *Jurnal of infectious Diseases*. 73, 143-144 doi : 10.1016/j.jid.2018.04.3739..
- Zahroh Fatimatuz, Rudiana Agustini (2021) DETERMINATION OF THE TOTAL ANTHOCYANINS CONTENT IN YEAST BLACK RICE (*Oryza sativa L. Indica*) USING pH DIFFERENTIAL METHOD. UNESA Journal of Chemistry Vol.10, No.2, May 2021.
- Zussiva, A., B. Karina dan S. Budiyanti. 2012. Ekstraksi dan analisis zat warna biru (anthosianin) dari bunga telang (*Clitoria ternatea*) sebagai pewarna alami. Jurnal Teknologi Kimia dan Industri, Vol 1(1): 356-365.
- Ze-Lin. (2011). UHPLC-PDA-ESI/HRMS/MS Analysis of anthocyanins, flavonol glycosides, and hydroxycinnamic Acid derivates in Red Mustard Greens (*Brassica juncea* Coss Variety). 7.