

## DAFTAR PUSTAKA

- AboulFotouh, K. *et al.* (2018) “Role of self-emulsifying drug delivery systems in optimizing the oral delivery of hydrophilic macromolecules and reducing interindividual variability,” *Colloids and Surfaces B: Biointerfaces*. Elsevier B.V., pp. 82–92. doi:10.1016/j.colsurfb.2018.03.034.
- Ahire, K. and Gorle, A.P. (2021) “An Overview On Methods of Preparation and Characterization of Nanoemulsion,” *World Journal of Pharmacy and Pharmaceutical Sciences*, 10(8), pp. 897–908. doi:10.20959/wjpps20218-19575.
- Aisy, Z.H.R., Puspita, O.E. and Shalas, A.F. (2021) “Optimasi Formula Nanoemulsi Nifedipin Dengan Metode Self-Nanoemulsifying Drug Delivery System (SNEDDS),” *Pharmaceutical Journal of Indonesia*, 6(2), pp. 85–95. doi:10.21776/ub.pji.2021.006.02. Available at: <http://pji.ub.ac.id>.
- Alaei, S. and Omidian, H. (2021) “Mucoadhesion and Mechanical Assessment of Oral Films,” *European Journal of Pharmaceutical Sciences*, 159. doi:10.1016/j.ejps.2021.105727.
- Alhijaj, M. *et al.* (2015) “Creating Drug Solubilization Compartments via Phase Separation in Multicomponent Buccal Patches Prepared by Direct Hot Melt Extrusion-Injection Molding,” *Molecular Pharmaceutics*, 12(12), pp. 4349–4362. doi:10.1021/acs.molpharmaceut.5b00532.
- Altamimi, M.A. *et al.* (2018) “Utilizing spray drying technique to improve oral bioavailability of apigenin,” *Advanced Powder Technology*, 29(7), pp. 1676–1684. doi:10.1016/j.apt.2018.04.002.
- American Pharmaceutical Review (2021) “Kolliphor RH40 from BASF North America. Available at: <https://www.americanpharmaceuticalreview.com/25260-Excipients/5822087-Kolliphor-RH40/> (Accessed: November 23, 2021).
- Andreassi, M.G. *et al.* (2011) “The association of micronucleus frequency with obesity, diabetes and cardiovascular disease,” *Mutagenesis*, pp. 77–83. doi:10.1093/mutage/geq077.
- Ansari, M., Sadarani, B. and Majumdar, A. (2018) “Optimization and evaluation of mucoadhesive buccal films loaded with resveratrol,” *Journal of Drug Delivery Science and Technology*, 44, pp. 278–288. doi:10.1016/j.jddst.2017.12.007.

- Anung Anindhita, M. and Oktaviani, N. (2016) "Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Ekstrak Daun Pepaya (*Carica papaya* L.) dengan Virgin Coconut Oil (VCO) sebagai Minyak Pembawa," *Pena Medika*, 6(2), pp. 103–111. doi:10.31941/pmjk.v6i2.
- Azmi, N.A.N. *et al.* (2019) "Nanoemulsions: Factory for food, pharmaceutical and cosmetics," *Processes*. MDPI AG. doi:10.3390/pr7090617.
- Benedict, A. *et al.* (2017) " Buccal film: An emerging technology for oral drug delivery," *Int J Pharm Pharm Res*, 9(3), pp. 205-213. doi:10.25166.
- Bravo-Alfaro, D.A. *et al.* (2020) "Encapsulation of An Insulin-Modified Phosphatidylcholine Complex In a Self-Nanoemulsifying Drug Delivery System (SNEDDS) for Oral Insulin Delivery," *Journal of Drug Delivery Science and Technology*, 57. doi:10.1016/j.jddst.2020.101622.
- Cazarolli, L.H. *et al.* (2012) "Anti-hyperglycemic action of apigenin-6-C- $\beta$ -fucopyranoside from *Averrhoa carambola*," *Fitoterapia*, 83(7), pp. 1176–1183. doi:10.1016/j.fitote.2012.07.003.
- Chen, X.L. *et al.* (2021) "Improvement of the bioavailability of curcumin by a supersaturatable self nanoemulsifying drug delivery system with incorporation of a hydrophilic polymer: In vitro and in vivo characterisation," *Journal of Pharmacy and Pharmacology*, 73(5), pp. 641–652. doi:10.1093/jpp/rgaa073.
- Destiyana, O.Y., Hajrah and Rijai, L. (2018) "Formulasi Nanoemulsi Kombinasi Ekstrak Bunga Mawar (*Rosa damascena* Mill.) dan Ekstrak Umbi Bengkuang (*Pachyrhizus erosus* L.) Menggunakan Minyak Pembawa Virgin Coconut Oil (VCO)," *Proceeding of Mulawarman Pharmaceuticals Conferences*, 8, pp. 254–259. doi:10.25026/mpc.v8i1.331.
- DrugBank (2021) "Apigenin Identification". doi:10.1093/nar/gkx1037. Available at: <https://go.drugbank.com/drugs/DB07352#BE0003757> (Accessed: November 23, 2021).
- El Barky, A.R. *et al.* (2019) "Anti-Diabetic Activity of Egyptian Celery Apigenin," *Asian Journal of Dairy and Food Research*, 38(04). doi:10.18805/ajdfr.dr-142.
- El-Helaly, S.N. *et al.* (2021) "Green nanotechnology in the formulation of a novel solid dispersed multilayered core-sheath raloxifene-loaded nanofibrous buccal film; in vitro and in vivo characterization," *Pharmaceutics*, 13(4). doi:10.3390/pharmaceutics13040474.

- El-Maghraby, G.M. and Abdelzaher, M.M. (2015) "Formulation and evaluation of simvastatin buccal film," *Journal of Applied Pharmaceutical Science*, 5(4), pp. 70–77. doi:10.7324/JAPS.2015.50412.
- Ernoviya and Nurpermatasari, A. (2020) "Formulasi dan Evaluasi Nanoemulsi Ketokonazole," *Jurnal Dunia Farmasi*, 4(3), pp. 138–148. doi:10.33085.
- Farid, M.M. and Jaffar, M. (2019) "Creation and Assessment of Buccal Mucoadhesive Sustained Release Oral Films Spherical Agglomeration View project Particle engineering View project," *International Journal of Pharmacy & Pharmaceutical Research*, 16(2). doi:10.25166. Available at: <https://www.researchgate.net/publication/336209174>.
- Firmansya, A. *et al.* (2022) "Optimasi Hidroksipropil Metil Selulosa K15M dan Natrium Karboksimetil Selulosa Sediaan Buccal Film," *Pharmacoscript*, 5(1). doi:10.36423/pharmacoscript.v5i1.786.
- Fitria, A. *et al.* (2021) "Design and Characterization of Propolis Extract Loaded Self-Nano Emulsifying Drug Delivery System as Immunostimulant," *Saudi Pharmaceutical Journal*, 29(6), pp. 625–634. doi:10.1016/j.jsps.2021.04.024.
- Fonseca-Santos, B. and Chorilli, M. (2018) "An overview of polymeric dosage forms in buccal drug delivery: State of art, design of formulations and their in vivo performance evaluation," *Materials Science and Engineering C*, 86, pp. 129–143. doi:10.1016/j.msec.2017.12.022.
- Ginting, G.I.N., Jayawardhita, A.A.G. and Dharmawan, N.S. (2021) "Kersen Leaf Extract Ointment Decrease Blood Sugar Levels and Migration Polymorphonuclear Cell in Hyperglycemic Mice," *Indonesia Medicus Veterinus*, 10(2), pp. 211–222. doi:10.19087/imv.2021.10.2.211.
- Gupta, A. *et al.* (2016) "Nanoemulsions: Formation, properties and applications," *Soft Matter*. Royal Society of Chemistry, pp. 2826–2841. doi:10.1039/c5sm02958a.
- Gurung, R.B., Pandey, R.P. and Sohng, J.K. (2015) "Role of Apigenin In Cancer Prevention," *Nova Science Publisher*, pp. 120–135. doi:10.15430/JCP.2016.21.4.216.
- Haju, S. *et al.* (2021) "Buccal Film : A Novel Approach For Oral Mucosal Drug Delivery System," *Asian Journal of Pharmaceutical and Clinical Research*, 14, p. 2021. doi:10.22159/ajpcr.2021v14i1.39687.

- Harmita (2014) "Analisis Fisikokimia : Potensiometri & Spektroskopi ". vol 1. Edited by J. Manurung and N. Aini. Jakarta: EGC. ISBN 978-979-044-529-1.
- HOPE (2009) "Handbook of Pharmaceutical Excipients. 6th edn". Edited by R.C. Rowe, P.J. Sheskey, and M.E. Quinn. London-Chicago: Pharmaceutical Press. ISBN 978-085369-792-3.
- Huang, Y. *et al.* (2019) "Enhanced Solubility and Bioavailability of Apigenin via Preparation of Solid Dispersions of Mesoporous Silica Nanoparticles," *Iranian Journal of Pharmaceutical Research*, 18(1), pp. 168–182. doi:10.22037/Ijpr.2019.2347.
- Hussain, A. *et al.* (2019) "Solidified SNEDDS for The Oral Delivery of Rifampicin: Evaluation, Proof of Concept, In Vivo Kinetics, and In Silico GastroPlus™ Simulation," *International Journal of Pharmaceutics*, 566, pp. 203–217. doi:10.1016/j.ijpharm.2019.05.061.
- Kashyap, D. *et al.* (2018) "Apigenin: A natural bioactive flavone-type molecule with promising therapeutic function," *Journal of Functional Foods*, 48, pp. 457–471. doi:10.1016/j.jff.2018.07.037.
- Kassem, A.A. *et al.* (2016) "Self-Nanoemulsifying Drug Delivery System (SNEDDS) With Enhanced Solubilization of Nystatin for Treatment of Oral Candidiasis: Design, Optimization, In Vitro and In Vivo Evaluation," *Journal of Molecular Liquids*, 218, pp. 219–232. doi:10.1016/j.molliq.2016.02.081.
- Kazi, M. *et al.* (2020) "Enhancing oral bioavailability of apigenin using a bioactive self-nanoemulsifying drug delivery system (Bio-SNEDDS): In vitro, in vivo and stability evaluations," *Pharmaceutics*, 12(8), pp. 1–22. doi:10.3390/pharmaceutics12080749.
- Khan, A.W. *et al.* (2015) "Self-nanoemulsifying drug delivery system (SNEDDS) of the poorly water-soluble grapefruit flavonoid Naringenin: Design, characterization, in vitro and in vivo evaluation," *Drug Delivery*, 22(4), pp. 552–561. doi:10.3109/10717544.2013.878003.
- Kraan, H. *et al.* (2014) "Buccal and sublingual vaccine delivery," *Journal of Controlled Release*, 190, pp. 580–592. doi:10.1016/j.jconrel.2014.05.060.
- Kumar, S.G., kumar, P.T. and Charyulu, N.R. (2010) "Formulation and In-Vitro Evaluation of Buccoadhesive Compacts of Salbutamol Sulphate," *International Journal of Drug Development and Research*, 2(4). ISSN 0975-9344. Available at: <http://www.ijddr.in>.

- Kupikowska-Stobba, B. and Kasprzak, M. (2021) "Fabrication of nanoparticles for bone regeneration: new insight into applications of nanoemulsion technology," *Journal of Materials Chemistry B*. Royal Society of Chemistry, pp. 5221–5244. doi:10.1039/d1tb00559f.
- Le, M.P. *et al.* (2020) "Rationale of a Loading Dose Initiation for Hydroxychloroquine Treatment in COVID-19 Infection in The DisCoVeRy Trial," *Journal of Antimicrobial Chemotherapy*, 75(9), pp. 2376–2380. doi:10.1093/jac/dkaa191.
- Leister, N. and Karbstein, H.P. (2020) "Evaluating the stability of double emulsions— A review of the measurement techniques for the systematic investigation of instability mechanisms," *Colloids and Interfaces*. MDPI AG. doi:10.3390/colloids4010008.
- Li, P. *et al.* (2020) "Apigenin-loaded solid lipid nanoparticle attenuates diabetic nephropathy induced by streptozotocin nicotinamide through NRF2/ HO-1/NF- $\kappa$ B signalling pathway," *International Journal of Nanomedicine*, 15, pp. 9115–9124. doi:10.2147/IJN.S256494.
- Li, X. *et al.* (2020) "Gelatin films incorporated with thymol nanoemulsions: Physical properties and antimicrobial activities," *International Journal of Biological Macromolecules*, 150, pp. 161–168. doi:10.1016/j.ijbiomac.2020.02.066.
- Liang, H. *et al.* (2017) "Anti-Inflammatory and Neuroprotective Effect of Apigenin: Studies in the GFAP-IL6 Mouse Model of Chronic Neuroinflammation," *Free Radical Biology and Medicine*, 108, pp. S4–S31. doi:10.1016/j.freeradbiomed.2017.04.062.
- Luman, A. (2015) "Peran Inhibitor Sodium Glucose Co-transporter 2 (SGLT2) pada Terapi Diabetes Melitus," *Cermin Dunia Kedokteran*, 42(7), pp. 498–503. doi:10.55175/cdk.v42i7.
- Madhavi B, R. *et al.* (2013) "Buccal Film Drug Delivery System-An Innovative and Emerging Technology," *Journal of Molecular Pharmaceutics & Organic Process Research*, 1(3). doi:10.4172/2329-9053.1000107.
- Maharini, Rismarika and Yusnelti (2020) "Pengaruh Konsentrasi PEG 400 Sebagai Kosurfaktan Pada Formulasi Nanoemulsi Minyak Kepayang," *Chempublish Jurnal*, 5(1), pp. 1–14. doi:10.22437/chp.v5i1.7604.
- Mairi, D.S., Wulan, I. and Handayani, L. (2018) "Formulasi dan Karakterisasi Buccal Film Salbutamol Sulfat," *Pharmauho : Jurnal Farmasi, Sains, dan Kesehatan*, 4(1), pp. 57–57. doi:10.33772/pharmauho.v4i1.

- Malik, S. *et al.* (2017) “Apigenin ameliorates streptozotocin-induced diabetic nephropathy in rats via MAPK-NF-B-TNF-and TGF-1-MAPK-fibronectin pathways,” *Am J Physiol Renal Physiol*, 313, pp. 414–422. doi:10.1152/ajprenal.00393.2016.-Diabetic.
- Mamatha, Y. *et al.* (2012) “Buccal Drug Delivery A Technical Approach,” *Journal of Drug & Therapeutics*, 2(2), pp. 26–33. doi:10.22270/jddt.v2i2.96.
- McClements, D.J. and Rao, J. (2011) “Food-Grade nanoemulsions: Formulation, fabrication, properties, performance, Biological fate, and Potential Toxicity,” *Critical Reviews in Food Science and Nutrition*, 51(4), pp. 285–330. doi:10.1080/10408398.2011.559558.
- Nair, A.B. *et al.* (2013) “In Vitro Techniques to Evaluate Buccal Films,” *Journal of Controlled Release*, 166(1), pp. 10–21. doi:10.1016/j.jconrel.2012.11.019.
- Nair, A.B. *et al.* (2021) “Development of Mucoadhesive Buccal Film for Rizatriptan: In Vitro and In Vivo Evaluation,” *Pharmaceutics*, 13(5). doi:10.3390/pharmaceutics13050728.
- NCBI (2021) “Compound Summary Apigenin, National Center for Biotechnology Information”. <https://pubchem.ncbi.nlm.nih.gov/compound/Apigenin>. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/Apigenin> (Accessed: November 23, 2021).
- Nelinda, R. and Wathoni, N. (2018) “Tinjauan Efek Antidiabetes Tanaman Seledri (*Apium graveolens*),” *Farmaka Suplemen*, 16(3), pp. 35-43. doi:10.24198/jf.v16i3.
- Nisa, M., Khairuddin and Rafiana, N. (2020) “Formulation and Characterization of Self Nano Emulsion Drug Delivery System Rice Bran Oil Formulasi dan Karakterisasi Self Nanoemulsi Drug Delivery System Minyak Dedak Padi (Rice Bran Oil),” *Journal of Pharmaceutical and Medicinal Sciences*, 5(2), pp. 32–37. doi:10.32814/jpms.v5i2.
- Nukhasanah *et al.* (2015) “The Development of Chitosan Nanoparticles From Hibiscus Sabdariffa L Calyx Extract From Indonesia and Thailand,” *International Journal of Pharmaceutical Sciences and Research*, 6(5), p. 1855. doi:10.13040/IJPSR.0975-8232.6(5).1855-61.
- Nurdianti, L., Aryani, R. and Indra, I. (2017) “Formulasi dan Karakterisasi SNE (Self Nanoemulsion) Astaxanthin dari Haematococcus pluvialis sebagai Super Antioksidan Alami,” *Jurnal Sains Farmasi & Klinis*, 4(2), pp. 30–36. doi:10.29208/jsfk.2017.4.1.168.

- Nurdianti, L., Sopyan, I. and Rusdiana, T. (2021) "Formulation, Characterization and Stability Study of Fast Dissolving Thin Film Containing Astaxanthin Nanoemulsion Using Hydroxypropylmethyl Cellulose Polymer," *International Journal of Applied Pharmaceutics*, 13(Special Issue 3), pp. 17–22. doi:10.22159/IJAP.2021.V13S3.03.
- Panda, S. and Kar, A. (2010) "Apigenin (4',5,7-trihydroxyflavone) regulates hyperglycaemia, thyroid dysfunction and lipid peroxidation in alloxan-induced diabetic mice," *Journal of Pharmacy and Pharmacology*, 59(11), pp. 1543–1548. doi:10.1211/jpp.59.11.0012.
- Pangribowo, S. (2020) "Tetap Produktif, Cegah dan Atasi Diabetes Melitus". Pusat Data dan Informasi Kemenkes RI : Jakarta. ISSN 2442-7659.
- Parmar, K., Patel, J. and Sheth, N. (2015) "Self Nano-Emulsifying Drug Delivery System for Embelin: Design, Characterization and In-vitro Studies," *Asian Journal of Pharmaceutical Sciences*, 10(5), pp. 396–404. doi:10.1016/j.ajps.2015.04.006.
- Ponto, T. *et al.* (2021) "Novel self-nano-emulsifying drug delivery systems containing astaxanthin for topical skin delivery," *Pharmaceutics*, 13(5). doi:10.3390/pharmaceutics13050649.
- Prameswari, F.S. (2017) "Studi Pelepasan dan Penetrasi Formulasi Nanopartikel Isolat Andrografolida dengan Variasi PVA (Polyvinyl Alcohol)", [Skripsi]. Yogyakarta : Universitas Islam Indonesia.
- Prashar, S. *et al.* (2021) "Formulation, Characterization, and In Vitro Mineral Absorption of Ficus Palmata Fruit Extract Nanoemulsion," *Journal of the American College of Nutrition* [Preprint]. doi:10.1080/07315724.2021.1879693.
- Pudyastuti, B. *et al.* (2021) "Karakterisasi Ukuran Partikel Self-Nanoemulsifying Drug Delivery System Etil Para Metoksi Sinamat Dengan Kombinasi Surfaktan," *Prosiding Seminar Nasional dan Call for Papers*, pp. 333–339. ISBN 978-602-1643-67-9.
- Purnama, H. and Mita, S.R. (2016) "Review Artikel : Studi In-Vitro Ketoprofen Melalui Rute Transdermal," *Farmaka*, 14(1), pp. 70–81. doi:10.24198/jf.v14i1.8575.

- Qomariyah, N., Ameliana, L. and Oktora Ruma Kumala Sari, L. (2017) "Optimasi Konsentrasi Hidroksipropil Selulosa dan Polivinilpirolidon dalam Sediaan Optimasi Konsentrasi Hidroksipropil Selulosa dan Polivinilpirolidon dalam Sediaan Buccal Film Simvastatin," *Jurnal Pustaka Kesehatan*, 5(1), pp. 57-64. doi:10.19184/pk.v5i1.3951.
- Ragab El Barky, A., Abdel hamid Ezz, A. and Mostafa Mohammed, T. (2020) "The Potential Role of apigenin in Diabetes Mellitus Stem," *Internasional Journal of Clinical Case Reports and Reviews*, 3(1). doi:10.31579/2690-4861/032.
- Rajaram, D.M. and Laxman, S.D. (2016) "Buccal mucoadhesive films: A review," *Systematic Reviews in Pharmacy*, 8(1), pp. 31–38. doi:10.5530/srp.2017.1.7.
- Ramesh *et al.* (2014) "A review on buccal drug delivery system," *International Journal of Research in Pharmaceutical Sciences*, 5(3), pp. 200-204. doi:10.35629. Available at: [www.ijrps.pharmascope.org](http://www.ijrps.pharmascope.org).
- Repka, M.A. *et al.* (2011) *Controlled Release in Oral Drug Delivery*. doi:10.1007/978-1-4614-1003-4.
- Safaya, M. and Rotliwala, Y. (2020) "Mater Today," *Proc*, 21, pp. 454–459.
- Salehi, B. *et al.* (2019) "The therapeutic potential of Apigenin," *International Journal of Molecular Sciences*. MDPI AG. doi:10.3390/ijms20061305.
- Sari, L.O.R.K., Sudianingsih, S. and Wicaksono, Y. (2021) "Optimasi Hidroksipropil Metil selulosa dan Polivinil Prolidin dalam Sediaan Mucoadhesive Buccal Film Diltiazem Hidroklorida," *Jurnal Pustaka Kesehatan*, 9(1), pp. 9–15. doi:10.19184/pk.v9i1.12228.
- Shinde, A., Shinde, P. and Deshmukh, A. (2021) "A Complete Review On Self Nanoemulsifying Drug Delivery System," *The International Journal of Analytical and Experimental Modal Analysis*, 13(5), pp. 1459-1473. doi:18.0002.ijaema.2021.v13i5.200001.015685902526. Available at: <https://www.researchgate.net/publication/354269830>.
- Singh, Y. *et al.* (2017) "Nanoemulsion: Concepts, Development and Applications in Drug Delivery," *Journal of Controlled Release*. Elsevier B.V., pp. 28–49. doi:10.1016/j.jconrel.2017.03.008.
- Stacks, N.M. (2015) "Apigenin and Naringenin : Natural Source, Pharmacology and Role In Cancer Prevention," *Nova Science* [Preprint]. doi:10.15430/JCP.2016.21.4.216.



- Stegemann, S. *et al.* (2007) “When Poor Solubility Becomes an Issue: From Early Stage to Proof of Concept,” *European Journal of Pharmaceutical Sciences*, pp. 249–261. doi:10.1016/j.ejps.2007.05.110.
- Stiani, S.N., Rusdiana, T. and Subarnas, A. (2021) “Improving solubility and dissolution of a natural product apigenin via preparation of solid dispersion by hot melt extrusion,” *International Journal of Applied Pharmaceutics*, 13(Special Issue 3), pp. 47–52. doi:10.22159/IJAP.2021.V13S3.10.
- Sung, B. and Kim, N.D. (2015) “Chemoprevention by Apigenin Through Induction of Apoptosis and Autophagy,” *Nova Science*, pp. 75–106. doi:10.15430/JCP.2016.21.4.216.
- Tang, D. *et al.* (2017) “Pharmacokinetic properties and drug interactions of apigenin, a natural flavone,” *Expert Opinion on Drug Metabolism and Toxicology*. Taylor and Francis Ltd, pp. 323–330. doi:10.1080/17425255.2017.1251903.
- Tristiyanti, D., Putri, Y.D. and Utami, R.N. (2018) “Pembuatan Patch Bukal Mukoadhesif Atenolol Dengan Variasi Konsentrasi Polimer Na-CMC dan PVP K-30,” *Indonesian Journal of Pharmaceutical Science and Technology*, 7(2), pp. 44–50. ISSN 2303-2138.
- Tungadi, R., Thomas, N.A. and Gobel, W.G. van (2021) “Formulasi, Karakterisasi, Dan Evaluasi Drops Liquid Self Nano-Emulsifying Drug Delivery System (SNEDDS) Astaxanthin,” *Indonesian Journal of Pharmaceutical Education*, 1(3), pp. 168–178. doi:10.37311/ijpe.v1i3.11400.
- Venkata Ramana Rao, S. and Shao, J. (2008) “Self-nanoemulsifying drug delivery systems (SNEDDS) for oral delivery of protein drugs. I. Formulation development,” *International Journal of Pharmaceutics*, 362(1–2), pp. 2–9. doi:10.1016/j.ijpharm.2008.05.018.
- Verma, R. *et al.* (2021) “Improved Pharmacodynamic Potential of Rosuvastatin by Self-Nanoemulsifying Drug Delivery System: An in vitro and in vivo Evaluation,” *International Journal of Nanomedicine*, 16, pp. 905–924. doi:10.2147/IJN.S287665.
- Verma, S. *et al.* (2011) “An Overview On Buccal Drug Delivery System,” *International Journal of Pharmaceutical Sciences and Research*, 2(6), pp. 1303–1321. doi:10.13040/Ijpsr.0975-8232.2(6).1303-21. Available at: [www.ijpsr.com](http://www.ijpsr.com).

- Wani, T.A. *et al.* (2018) "Safety of Nanoemulsions and Their Regulatory Status," in *Nanoemulsions: Formulation, Applications, and Characterization*. Elsevier Inc., pp. 613–628. doi:10.1016/B978-0-12-811838-2.00019-9.
- Wu, W., Zu, Y., Wang, Li, *et al.* (2017) "Preparation, characterization and antitumor activity evaluation of apigenin nanoparticles by the liquid antisolvent precipitation technique," *Drug Delivery*, 24(1), pp. 1713–1720. doi:10.1080/10717544.2017.1399302.
- Wu, W., Zu, Y., Zhao, X., *et al.* (2017) "Solubility and dissolution rate improvement of the inclusion complex of apigenin with 2-hydroxypropyl- $\beta$ -cyclodextrin prepared using the liquid antisolvent precipitation and solvent removal combination methods," *Drug Development and Industrial Pharmacy*, 43(8), pp. 1366–1377. doi:10.1080/03639045.2017.1318900.
- Yoshida, M. *et al.* (2019) "Homogeneous Nucleation of Corundum Nanocrystallites by Rapid Heating of Aluminum Formate Hydroxide-Based Precursor Powder," *Scientific Reports*, 9(1). doi:10.1038/s41598-019-51156-2.
- Zhang, J. *et al.* (2012) "Biopharmaceutics classification and intestinal absorption study of apigenin," *International Journal of Pharmaceutics*, 436(1–2), pp. 311–317. doi:10.1016/j.ijpharm.2012.07.002.
- Zhao, L. *et al.* (2013) "Design and evaluation of a self-microemulsifying drug delivery system for apigenin," *Drug Development and Industrial Pharmacy*, 39(5), pp. 662–669. doi:10.3109/03639045.2012.687378.
- Zheng, Y. *et al.* (2015) "Sugar Fatty Acid Esters," in *Polar Lipids: Biology, Chemistry, and Technology*. Elsevier Inc., pp. 215–243. doi:10.1016/B978-1-63067-044-3.50012-1.