

## DAFTAR PUSTAKA

- Al-Nima, A. (2021). *Practical physical pharmacyI ( Lab.(4 Phase diagram for a three-component system (theoretical part) Phase diagram for ternary mixture.*
- Alatas, F., Ratih, H., Hartyana S, T., & Farhan. (2015). Pengaruh Pembentukan Ko-Kristal Alopurinol dengan Asam Benzoat atau D-Asam Tartrat terhadap Kelarutan dan Laju Disolusinya. *Conference Paper, APRIL 2014*, 89–95.
- Alok, A., Singh, I. D., Singh, S., Kishore, M., & Jha, P. C. (2015). Curcumin – Pharmacological actions and its role in oral submucous fibrosis: A review. *Journal of Clinical and Diagnostic Research*, 9(10), ZE01–ZE03. <https://doi.org/10.7860/JCDR/2015/13857.6552>
- Budiman, A., Husni, P., Shafira, & Alfauziah, T. Q. (2019). The development of glibenclamide-saccharin cocrystal tablet formulations to increase the dissolution rate of the drug. *International Journal of Applied Pharmaceutics*, 11(4), 359–364. <https://doi.org/10.22159/ijap.2019v11i4.33802>
- Budiman, A., Nurlatifah, E., & Amin, S. (2016). Enhancement of Solubility and Dissolution Rate of Glibenclamide by Cocrystal Approach with Solvent Drop Grinding Method. *International Journal of Current Pharmaceutical Review and Research*, 7(5), 248–250. [www.ijcpr.com](http://www.ijcpr.com)
- C. Chelsea. (2020). Pengaruh konsentrasi Isolat Piperin Dalam Medium Disolusi Terhadap Profil Disolusi Kurkumin Dalam Dispersi Padat Ekstrak Kunyit-PVP K30. *Akrab Juara*, 5(1), 43–54. <http://www.akrabjuara.com/index.php/akrabjuara/article/view/919>
- Daily, J. W., Yang, M., & Park, S. (2016). Efficacy of Turmeric Extracts and Curcumin for Alleviating the Symptoms of Joint Arthritis: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. *Journal of Medicinal Food*, 19(8), 717–729. <https://doi.org/10.1089/jmf.2016.3705>
- Dianti, R., (2018). (2018). *KARAKTERISASI PEMBENTUKAN KOKRISTAL KETOKONAZOL METODE SOLVENT DROP GRINDING DENGAN KOFORMER ASAM OKSALAT DAN ASAM SUKSINAT*.
- Fienda, T. (2012). Pengaruh Metode Pembentukan Kokristal Terhadap Laju Pelarutan Karbamazepin Menggunakan Asam Tartrat sebagai Koformer. *Skripsi Sarjana Farmasi*, 3(7), 2–15.
- Gozali et al., 2014. (2014). *KARAKTERISASI DAN PENINGKATAN DISOLUSI KALSIUM ATORVASTATIN MELALUI PROSES MIKROKRISTALISASI*. 16(1), 16–20.
- Haeria, Nurzak, A., & Ismail, I. (2015). *Characterization and dissolution test of aspirin-nicotinamide cocrystal*. 8, 166–170.
- Her, C., Venier-Julienne, M.-C., & Roger, E. (2018). Improvement of Curcumin Bioavailability for Medical Applications. *Medicinal & Aromatic Plants*, 07(06). <https://doi.org/10.4172/2167-0412.1000326>
- Indra, I. (2016). Analisis Interaksi Non-Kovalen Pada Kokristal Ketokonazol Dengan Asam Fumarat. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analis Kesehatan Dan Farmasi*, 16(1), 11. <https://doi.org/10.36465/jkbth.v16i1.160>
- Jeklin, A. (2016). *MODUL PRAKTIKUM BIOFARMASETIKA*. July, 1–23.
- Katherine, Nugroho, D., & Sugih, A. K. (2018). Determination of process

- parameters for curcumin - Dextrose cocrystallization. *IOP Conference Series: Materials Science and Engineering*, 299(1). <https://doi.org/10.1088/1757-899X/299/1/012038>
- Kho, K., Nugroho, D., & Sugih, A. K. (2018). Preparation and Characterization of Highly Water Soluble Curcumin – Dextrose Cocrystal. *The Journal of Pure and Applied Chemistry Research*, 7(2), 139–147. <https://doi.org/10.21776/ub.jpacr.2018.007.02.401>
- Kocaadam, B., & Şanlier, N. (2017). Curcumin, an active component of turmeric (*Curcuma longa*), and its effects on health. *Critical Reviews in Food Science and Nutrition*, 57(13), 2889–2895. <https://doi.org/10.1080/10408398.2015.1077195>
- Lee, H. Y., Kim, S. W., Lee, G. H., Choi, M. K., Jung, H. W., Kim, Y. J., Kwon, H. J., & Chae, H. J. (2016). Turmeric extract and its active compound, curcumin, protect against chronic CCl<sub>4</sub>-induced liver damage by enhancing antioxidation. *BMC Complementary and Alternative Medicine*, 16(1), 1–9. <https://doi.org/10.1186/s12906-016-1307-6>
- Liu, W., Zhai, Y., Heng, X., Che, F. Y., Chen, W., Sun, D., & Zhai, G. (2016). Oral bioavailability of curcumin: problems and advancements. *Journal of Drug Targeting*, 24(8), 694–702. <https://doi.org/10.3109/1061186X.2016.1157883>
- Lucyani, D. fryda. (2009). Prediksi Pengaruh Pembentukan Kokristal Asam P-Metoksisinamat. *Journal Information*, 10(3), 1–16. <http://repo.iain-tulungagung.ac.id/8073/4/BAB I.pdf>
- Mafruhah, O. R., Sari, D. P., & Sulaiman, T. N. S. (2017). Uji Disolusi Terbanding Tablet Metformin Hidroklorida Generik Berlogo Dan Bermerek. *Pharmaceutics Journal*, 9(1), 254–258. <https://jurnal.ugm.ac.id/majalahfarmaseutik/article/view/24106>
- Martin, F. A., Pop, M. M., Borodi, G., Filip, X., & Kacso, I. (2013). Ketoconazole salt and co-crystals with enhanced aqueous solubility. *Crystal Growth and Design*, 13(10), 4295–4304. <https://doi.org/10.1021/cg400638g>
- Morissette, S. L., Almarsson, Ö., Peterson, M. L., Remenar, J. F., Read, M. J., Lemmo, A. V., Ellis, S., Cima, M. J., & Gardner, C. R. (2004). High-throughput crystallization: Polymorphs, salts, co-crystals and solvates of pharmaceutical solids. *Advanced Drug Delivery Reviews*, 56(3), 275–300. <https://doi.org/10.1016/j.addr.2003.10.020>
- Mudjahid, M. (2018). Pengaruh Koformer Asam Suksinat dan Asam Tartrat Terhadap Karakteristik Fisika-Kimia Ko-kristal Ketoprofen. *Journal of Chemical Information and Modeling*, 01(01), 1689–1699.
- Murti, Y. B., Hartini, Y. S., Hinrichs, W. L. J., Frijlink, H. W., & Setyaningsih, D. (2018). UV-Vis Spectroscopy to Enable Determination of the Dissolution Behavior of Solid Dispersions Containing Curcumin and Piperine. *Journal of Young Pharmacists*, 11(1), 26–30. <https://doi.org/10.5530/jyp.2019.11.6>
- Nugrahani, I. (2020). *Analisis dan Rekayasa Bahan Padat Farmasi*.
- Nur Anisa, D., Anwar, C., & Afriyani, H. (2020). Sintesis Senyawa Analog Kurkumin Berbahan Dasar Verataldehida Dengan Metode Ultrasound. *Analit:Analytical and Environmental Chemistry*, 5(01), 74–81. <https://doi.org/10.23960/aec.v5.i1.2020.p74-81>

- Nurhadijah, G., Darusman, F., Priani, S. (2015). Peningkatan Kelarutan dan Laju Disolusi Glimepirid dengan Teknik Dispersi Padat Menggunakan Polimer Pvp K-30 1,2,3. *Prosiding Penelitian SPeSIA*, 407(L), 316–323.
- Nuryanti. (2021). *Pembuatan dan karakterisasi kokristal kurkumin dengan 4,4'-dipyridyl sebagai koformer*.
- O'Neil et al., 2006. (2006). The Merck Index 14th (fourteenth) edition Text Only. *Benjamins Bookshelf Fulfilled by Amazon*.
- Pantwalawalkar, J., More, H., Bhange, D., Patil, U., & Jadhav, N. (2021). Novel curcumin ascorbic acid cocrystal for improved solubility. *Journal of Drug Delivery Science and Technology*, 61(November), 102233. <https://doi.org/10.1016/j.jddst.2020.102233>
- Qualsum. (2018). *SINTESIS SELULOSA SUKSINAT DARI HASIL ESTERIFIKASI SELULOSA KULIT BUAH KAKAO (Theobroma cacao L)*. 1–92.
- Sanphui et al., 2011. (2011). C for 36h, and then cooled to room temperature. The upper organic crude solution was centrifuged to remove the solid impurities for the preparation of multilayered nanostructure. *Fast Dissolving Curcumin Cocrystals.*, 1(Iii).
- Sathisaran, I., & Dalvi, S. V. (2017). Crystal Engineering of Curcumin with Salicylic Acid and Hydroxyquinol as Coformers. *Crystal Growth and Design*, 17(7), 3974–3988. <https://doi.org/10.1021/acs.cgd.7b00599>
- Sathisaran, I., Devidas Bhatia, D., & Vishvanath Dalvi, S. (2020). New curcumin-trimesic acid cocrystal and anti-invasion activity of curcumin multicomponent solids against 3D tumor models. *International Journal of Pharmaceutics*, 587, 119667. <https://doi.org/https://doi.org/10.1016/j.ijpharm.2020.119667>
- Thakuria, R., & Thakur, T. S. (2017). Crystal Polymorphism in Pharmaceutical Science. *Comprehensive Supramolecular Chemistry II*, 5(June), 283–309. <https://doi.org/10.1016/B978-0-12-409547-2.12570-3>