

DAFTAR PUSTAKA

- Afiah, N. (2015). *Cara Mendownload, Menginstall Dan Menggunakan Aplikasi Chemsketch, MarvinSketch Serta Cara Mendownload Ligan Protein. 1303410009.*
- Agistia, D. D., Purnomo, H., Maulana Tegar, & Nugroho, A. E. (2013). *INTERACTION BETWEEN ACTIVE COMPOUNDS FROM *Aegle marmelos* Correa . AS ANTI INFLAMMATION AGENT WITH COX-1 AND COX-2 RECEPTOR. 18(May), 80–87.*
- Artinda, S. A. (2016). Kajian Docking 3-[(Asetiloksi)Metil]-7-[(4-Hidroksi-3-Metoksifenil)Metilidin]Amino]-8-Okso-5-Thia-1- Azabisiklo[4.2.0]Oct-2-Ene-Asam Karboksilat Menggunakan Dock6. *Universitas Gajah Mada Yogyakarta, 1–13.* http://eprints.ums.ac.id/42350/1/NASKAH_PUBLIKASI.pdf
- Belveren, S., Poyraz, S., Pask, C. M., Ülger, M., Sansano, J. M., & Ali Döndaş, H. (2019). Synthesis and biological evaluation of platinum complexes of highly functionalized aroylaminocarbo-N-thiopyridine containing proline containing tetrahydropyrrolo[3,4-c]pyrrole-1,3(2H,3aH)-dione moieties. *Inorganica Chimica Acta, 498*(July), 119154. <https://doi.org/10.1016/j.ica.2019.119154>
- Bielenica, A., Stefanska, J., Stepien, K., Napiorkowska, A., Augustynowicz-Kopec, E., Sanna, G., Madeddu, S., Boi, S., Giliberti, G., Wrzosek, M., & Struga, M. (2015). Synthesis, cytotoxicity and antimicrobial activity of thiourea derivatives incorporating 3-(trifluoromethyl)phenyl moiety. *European Journal of Medicinal Chemistry, 101*, 111–125. <https://doi.org/10.1016/j.ejmech.2015.06.027>
- Binzet, G., Gumus, I., Dogen, A., Flörke, U., Kulcu, N., & Arslan, H. (2018). Nickel(II) and copper(II) complexes of N,N-dialkyl-N'-3-chlorobenzoylthiourea: Synthesis, characterization, crystal structures, Hirshfeld surfaces and antimicrobial activity. *Journal of Molecular Structure, 1161*, 519–529. <https://doi.org/10.1016/j.molstruc.2018.02.073>
- Cid-Hernández, M., Dellamary-Toral, F. A. L., González-Ortiz, L. J., Sánchez-Peña, M. J., & Pacheco-Moisés, F. P. (2018). Two-Dimensional Thin Layer Chromatography-Bioautography Designed to Separate and Locate Metabolites with Antioxidant Activity Contained on *Spirulina platensis*. *International Journal of Analytical Chemistry, 2018*. <https://doi.org/10.1155/2018/4605373>
- Dachriyanus. (2004). *Analisis Struktur Senyawa Organik Secara Spektrokopi.*
- Dharmayanti, A., & Martak, F. (2015). Sintesis Senyawa Aktif Kompleks Mangan(II) dengan Ligan 2(4-nitrofenil)-4,5-difenil-1H-imidazol. *Jurnal Sains Dan Seni ITS, 4*(2), 1–5.

- Dwitiyanti, D., Rachmania, A., Efendi, K., Tri Atmojo, T., & Yeni, Y. (2019). Sintesis, Docking Dan Molekular Dinamik Kompleks Platinum (Ii)-(1-(4-Decylbenzoyl)-3-Methylthiourea) Sebagai Kandidat Antikanker. *Prosiding Kolokium Doktor Dan Seminar Hasil Penelitian Hibah*, 1(1), 118–130. <https://doi.org/10.22236/psd/11118-13065>
- Fatimah, S. dan Y. (2016). Pengaruh Konsentrasi Pelarut untuk Menentukan Paduan U-Zr dengan Menggunakan Metode Spektrofotometri Uv-Vis. *Pusat Teknologi Bahan Nuklir*, 9(17), 22–33.
- Frimayanti, N. (2021). Simulasi Molecular Dynamic (MD) Senyawa Analog Kalkon Sebagai Inhibitor Untuk Sel Kanker Paru A549. *Jurnal Penelitian Farmasi Indonesia*, 9(2), 56–60. <https://doi.org/10.51887/jpfi.v9i2.852>
- Houck, M M & Siegel, J. A. (2015). *Fundamentals Academic Press*.
- Ilhamsyah. (2017). MATH unesa. *Analisis Sistem Antrian Pada Loading Dock Bongkar Barang Di PT Kamadjaja Logistics Gudang K-66 Contrac Logistic Nestle*, 2(6), 20–26.
- Indah, W. S., Junaidin, & Pratiwi, D. (2020). Studi Molecular Docking Senyawa Flavonoid Herba Kumis Kucing (*Orthosiphon Stamineus B.*) Pada Reseptor A-Glukosidase Sebagai Antidiabetes Tipe 2. *Jurnal Farmagazine*, 7(2), 54. <https://doi.org/10.47653/farm.v7i2.194>
- Irnawati, W. H. (2014). Karakterisasi Butiran Sub Mikron Nanomaterial Karbon Batok Kelapa Dengan Variasi Waktu Pengadukan Bahan Yang Digunakan Untuk Filtrasi Logam Fe Dari Limbah Air Selokan Mataram Berdasarkan Uji Uv-Vis, Xrd, Sem Dan Aas. *Paper Knowledge . Toward a Media History of Documents*, 7(2), 107–115.
- Johnstone, T. C., Park, G. A. Y., & Lippard, S. J. (2014). Mechanism of Action of Classical Platinum Agents. *Anticancer Research*, 476, 471–476.
- Karlina, L., & Hafshah, M. (2019). Desain Turunan Kalkon Baru Sebagai Antikanker Payudara Berdasarkan Molecular Docking. *Walisongo Journal of Chemistry*, 2(2), 57. <https://doi.org/10.21580/wjc.v2i2.6025>
- Khalidah, A. R. (2020). Literature Review: Mekanisme Resistensi Kemoterapi Berbasis Platinum. *Jurnal Kesehatan*, 11(1), 151. <https://doi.org/10.26630/jk.v11i1.1537>
- Kumar, A., Singh, P., & Nanda, A. (2020). Hot stage microscopy and its applications in pharmaceutical characterization. *Applied Microscopy*, 50(1). <https://doi.org/10.1186/s42649-020-00032-9>

- Lan, J., Huang, L., Lou, H., Chen, C., Liu, T., Hu, S., Yao, Y., Song, J., Luo, J., Liu, Y., Xia, B., Xia, L., Zeng, X., Ben-David, Y., & Pan, W. (2018). Design and synthesis of novel C14-urea-tetrandrine derivatives with potent anti-cancer activity. *European Journal of Medicinal Chemistry*, *143*, 1968–1980. <https://doi.org/10.1016/j.ejmech.2017.11.007>
- Marques, M. P. M. (2013). Platinum and Palladium Polyamine Complexes as Anticancer Agents: The Structural Factor. *ISRN Spectroscopy*, *2013*(Ii), 1–29. <https://doi.org/10.1155/2013/287353>
- MMV. (2011). *Molegro Molecular Viewer User Mnuual*. 1–91.
- Muttaqin, F. (2019). Studi Molekuler Docking, Molecular Dynamic, Dan Prediksi Senyawa Turunan Alkaloid Nftiridin Sebagai Inhibitor Protein Kasein Kinase 2-A Pada Kanker Leukimia. *Pharmacoscript*, *2*(1), 49–64. <https://doi.org/10.36423/pharmacoscript.v211.241>
- Nauli, T. (2002). Memperkirakan Rumus Kimia Senyawa Organik Dari Data Spektrometri Massa. *Prosiding Pertemuan Dan Prensntasi Ilmiah Penelitian Dasar Ilmu Pengetahuan Dan Teknologi Nuklir*, 10–17.
- Ninla Elmawati Falabiba, Anggaran, W., Mayssara A. Abo Hassanin Supervised, A., Wiyono, B. ., Ninla Elmawati Falabiba, Zhang, Y. J., Li, Y., & Chen, X. (2014). Kromatografi Lapis Tipis Metode Sederhana Dalam Analisis Kimia Tumbuhan Berkayu. *Paper Knowledge . Toward a Media History of Documents*, *5*(2), 40–51. [https://repository.unmul.ac.id/bitstream/handle/123456789/6733/3.Kromatografi lapis tipis %3B metode sederhana dalam analisis kimia tumbuhan berkayu.pdf?sequence=1&isAllowed=y](https://repository.unmul.ac.id/bitstream/handle/123456789/6733/3.Kromatografi%20lapis%20tipis%20metode%20sederhana%20dalam%20analisis%20kimia%20tumbuhan%20berkayu.pdf?sequence=1&isAllowed=y)
- North, E. J., Scherman, M. S., Bruhn, D. F., Scarborough, J. S., Maddox, M. M., Jones, V., Grzegorzewicz, A., Yang, L., Hess, T., Morisseau, C., Jackson, M., McNeil, M. R., & Lee, R. E. (2013). Design, synthesis and anti-tuberculosis activity of 1-adamantyl-3- heteroaryl ureas with improved in vitro pharmacokinetic properties. *Bioorganic and Medicinal Chemistry*, *21*(9), 2587–2599. <https://doi.org/10.1016/j.bmc.2013.02.028>
- Nurlaela, S., Kurnia2, & Ruswanto. (2019). *Metodologi Penelitian*. 15–21.
- Pangribowo, S. (2019). *Beban Kanker di Indonesia*. 1–16.
- Panna, W., Wyszomirski, P., & Kohut, P. (2016). Application of hot-stage microscopy to evaluating sample morphology changes on heating. *Journal of Thermal Analysis and Calorimetry*, *125*(3), 1053–1059. <https://doi.org/10.1007/s10973-016-5323-z>

- Pires, D. E. V., Blundell, T. L., & Ascher, D. B. (2015). pkCSM: Predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures. *Journal of Medicinal Chemistry*, 58(9), 4066–4072. <https://doi.org/10.1021/acs.jmedchem.5b00104>
- Putram, N. M., Setyaningsih, I., Tarman, K., & Nursid, M. (2017). Aktivitas Antikanker Dari Fraksi Aktif Teripang Anticancer Activity from Active Fraction of Sea Cucumber Studies on Indonesian sea cucumbers View project Kultivasi spirulina dan aplikasinya dalam berbagai produk View project. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20, 53–62. <https://www.researchgate.net/publication/319899491%0Ajournal.ipb.ac.id/index.php/jphpi>
- Rachmania, R. A. (2019). Validasi Protokol Skrining Virtual Dan Analisis Interaksi Inhibitor Antiproliferasi Sel Kanker Berbasis Bahan Alam Terhadap Reseptor Cyclin-Dependent Kinase 4 (Cdk 4). *Media Farmasi: Jurnal Ilmu Farmasi*, 16(1), 21–40. <https://doi.org/10.12928/mf.v16i1.12101>
- Risoluti, R., & Materazzi, S. (2018). MicroNIR/chemometrics assesment of occupational exposure to hydroxyurea. *Frontiers in Chemistry*, 6(JUN), 1–9. <https://doi.org/10.3389/fchem.2018.00228>
- Ruswanto, Miftah, A. M., Tjahjono, D. H., & Siswandono. (2015). Synthesis and in vitro Cytotoxicity of 1-Benzoyl-3-methyl Thiourea Derivatives. *Procedia Chemistry*, 17(April 2018), 157–161. <https://doi.org/10.1016/j.proche.2015.12.105>
- Ruswanto, R., Sarwatiningsih, Y., Pratita, A. T. K., Indra, & Dewi, R. (2019). Synthesis and Characterization of Fe(III) Complex with N²-(3-Nitrobenzoyl)Isonicotinohydrazide as an Anti-tuberculosis Candidate. *Journal of Physics: Conference Series*, 1179(1). <https://doi.org/10.1088/1742-6596/1179/1/012136>
- Ruswanto, Ruswanto, Mardianingrum, R., Apriliani, A. Y., Ramdaniah, F. K., Sarwatiningsih, Y., Tri, A., Pratita, K., Nuryani, G. S., Rahayuningsih, N., Lindsawastuti, L., Rahayu, S. S., Wulandari, W. T., Lihandini, G., Tinggi, S., Kesehatan, I., Tunas, B., & Perjuangan, U. (2018). Karakterisasi Dan Sintesis Senyawa Kompleks Fe (Iii) 4-Fluoro-N²-[(Pyridine-4-Yl)Carbonyl] Benzohydrazide Sebagai Kandidat Anti Tuberkulosis. *Journal of Pharmacopolium*, 1(2), 100–106.
- Ruswanto, Ruswanto, Nofianti, T., Mardianingrum, R., & Lestari, T. (2018). Desain dan Studi In Silico Senyawa Turunan Kuwanon-H sebagai Kandidat Obat Anti-HIV. *Jurnal Kimia VALENSI*, 4(1), 57–66. <https://doi.org/10.15408/jkv.v4i1.6867>

- Ruswanto, Ruswanto, Trisna Wulandari, W., Mardianingrum, R., & Cantika, I. (2021). Synthesis and virtual screening of bis-(4-(tert-butyl)-N-(methylcarbamothioyl) benzamide)-Iron (III) complex as an anticancer candidate. *Pharmaciana*, *11*(1), 1. <https://doi.org/10.12928/pharmaciana.v11i1.17837>
- Ruswanto, Siswandono, Richa, M., Tita, N., & Tresna, L. (2017). Molecular docking of 1-benzoyl-3-methylthiourea as anti cancer candidate and its absorption, distribution, and toxicity prediction. *Journal of Pharmaceutical Sciences and Research*, *9*(5), 680–684.
- Saleh, W. (2015). *Studi Hubungan Kuantitatif Struktur- Studi Hubungan Kuantitatif Struktur- Aktivitas Anti-Tuberkulosis Senyawa Amidasi Etil P-Metoksisinamat Dengan*.
- Sandria, F. (2019). *Sintesis, Karakterisasi Dan Studi Komputasi Senyawa Kompleks Bis-(1-(2,4-Dichlorobenzoyl)-3-Methylthiourea) Iron (III) Sebagai Kandidat Antikanker*.
- Schwartz, B. D., Skinner-Adams, T. S., Andrews, K. T., Coster, M. J., Edstein, M. D., MacKenzie, D., Charman, S. A., Koltun, M., Blundell, S., Campbell, A., Pouwer, R. H., Quinn, R. J., Beattie, K. D., Healy, P. C., & Davis, R. A. (2015). Synthesis and antimalarial evaluation of amide and urea derivatives based on the thiaplakortone A natural product scaffold. *Organic and Biomolecular Chemistry*, *13*(5), 1558–1570. <https://doi.org/10.1039/c4ob01849d>
- Šimek, M., Grünwaldová, V., & Kratochvíl, B. (2016). Hot-stage microscopy for determination of API fragmentation: comparison with other methods. *Pharmaceutical Development and Technology*, *21*(5), 583–589. <https://doi.org/10.3109/10837450.2015.1026608>
- Suhartati, T. (2017). *Dasar-dasar Spektrofotometri UV-Vis dan Spektrofotometri Massa*.
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA: A Cancer Journal for Clinicians*, *71*(3), 209–249. <https://doi.org/10.3322/caac.21660>
- Upadhayaya, R. S., Kulkarni, G. M., Vasireddy, N. R., Vandavasi, J. K., Dixit, S. S., Sharma, V., & Chattopadhyaya, J. (2009). Design, synthesis and biological evaluation of novel triazole, urea and thiourea derivatives of quinoline against Mycobacterium tuberculosis. *Bioorganic and Medicinal Chemistry*, *17*(13), 4681–4692. <https://doi.org/10.1016/j.bmc.2009.04.069>

- Vega-Pérez, J. M., Periñán, I., Argandoña, M., Vega-Holm, M., Palo-Nieto, C., Burgos-Morón, E., López-Lázaro, M., Vargas, C., Nieto, J. J., & Iglesias-Guerra, F. (2012). Isoprenyl-thiourea and urea derivatives as new farnesyl diphosphate analogues: Synthesis and in vitro antimicrobial and cytotoxic activities. *European Journal of Medicinal Chemistry*, 58, 591–612. <https://doi.org/10.1016/j.ejmech.2012.10.042>
- Wardani, G. A., & Wulandari, W. T. (2018). Pemanfaatan Limbah Kulit Pisang Kepok (*Musa acuminata*) sebagai Biosorben Ion Timbal(II). *Jurnal Kimia VALENSI*, 4(2), 143–148. <https://doi.org/10.15408/jkv.v4i2.6918>
- Widiandani, T., & Siswandono. (2014). Modifikasi struktur dan prediksi aktivitas antikanker senyawa baru turunan aliltiourea secara in silico. *Berkala Ilmiah Kimia Farmasi*, 3(1), 35–40.
- Wingston, D. G. (2009). *Analisis farmasi (A. H hadinata (cd.))*. Buku Kedokteran : EGC.
- Yanuar, A. (2012). Penambatan Molekuler: Praktek dan Aplikasi pada Virtual Screening. *Jakarta (ID): Fakultas Farmasi Universitas Indonesia*, 1–3.
- Yao, J., Chen, J., He, Z., Sun, W., & Xu, W. (2012). Design, synthesis and biological activities of thiourea containing sorafenib analogs as antitumor agents. *Bioorganic and Medicinal Chemistry*, 20(9), 2923–2929. <https://doi.org/10.1016/j.bmc.2012.03.018>
- Yeni, Y., Supandi, S., & Merdekawati, F. (2018). In silico toxicity prediction of 1-phenyl-1-(quinazolin-4-yl) ethanol compounds by using Toxtree, pkCSM and preADMET. *Pharmaciana*, 8(2), 216. <https://doi.org/10.12928/pharmaciana.v8i2.9508>
- Zafrial, R. M., & Amalia, R. (2018). Artikel Tinjauan : Anti Kanker dari Tanaman Herbal. *Farmaka*, 16(1), 15–16.