

DAFTAR PUSTAKA

- Agnihotry, S., Pathak, R. K., Singh, D. B., Tiwari, A., & Hussain, I. (2022). Protein structure prediction. *Bioinformatics*, 177–188. <https://doi.org/10.1016/B978-0-323-89775-4.00023-7>
- Al-Nour, M. Y., Arbab, A. H., Parvez, M. K., Mohamed, A. Y., & Al-Dosari, M. S. (2021). In-vitro Cytotoxicity and In-silico Insights of the Multi-target Anticancer Candidates from Haplophyllum tuberculatum. *Borneo Journal of Pharmacy*, 4(3), 192–201. <https://doi.org/10.33084/bjop.v4i3.1955>
- Arba, M. (2019). *Buku Ajar Farmasi Komputasi*. Deepublish. https://books.google.co.id/books?id=Wm%5C_IDwAAQBAJ
- B. Fernandes. (2016). Analysis of the Applicability and Use of Lipinski's Rule for Central Nervous System Drugs. *Letters in Drug Design & Discovery*, 13, 999–1006.
- Belveren, S., Poyraz, S., Pask, C. M., Ülger, M., Sansano, J. M., & Ali Döndəş, H. (2019). Synthesis and biological evaluation of platinum complexes of highly functionalized arylaminocarbo-N-thioyl proline containing tetrahydropyrrolo[3,4-c]pyrrole-1,3(2H,3aH)-dione moieties. *Inorganica Chimica Acta*, 498(September), 119154. <https://doi.org/10.1016/j.ica.2019.119154>
- Client, D. S., Studio, D., Discovery, T., & Client, S. (2018). *Introduction to the Discovery Studio Client*. 1–7.
- Darmapatni, K. A. G. (2016). Pengembangan Metode GC-MS untuk Penetapan Kadar Acetaminophen pada Spesimen Rambut Manusia. *Jurnal Biosains Pascasarjana*, 18(3), 255. <https://doi.org/10.20473/jbp.v18i3.2016.255-266>
- Devi, J., & Batra, N. (2015). Synthesis, characterization and antimicrobial activities of mixed ligand transition metal complexes with isatin monohydrazone Schiff base ligands and heterocyclic nitrogen base. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 135, 710–719. <https://doi.org/10.1016/J.SAA.2014.07.041>
- DEWI, M. (2017). Sebaran Kanker di Indonesia, Riset Kesehatan Dasar 2007. *Indonesian Journal of Cancer*, 11(1), 1–8. <https://doi.org/10.33371/ijoc.v11i1.494>
- Fatimah, S. dan Y. (2016). Pengaruh Konsentrasi Pelarut untuk Menentukan Paduan U-Zr dengan Menggunakan Metode Spektorfotometri Uv-Vis. *Pusat Teknologi Bahan Nuklir*, 9(17), 22–33.
- Frimayanti, N. (2021). Simulasi Molecular Dynamic (MD) Senyawa Analog

Kalkon Sebagai Inhibitor Untuk Sel Kanker Paru A549. *Jurnal Penelitian Farmasi Indonesia*, 9(2), 56–60. <https://doi.org/10.51887/jpfi.v9i2.852>

Fuks, L., Anuszevska, E., Kruszewska, H., Krówczyński, A., Dudek, J., & Sadlej-Sosnowska, N. (2010). Platinum(II) complexes with *thiourea* derivatives containing oxygen, sulfur or selenium in a heterocyclic ring: Computational studies and cytotoxic properties. *Transition Metal Chemistry*, 35(6), 639–647. <https://doi.org/10.1007/s11243-010-9375-9>

Goodsell, D. S., Sanner, M. F., Olson, A. J., & Forli, S. (2021). The AutoDock suite at 30. *Protein Science*, 30(1), 31–43. <https://doi.org/10.1002/pro.3934>

Gorog, S. (2017). *Ultraviolet- Visible Spectrophotometry in Pharmaceutical Analysis* (1st Editio). CRC Press. <https://doi.org/https://doi.org/10.1201/9781351077422>

Greenstein, J. P. (2016). *Biochemistry of Cancer*. Elsevier Science. <https://books.google.co.id/books?id=1C0XBQAAQBAJ>

Hadi, S. (2006). *Bioanorganik*. Jurusan Kimia FMIPA Universitas Lampung.

Hameed, E. (2012). Phytochemical Studies and Evaluation of Antioxidant, Anticancer and Antimicrobial Properties of Conocarpus erectus L. Growing in Taif, Saudi Arabia. *European Journal of Medicinal Plants*, 2(2), 93–112. <https://doi.org/10.9734/ejmp/2012/1040>

Horie, S., Oya, M., Nangaku, M., Yasuda, Y., Komatsu, Y., Yanagita, M., Kitagawa, Y., Kuwano, H., Nishiyama, H., Ishioka, C., Takaishi, H., Shimodaira, H., Mogi, A., Ando, Y., Matsumoto, K., Kadowaki, D., & Muto, S. (2018). Guidelines for treatment of renal injury during cancer chemotherapy 2016. *Clinical and Experimental Nephrology*, 22(1), 210–244. <https://doi.org/10.1007/s10157-017-1448-z>

Kamiya, Y., Takaku, H., Yamada, R., Akase, C., Abe, Y., Sekiguchi, Y., Murayama, N., Shimizu, M., Kitajima, M., Shono, F., Funatsu, K., & Yamazaki, H. (2020). Determination and prediction of permeability across intestinal epithelial cell monolayer of a diverse range of industrial chemicals/drugs for estimation of oral absorption as a putative marker of hepatotoxicity. *Toxicology Reports*, 7(January), 149–154. <https://doi.org/10.1016/j.toxrep.2020.01.004>

Kesuma, D., & Santosa, H. (2009). Sintesis Senyawa 2,4-diklorobenzoil*thiourea* dari 2,4-diklorobenzoil klorida dan *Thiourea* Sebagai Calon Obat Central Nervous System Depressant Melalui Proses Refluks. *Seminar Nasional Teknik Kimia Indonesia*.

Kesuma, D., Siswandono, S., Purwanto, B. T., & Hardjono, S. (2018). Uji in silico Aktivitas Sitotoksik dan Toksisitas Senyawa Turunan N-(Benzoil)-N'-fenil*thiourea* Sebagai Calon Obat Antikanker. *JPSCR : Journal of Pharmaceutical Science and Clinical Research*, 3(1), 1.

<https://doi.org/10.20961/jpscr.v3i1.16266>

- Khalidah, A. R. (2020). Literature Review: Mekanisme Resistensi Kemoterapi Berbasis Platinum. *Jurnal Kesehatan*, 11(1), 151. <https://doi.org/10.26630/jk.v11i1.1537>
- Kirishnamaline, G., Magdaline, J. D., Chithambarathanu, T., Aruldas, D., & Anuf, A. R. (2021). Theoretical investigation of structure, anticancer activity and molecular docking of *thiourea* derivatives. *Journal of Molecular Structure*, 1225. <https://doi.org/10.1016/j.molstruc.2020.129118>
- Kumar, A., Singh, P., & Nanda, A. (2020). Hot stage microscopy and its applications in pharmaceutical characterization. *Applied Microscopy*, 50(1). <https://doi.org/10.1186/s42649-020-00032-9>
- Kumar, S., Sharma, P. P., Shankar, U., Kumar, D., Joshi, S. K., Pena, L., Durvasula, R., Kumar, A., Kempaiah, P., Poonam, & Rathi, B. (2020). Discovery of New Hydroxyethylamine Analogs against 3CLproProtein Target of SARS-CoV-2: Molecular Docking, Molecular Dynamics Simulation, and Structure-Activity Relationship Studies. *Journal of Chemical Information and Modeling*, 60(12), 5754–5770. <https://doi.org/10.1021/acs.jcim.0c00326>
- Marzano, C., Trevisan, A., Giovagnini, L., & Fregona, D. (2002). Synthesis of a new platinum(II) complex: Anticancer activity and nephrotoxicity in vitro. *Toxicology in Vitro*, 16(4), 413–419. [https://doi.org/10.1016/S0887-2333\(02\)00022-X](https://doi.org/10.1016/S0887-2333(02)00022-X)
- Meilani, A., Wisnuwardhani, H. A., & Fakih, T. M. (2021). *Uji In Silico Aktivitas Antikanker Kolorektal Senyawa Annomuricin terhadap Reseptor Epidermal Growth Factor Receptor (EGFR)*.
- Morales, J. R. (2012). *Treball final de grau. January*, 7–8.
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscope of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Noerdin, D. (1968). Elusidasi Struktur Senyawa Organik dengan Cara Spektroskopi Ultralembayung dan Inframerah. 80-90.
- Pangaribowo, D. A. (2014). *Molecular Docking , Sintesis Dan Uji Aktivitas Sitotoksik Senyawa 1-Benzoi-1 , 3-Dimetilurea*. 2, 1–6.
- Pérez, H., Ramos, R., Plutín, A. M., Mocelo, R., Erben, M. F., Castellano, E. E., & Batista, A. A. (2019). A Mixed Ligand Platinum(II) Complex: Spectral Analysis, Crystal Structure, Steric Demand of the Ligand, and Bioactivity of cis-[Pt(PPh₃)₂(L1-O,S)]PF₆ (L1-O,S = N,N-Morpholine-N'-benzoylthiourea). *European Journal of Inorganic Chemistry*, 2019(21), 2583–2590. <https://doi.org/10.1002/ejic.201900042>

- Pires, D. E. V., Blundell, T. L., & Ascher, D. B. (2015). pkCSM: Predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures. *Journal of Medicinal Chemistry*, 58(9), 4066–4072. <https://doi.org/10.1021/acs.jmedchem.5b00104>
- Pires D.E.V., Kaminskas L.M., A. D. B. (2018). Prediction and Optimization of Pharmacokinetic and Toxicity Properties of the Ligand. *Methods in Molecular Biology*, 1762(Maret). https://doi.org/https://doi.org/10.1007/978-1-4939-7756-7_14
- Prasetiawati, R., Suherman, M., Permana, B., & Rahmawati, R. (2021). Molecular Docking Study of Anthocyanidin Compounds Against Epidermal Growth Factor Receptor (EGFR) as Anti-Lung Cancer. *Indonesian Journal of Pharmaceutical Science and Technology*, 8(1), 8. <https://doi.org/10.24198/ijpst.v8i1.29872>
- Price, P., & Sikora, K. (2020). *Treatment of Cancer Seventh Edition*. CRC Press.
- Prieto-Martínez, F. D., López-López, E., Eurídice Juárez-Mercado, K., & Medina-Franco, J. L. (2019). Computational Drug Design Methods—Current and Future Perspectives. In *Silico Drug Design*, 3, 19–44. <https://doi.org/10.1016/b978-0-12-816125-8.00002-x>
- Raveendran, R., Braude, J. P., Wexselblatt, E., Novohradsky, V., Stuchlikova, O., Brabec, V., Gandin, V., & Gibson, D. (2016). Pt(iv) derivatives of cisplatin and oxaliplatin with phenylbutyrate axial ligands are potent cytotoxic agents that act by several mechanisms of action. *Chemical Science*, 7(3), 2381–2391. <https://doi.org/10.1039/c5sc04205d>
- Rose, P. W., Prlić, A., Altunkaya, A., Bi, C., Bradley, A. R., Christie, C. H., Di Costanzo, L., Duarte, J. M., Dutta, S., Feng, Z., Green, R. K., Goodsell, D. S., Hudson, B., Kalro, T., Lowe, R., Peisach, E., Randle, C., Rose, A. S., Shao, C., ... Burley, S. K. (2017). The RCSB protein data bank: Integrative view of protein, gene and 3D structural information. *Nucleic Acids Research*, 45(D1), D271–D281. <https://doi.org/10.1093/nar/gkw1000>
- Ruswanto, Miftah, A. M., Tjahjono, D. H., & Siswandono. (2015). Synthesis and in vitro Cytotoxicity of 1-Benzoyl-3-methyl Thiourea Derivatives. *Procedia Chemistry*, 17, 157–161. <https://doi.org/10.1016/j.proche.2015.12.105>
- Ruswanto, R. (2015a). Desain Dan Pemodelan Molekul Turunan 1,3-Dibenzoil Thiourea Sebagai Inhibitor Chk1 Secara in Silico. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analisis Kesehatan Dan Farmasi*, 9(1), 14. <https://doi.org/10.36465/jkbth.v9i1.89>
- Ruswanto, R. (2015b). Sintesis Dan Analisis Spektrum Senyawa 3-Benzoyl-1-Fenilthiourea Serta Uji Interaksinya Pada Reseptor Kanker. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analisis Kesehatan Dan Farmasi*, 12(1), 177. <https://doi.org/10.36465/jkbth.v12i1.77>

- Ruswanto, R. (2021). Karakterisasi dan Penambatan Molekul (Methylcarbamothioyl)-Benzamide-Iron (III) Sebagai Kandidat Anti Kanker. September, 17–27.
- Ruswanto, R., Mardianingrum, R., Apriliani, A. Y., Ramdaniah, F. K., Sarwatiningsih, Y., Tri, A., Pratita, K., Nuryani, G. S., Rahayuningsih, N., Lindaswastuti, L., Rahayu, S. S., Wulandari, W. T., Lihandini, G., Tinggi, S., Kesehataan, I., Tunas, B., & Perjuangan, U. (2018). Karakterisasi dan Sintesis Senyawa Kompleks Fe (III) Sebagai Kandidat Anti Tuberkulosis. 1(2), 100–106.
- Ruswanto, R., Miftah, A. M., Tjahjono, D. H., & Siswandono. (2021). In silico study of 1-benzoyl-3-methylthiourea derivatives activity as epidermal growth factor receptor (EGFR) tyrosine kinase inhibitor candidates. *Chemical Data Collections*, 34(36), 100741. <https://doi.org/10.1016/j.cdc.2021.100741>
- Ruswanto, R., Nofianti, T., Mardianingrum, R., & Lestari, T. (2018). Desain dan Studi In Silico Senyawa Turunan Kuwanon-H sebagai Kandidat Obat Anti-HIV. *Jurnal Kimia VALENSI*, 4(1), 57–66. <https://doi.org/10.15408/jkv.v4i1.6867>
- Ruswanto, R., & Nugraha, A. (2015). Sintesis Senyawa 1-(4-Hephtilbenzoil-3-Metilthiourea) Dan Uji Sitotoksitas Terhadap Sel T47D Sebagai Kandidat Antikanker. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Kependidikan, Analisis Kesehatan Dan Farmasi*, 14(1), 145. <https://doi.org/10.36465/jkbth.v14i1.123>
- Ruswanto, Rahayuningsih, N., Hidayati, N. L. D., Nuryani, G. S., & Mardianingrum2, R. (2019). Uji In Vitro dan Studi In Silico Senyawa Turunan N'-Benzoylisonicotinohydrazide sebagai Kandidat Antituberkulosis (In Vitro and In Silico Study of N'-Benzoylisonicotinohydrazide as Antituberculosis Candidate). *Jurnal Ilmu Kefarmasian Indonesia*, 17(2), 218–226.
- Ruswanto, Siswandono, Richa, M., Tita, N., & Tresna, L. (2017). Molecular docking of 1-benzoyl-3-methylthiourea as anti cancer candidate and its absorption, distribution, and toxicity prediction. *Journal of Pharmaceutical Sciences and Research*, 9(5), 680–684.
- Shahsavani, M. B., Ahmadi, S., Aseman, M. D., Nabavizadeh, S. M., Rashidi, M., Asadi, Z., Erfani, N., Ghasemi, A., Saboury, A. A., Niazi, A., Bahaoddini, A., & Yousefi, R. (2016). Anticancer activity assessment of two novel binuclear platinum (II) complexes. *Journal of Photochemistry and Photobiology B: Biology*, 161(Ii), 345–354. <https://doi.org/10.1016/j.jphotobiol.2016.05.025>
- Suarsa, I. W. (2016). *Analisis Gugus Fungsi Pada Bensin Dengan*. 1–36.
- Suhartati, T. (2017). *Dasar-Dasar Spektrofotometri Uv-Vis Dan Spektrometri Massa Untuk Penentuan Struktur Senyawa Organik*.

- Suhud, F. (2015). Uji Aktivitas In-silico Senyawa Baru 1-Benzil-3-benzoilurea Induk dan Tersubstitusi sebagai Agen Antiproliferatif. *Jurnal Farmasi Indonesia*, Vol.7 no.4(Ekspresi dan Kadar Gaba Pada Palatum Sekunder Mencit Prenatal dengan Paparan Diazepam di Periode Organogenesis), 229. http://repository.ubaya.ac.id/28539/1/Ekspresi dan kadar gaba_2015.pdf
- Surovi, S. F. (2021). *Applicability of Lipinski "s Rule of Five in Drugs Used in the Treatment of Cancer*. August.
- Sutedjo, I. R., Putri, H., & Meiyanto, E. (2016). Ekstrak Etanolik Awar-Awar (*Ficus Septica*) Sebagai Agen Kemopreventif Selektif Pada Berbagai Macam Sel Kanker (Ethanolic Leaves Extract Of Awar-Awar (*Ficus Septica*) As Selective Chemopreventive Agent On Various Cancer Cells). *NurseLine Journal*, 1(2).
- Wadood, A., Rehman, A., Shams, S., Khan, D. M., Rahman, T., Jamal, S., Khan, A., Ahmad, A., & Ali, F. (2014). Homology Modeling, Molecular Dynamic Simulation and Phylogenetic Analysis of Human Transient Receptor Potential Melastatin 1 (TRPM1). *Journal of Comp Bioinfor & In-Silico Modeling*, 3(July 2014), 381–387.
- Wahid, A., Basra, S. M. A., & Farooq, M. (2017). *Thiourea*: A molecule with immense biological significance for plants. *International Journal of Agriculture and Biology*, 19(4), 911–920. <https://doi.org/10.17957/IJAB/15.0464>
- Warmadewi, D. A. (2017). *Buku Ajar Mutasi Genetik. Mutasi Genetik*. Unud Mutasi Gen.doc.
- WHO. (2020). International Agency for Research on Cancer. *WHO Chronicle*.
- Yeni, Y., Supandi, S., & Merdekawati, F. (2018). In silico toxicity prediction of 1-phenyl-1-(quinazolin-4-yl) ethanol compounds by using Toxtree, pkCSM and preADMET. *Pharmaciana*, 8(2), 216. <https://doi.org/10.12928/pharmaciana.v8i2.9508>
- Yilmaz, V. T., Icsel, C., Turgut, O. R., Aygun, M., Erkisa, M., Turkdemir, M. H., & Ulukaya, E. (2018). Synthesis, structures and anticancer potentials of platinum(II) saccharinate complexes of tertiary phosphines with phenyl and cyclohexyl groups targeting mitochondria and DNA. *European Journal of Medicinal Chemistry*, 155, 609–622. <https://doi.org/10.1016/j.ejmech.2018.06.035>
- Yu, Y., Lou, L. G., Liu, W. P., Zhu, H. J., Ye, Q. S., Chen, X. Z., Gao, W. G., & Hou, S. Q. (2008). Synthesis and anticancer activity of lipophilic platinum(II) complexes of 3,5-diisopropylsalicylate. *European Journal of Medicinal Chemistry*, 43(7), 1438–1443. <https://doi.org/10.1016/j.ejmech.2007.09.006>