

DAFTAR REFERENSI

- Achmadi, P. C., Sudjarwo, E. and Djunaidi, I. H. (2021) The Effect Of Teak Leaf Extract Addition (*Tectona grandis* Linn . F) to Feed on Laying Quails Production Performance, *American Journal of Engineering Research (AJER)*, (05), pp. 31–34.
- Astuti, N. (2015) Efektivitas Ekstrak Daun Jati (*Tectona grandis* Linn.F) Dalam Menghambat Pertumbuhan Jamur Hormiscium Sp., *Bumi Lestari*, 15(1), pp. 66–70.
- Asyifaa, D. A., Gadri, A. dan Sadiyah, E. R. (2017) Formulasi Lip Cream Dengan Pewarna Alami Dari Bunga Rosella (*Hibiscus sabdariffa* L .) Serta Uji Stabilitasnya, *Prosiding Farmasi (Farmasi, gelombang 2, tahun akademik 2016-2017)*, 3(2), pp. 518–525. Available at: <http://karyailmiah.unisba.ac.id/index.php/farmasi/article/view/8066>.
- Aulung, A., Pryambodo, R. and P.Astari, R. (2016) Daya Hambat Ekstrak Daun Jati (*Tectona grandis* L.F) Terhadap Pertumbuhan *Candida albicans*, *Majalah Kedokteran UKI 2016*, XXXII(1), pp. 49–57.
- Nichola, A. Heater J. Walker, Janice Ann Lake, Gareth K. Phoenix AND Dukan Drummod Cameron. (2019) The Regulation of Plant Secondary Metabolism in Response to Abiotic Stress: interactions between heat shock and levated CO₂, *Frontiers in Plant Science*, 10 (November), pp. 1–12. doi: 10.3389/fpls.2019.01463.
- Azizah, D. N., Kumolowati, E. dan Faramayuda, F. (2014) Penetapan Kadar Flavonoid Metode AlCl₃ Pada Ekstrak Metanol Kulit Buah Kakao (*Theobroma cacao* L.), *Kartika Jurnal Ilmiah Farmasi*, 2(2), pp. 45–49. doi: 10.26874/kjif.v2i2.14.
- Balouiri, M., Sadiki, M. and Ibnsouda, S. K. (2016) Methods For In Vitro Evaluating Antimicrobial aActivity: A review, *Journal of Pharmaceutical Analysis*, 6(2), pp. 71–79. doi: 10.1016/j.jpha.2015.11.005.
- Bayuaji, T. setyo, Astuti, I. Y. dan Dhiani, B. A. (2012) Aktivitas Antifungi Krim Daun Ketepeng Cina (*Senna alata* L. Roxb) Terhadap *Trichophyton mentagrophytes*, *Pharmacy*, 09(3), p. 58.
- Bijesh, V. and R., C. S. (2020) A Review on Pharmacological Uses of *Tectona*, *World Journal of Pharmaceutical Research*, 9(6), pp. 1146–1156. doi: 10.20959/wjpr20206-17675.
- Borda, L. J. and Wikramanayake, T. C. (2015) Seborrheic Dermatitis and Dandruff: A Comprehensive Review, *Journal of Clinical and Investigative*

- Dermatology*, 3(2), p. 10. doi: 10.13188/2373-1044.1000019.
- Cafarchia, C. Robin B. Gasser, Luchiana A. Figueredo and Maria Stefani Latrofa. (2011) Advances in The Identification of Malassezia, *Molecular and Cellular Probes*, 25(1), pp. 1–7. doi: 10.1016/j.mcp.2010.12.003.
- Carris, L. M., Little, C. R. and Stiles, C. M. (2012) Introduction to Fungi, *The American Phytopathological Society*, 28(1), p. 166. doi: 10.2307/4117096.
- Chang, C. C. Ming Hua Yang, Hwei Mei Wen, and Jiing Chuang Chern. (2002) Estimation of Total Flavonoid Content In Propolis By Two Complementary Colometric Methods, *Journal of Food and Drug Analysis*, 10(3), pp. 178–182. doi: 10.38212/2224-6614.2748.
- Davis, W. W. and T. R. Stout. 1971. Disc Plate Methods Of Microbiological Antibiotic Assay. *Microbiology* 22: 659-665.
- Dawson, T. L. (2014) Malassezia Globosa and Restricta: Breakthrough Understanding of the Etiology and Treatment of Dandruff and Seborrheic Dermatitis through Whole-Genome Analysis, *Investigative Dermatology Symposium Proceedings*, 12(January 2008), pp. 15–19. doi: 10.1038/sj.jidsymp.5650049.
- Depkes RI (2017) *Farmakope Herbal Indonesia Edisi II*. doi: 10.1201/b12934-13.
- Depkes RI (2011) *Suplemen II Farmakope Herbal Indonesia edisi I*. Kmentrian Kesehatan RI. Direktorat Jendral Bina Kefarmasian dan Alat Kesehatan.
- Desmiaty, Y., Ratnawati, J. dan Andini, P. (2009) Penentuan Jumlah Flavonoid Total Ekstrak Etanol Daun Buah Merah (*Pandanus Conoideus* Lamk.), *Seminar Nasional POKJANAS TOI XXXVI*, pp. 1–8. Available at: <http://dosen.univpancasila.ac.id/dosenfile/2010211059138121890808October2013.pdf>.
- Endang, H. (2014) *Analisis Fitokimia*. Jakarta: Penerbit Buku Kedokteran EGC.
- Hanani, E. (2015) *Analisis Fitokimia*. Jakarta: Penerbit Buku Kedokteran EGC.
- Harmita (2014) *Analisis Fisikokimia : Potensiometri & Spektroskopi*. Edisi 1. Jakarta: Penerbit Buku Kedokteran EGC.
- Harmita (2015) *Analisis Fisikokimia*. Jakarta: Penerbit Buku Kedokteran EGC.
- Hay, R. J. Nicole E.Johns, Hywel C. Williams *et al.* (2014) The Global Burden of Skin Disease in 2010: An Analysis of the Prevalence and Impact of Skin Conditions, *Journal of Investigative Dermatology*, 134(6), pp. 1527–1534. doi: 10.1038/jid.2013.446.
- Ira Rahmiyani, Vera Nurviana, Nur Aji, D. S. Z. (2021) Farmakognosi. edisi 1. Edited by E. Santoso. IKAPI

- Ismawati, I. dan Marliani, L. (2017) Telaah Fitokimia dan Aktivitas Antioksidan dari Daun Jati Merah (*Tectona grandis* Linn.) dan Daun Jati Putih (*Gmelina arborea* Roxb., *Jurnal Farmasi Galenika*, 4, pp. 77–83.
- J.B.Harborne (1987) *Metode Fitokimia Penuntun cara modern menganalisis tumbuhan*. edisi 2. Bandung: Penerbit ITB Bandung.
- J, P. dan Michael (2008) *Dasar-Dasar Mikrobiologi*. edisi 1 Jakarta: Penerbit Universitas Indonesia (UI Press).
- Jawetz, Melnick dan Aldelberg (2010) *Mikrobiologi Kedokteran*. edisi 25. Edited by A. widhi Nugroho, A. Adityaputri, and N. Z. Astuti. Jakarta: Penerbit Buku Kedokteran EGC.
- Clavaud, Cecile. Jourdain, R. Bar-Hen, A. Tichit, A. et al. (2013) Dandruff Is Associated with Disequilibrium in the Proportion of the Major Bacterial and Fungal Populations Colonizing the Scalp, *Major Bacterial and Fungal Species on Human Scalp*, 8(3), p. 58. doi: 10.1371/journal.pone.0058203.
- K.R.Markham (1988) *Cara mengidentifikasi flavonoid*. Penerbit ITB Bandung.
- Kalsum, U. dan Ayu, A. (2019) Uji Aktivitas Ekstrak Etanol Umbi Wortel (*Daucus carota* L.) Sebagai Antifungi Terhadap Pertumbuhan *Candida albicans*, *Warta Farmasi*, 8(2), pp. 71–80. doi: 10.46356/wfarmasi.v8i2.117.
- Kamsu, G. T. et al. (2019) In Vitro Antisalmonellal and aAntioxidant Activities of Leaves Extracts of *Tectona grandis* L. F. (Verbenaceae), *European Journal of Medicinal Plants*, 4(November), pp. 1–13. doi: 10.9734/ejmp/2019/v29i430164.
- Kelly, S. . (2011) Quersetin, Alternative Medicine Review, *Dictionary of gems and gematology*, 2(16), pp. 172–193.
- Kemenkes RI (2020) *Farmakope Indonesia edisi VI*, Departemen Kesehatan Republik Indonesia.
- Khader, J. A. et al. (2012) Phytochemical and Antimicrobial Activity of Xanthium strumarium, *Journal of Pure and Applied Microbiology*, 66(4), pp. 1951–1954.
- Khatimah, K., Mone, I. dan Fa'al Santri, N. (2018) Identifikasi Jamur Candida Sp Pada Kuku Jari Tangan dan Kuku Kaki Petani Dusun Panaikang Desa Bontolohe Kecamatan Rilau Ale Kabupaten Bulukumba, *Jurnal Media Laboran*, 8(1), pp. 39–43. Available at: file:///C:/Users/USER/AppData/Local/Temp/387-Article Text-900-1-10-20190714-1.pdf.
- Komala, O., Yulianita dan Siwi, F. R. (2020) Aktivitas Antijamur Ekstrak Etanol

- 50% dan Etanol 96% Daun Pacar Kuku (*Lawsonia inermis* L) Terhadap *Trichophyton mentagrophytes*, *Ekologia*, 19(1), pp. 12–19. doi: 10.33751/ekol.v19i1.1657.
- Kristanti, A. N. *et al.* (2008) *Buku Ajar Fitokimia*. Edisi 1 Edited by A. N. dkk Kristanti. Surabaya: Airlangga University Press.
- Kristanti Alfinda Novi , Aminah Nanik, Tanjung Mulyadi, K. B. (2008) *Buku Ajar Fitokimia*. Edisi 1. Airlangga University Press.
- Lima, I. L. de *et al.* (2021) Wood Characterization of *Tectona grandis* L. F. Cultivated in Brazil: a review of the last 30 years, *Research, Society and Development*, 10(14), p. e162101421549. doi: 10.33448/rsd-v10i14.21549.
- Minarto, eko budi (2015) Skrining Fitokimia dan Kandungan Total Flavonoid Pada Buah (*Carica pubescens* Lenne & K. Koch) di Kawasan Bromo, Cangar dan Dataran Tinggi Dieng, *El-Hayah*, 5(2), pp. 73–82. doi: 10.4269/ajtmh.1986.35.167.
- Mojab, F. (2003) Phytochemical Screening of Some Species of Iranian Plants, *Pharmaceutical Research*, 2(January 2014), pp. 77–82.
- Nadia, L. (2010) Analisis Kadar Air Bahan Pangan, *Bahan Ajar*, p. 218. Available at: www.ut.ac.id.
- Naira, N. and MD, K. (2019) Isolation of Phenolic Compounds From the Methanolic Extract of *Tectona grandis* Research Journal of Pharmaceutical , Biological and Chemical Sciences Isolation of Phenolic Compounds from the Methanolic Extract of *Tectona grandis*, *Pharmaceutical, Biological and Chemical Sciences*, 1(April 2010), p. 221.
- Najib, A. (2018) *Ekstraksi Senyawa Bahan Alam*. Edisi 1. Jakarta: Deepublish.
- Nidavani, Ramesh B. and AM, M. (2014) Pharmacology of *Tectona grandis* Linn Short Review, *Pharmacognosy and Phytochemical Research*, 6(1), pp. 86–90.
- Nidavani, Ramesh B. and AM, M. (2014) Teak (*Tectona grandis* Linn) a Renowned Timber Plant with Potential Medicinal Values. 6(1).
- Ningsih, D. R., Zusfahair dan Kartika, D. (2016) Identifikasi Senyawa Metabolit Sekunder Serta Uji Aktivitas Ekstrak Daun Sirsak Sebagai Antibakteri, *Molekul*, 2(Mic), pp. 101–111.
- Novia, D., Samudra, A. G. dan Susanti, N. (2020) Skrining Fitokimia Ekstrak Etanol Daun Jati dan Infusa Daun Jati (*Tectona grandis* L.S) Dengan Metode Kromatografi Lapis Tipis (KLT), *Jurnal Ilmiah Farmacy*, 7(2), pp. E2615-8566.
- Ogunmefun, O. T. *et al.* (2017) Phytochemical Screening and Antibacterial

- Activities of *Tectona grandis* L. f. (Teak) Leaves on Microorganisms Isolated From Decayed Food Samples, *Tropical Plant Research*, 4(3), pp. 376–382. doi: 10.22271/tpr.2017.v4.i3.049.
- Oktaviana, N., Kawilarang, A. P. dan Damayanti (2018) Patient Profile Of *Tinea Corporis* In Dr. Soetomo General Hospital, Surabaya from 2014 to 2015, *Jurnal Berkala Epidemiologi*, 6(3), p. 200. doi: 10.20473/jbe.v6i32018.200-208.
- Piepponen, T. et al. (2016) Treatment of Dandruff with a Ketoconazole 2 % Shampoo, *Journal of Dermatological Treatment*, 6634(April), pp. 2–7. doi: 10.3109/09546639209088704.
- Prasetyawati, C. A. and A'Ida, N. (2019) Morphological Characterization of Different Provenances of Teak (*Tectona grandis* L.), *IOP Conference Series: Earth and Environmental Science*, 308(1), pp. 14–15. doi: 10.1088/1755-1315/308/1/012062.
- Prof.Dr.D.Dwidjoseputro (2010) *Dasar Dasar Mikrobiologi*. Edisi 7. Indonesia: Penerbit Djambatan.
- Purwanto, E. (2017) Efektifitas Ekstrak Cabe Rawit (*Capsicum frutescens* L) Terhadap Penyembuhan Luka Insisi pada Mencit (*mus musculus*), *Skripsi Universitas Airlangga*.
- Ramakrishna, A. and Ravishankar, G. A. (2011) Influence of Abiotic Stress Signals on Secondary Metabolites in Plants, *Plant Signaling and Behavior*, 6(11), pp. 1720–1731. doi: 10.4161/psb.6.11.17613.
- Depkes RI. (2000) Parameter Standar Umum Ekstrak Tumbuhan Obat. Direktorat Jendral Pengawas Oban dan Makanan, Jakarta.
- Rizky, T. A. dan Sogandi (2018) Uji Aktivitas Antibakteri Ekstrak dan Fraksi Daun Jati (*Tectona grandiss* Linn.F) Dalam Menghambat Pertumbuhan Bakteri *Escherichia coli* dan *Staphylococcus aureus* Secara In Vitro, *Indonesia Natural Research Pharmaceutical Journal*, 4(1), pp. 1–23.
- Romario Aldi Rompas, Hosea Jaya Edy, A. Y. (2012) Isolasi dan Identifikasi Flavonoid Dalam Daun Lamun (*Syringodium isotifolium*), *Pharmacon*, 1(2), pp. 59–63.
- Rosa, Y. (2021) Aktivitas Antijamur Ekstrak Etanol Daun Gambir (*Uncaria gambir* Roxb) Terhadap *Candida albicans*, *Jurnal Ilmu Kedokteran Dan Kesehatan*, 8(3), pp. 221–228.
- Safitri, R. dan Novel, S. S. (2010) *Medium Analisis Mikroorganisme*. Edisi 1. Jakarta: CV. Trans Info Media
- Salamah, M.Sc, Apt., N., Rozak, M. dan Al Abror, M. (2017) Pengaruh Metode

- Penyarian Terhadap Kadar Alkaloid Total Daun Jembirit (Tabernaemontana sphaerocarpa. BL) Dengan Metode Spektrofotometri Visibel, *Pharmaciana*, 7(1), p. 113. doi: 10.12928/pharmaciana.v7i1.6330.
- Sandra Widaty, Hardyanto Soebono, Hanny Nilasari, M. Yulianto Listiawan, Agnes Sri Siswati, Danang Triwahyudi, Cita Rosita, Reti Hindritiani, Satya Wydy Yenny, sri L. M. (2017) Paduan Praktik Klinis Bagi Dokter Spesialis Kulit dan Kelamin di Indonesia, *Journal of Organic Chemistry*, 74(8), pp. 3203–3206. doi: 10.1021/jo900140t.
- Sari, N. K. Y. dan Sumadewi, N. L. U. (2021) Aktivitas Antifungi Saponin Bunga Kamboja Putih (*Plumeria acuminata*) Pada *Candida albicans* ATCC 10231, *Metamorfosa: Journal of Biological Sciences*, 8(1), p. 74. doi: 10.24843/metamorfosa.2021.v08.i01.p07.
- Shukla, S. et al. (2016) Evaluation of Antibacterial Potential of Different, *pharmaceutical sciences*, 5(5), pp. 1272–1281. doi: 10.20959/wjpps20165-6748.
- Siswarni MZ, Yusrina Ika Putri dan Rizka Rinda P (2017) Ekstraksi Kuersetin dari Kulit Terong Belanda (*Solanum betaceum* Cav.) Menggunakan Pelarut Etanol dengan Metode Maserasi dan Sokletasi, *Jurnal Teknik Kimia USU*, 6(1), pp. 36–42. doi: 10.32734/jtk.v6i1.1563.
- Suryanti, V. et al. (2020) Identification of Active Compounds and Antioxidant Activity of Teak (*Tectona grandis*) Leaves, *Biodiversitas*, 21(3), pp. 946–952. doi: 10.13057/biodiv/d210313.
- Suryani, Yani, Topik taufiqurohman dan yuni (2020) *Mikologi*. PT.Freeline Cipta Granesia.
- Yanti, N., Samingan dan Mudatsir (2018) Uji Aktivitas Antifungi Ekstrak Etanol Gel Manjakani(*Quercus infectoria*) Terhadap *Candida albicans*, *Jurnal Ilmiah Mahasiswa Pendidikan Biologi*, 1(1), pp. 10–27.