

**GAMBARAN FAKTOR-FAKTOR YANG MEMPENGARUHI
PEMBERIAN ASI EKSKLUSIF DI WILAYAH KERJA
PUSKESMAS SODONGHILIR KABUPATEN
TASIKMALAYA**

KARYA TULIS ILMIAH



UNIVERSITAS BTH

Disusun Oleh :

HETI NURLELA MUHTAR

NIM : 10119070

PROGRAM STUDI D III KEPERAWATAN

FAKULTAS ILMU KESEHATAN

UNIVERSITAS BAKTI TUNAS HUASADA

JULI 2022

**PROGRAM STUDI DIII KEPERAWATAN
FAKULTAS ILMU KESEHATAN
UNIVERSITAS BAKTI TUNAS HUSADA**

Karya Tulis Ilmiah, Juni 2022
Heti Nurlela Muhtar

Gambaran Faktor-faktor Yang Mempengaruhi Pemberian ASI Eksklusif Di Wilayah Kerja Puskesmas Sodonghilir Kabupaten Tasikmalaya

XIII + 61 halaman + 4 tabel + 2 bagan + 13 lampiran

ABSTRAK

ASI adalah cairan hidup yang mengandung zat kekebalan yang akan melindungi bayi dari berbagai penyakit infeksi bakteri, virus, parasit dan jamur. Zat kekebalan yang terdapat pada ASI antara lain akan melindungi bayi dari diare. Penelitian ini untuk mengetahui faktor-faktor yang mempengaruhi pemberian ASI eksklusif di Wilayah Kerja Puskesmas Sodonghilir Kabupaten Tasikmalaya. Penelitian ini menggunakan metode kuantitatif dengan pendekatan deskriptif. Populasi pada penelitian adalah seluruh ibu yang menyusui bayi di Wilayah Kerja Puskesmas Sodonghilir Kabupaten Tasikmalaya sebanyak 109. Pengambilan sampel menggunakan *purposive sampling*. Jenis Pengumpulan data menggunakan data primer. Alat ukur menggunakan kuesioner. Analisis data menggunakan analisis univariat. Hasil factor internal sebanyak 96,7% ibu berusia 20-35 tahun, 66,7% berpendidikan tingkat menengah (SMP/SMA) dan 93,3% kesehatan ibu baik. Hasil factor eksternal, 70,0% ibu melahirkan di fasilitas kesehatan, 83,3% tidak bekerja ,76,6% ibu mendapat dukungan dari Orangtua/Mertua, 100% memberikan ASI sesuai dengan tradisi dan 100% ibu <2 kali perminggu mendengar, membaca atau melihat promosi susu formula.

Kata Kunci: Faktor internal, faktor eksternal
Daftar Pustaka : 20 buah (2012-2021)

**DIII NURSING STUDY PROGRAM
FACULTY OF HEALTH
BAKTI TUNAS HUSADA UNIVERSITY**

*Scientific Writing, June 2022
Heti Nurlela Muhtar*

***Overview Of Factors Affecting Exclusive Breastfeeding In The Work Area Of
Sodonghilir Health Center, Tasikmalaya Regency***
XIII + 61 pages + 4 tables + 2 Charts + 13 attachments

ABSTRACT

Breast milk is a living liquid that contains immune substances that will protect babies from various bacterial, viral, parasitic and fungan infections. Immune substances found in breast milk, among others, will protect babies from disease. This study was to determine the factors that influence exclusive breastfeeding in the Sodonghilir Health Center Work Area, Tasikmalaya Regency. This study uses a quantitative method with a descriptive approach. The population in this study were 109 mothers who breastfeed their babies in the Sodonghilir Health Center Work Area, Tasikmalaya Regency. The sample was taken using purposive sampling. Types of data collecting using primary data. The measuring instrument uses a questionnaire. Data analysis used anivariate analysis. The results of internal factors were 96,7 % of mothers aged 20-35 years, 66,7 % had secondary education (SMP/SMA), and 93,3 % maternal health was good. The results of external factors, 70,0 % of mothers gave birth in health facilities, 83,3 % did not work, 76,6 % of mothers received support from parents/in-laws, 100% gave breast milk according to tradition and 100 % of mothers <2 times per week milk.

Keywords: Internal factors, external factors
Bibliography: 20 pieces (2012-2021)

