

## DAFTAR PUSTAKA

Abdoun A.S., & Alenizi, R. (2019). Formulation and evaluation of metronidazole lozenges for oral thrush. *Journal of Innovations in Pharmaceutical and Biological Sciences (JIPBS)*, 6(3), 5–10.

Ameliana, L., & Wazni, F. (2011). Pengaruh Akasia Sebagai Bahan Pengikat Terhadap Mutu Fisik Tablet Hisap Teh Hijau ( *Camellia sinensis* ). *Journal Tropical Pharmaceutical Chemical*, 1(3), 207–220.

Andriana, R. C., & Chabib, L. (2014). Formulasi Tablet Hisap Ekstrak Kulit Buah Manggis ( *Garcinia mangostana L.* ) Sebagai Antioksidan dengan Variasi Konsentrasi Gelatin Sebagai Bahan Pengikat. *Khazanah*, 6(2), 47– 54.

Ariswati, W. C., Siswanto, A., & Hartanti, D. (2010). Pengaruh Gelatin, Amilum dan PVP Sebagai Bahan Pengikat Terhadap Sifat Fisik Teblet Ekstrak Temulawak (*Curcuma Xanthorrhiza*, Rxob). *Pharmacy*, 07(02), 58–66.

Benbassat, N., Kostova, B., Nikolova, I., & Rachev, D. (2013). Development and evaluation of novel lozenges containing marshmallow root extract. *Pakistan Journal of Pharmaceutical Sciences*, 26(6), 1103–1107.

Budiyono, W., & Kusumastuti, A. C. (2013). Perbedaan Kadar Kolesterol Total Dan Trigliserida Sebelum Dan Setelah Pemberian Sari Daun Cincau Hijau (*Premna Oblongifolia Merr*) Pada Tikus Dislipidemia. *Journal of Nutrition College*, 2(1), 118–125. <https://doi.org/10.14710/jnc.v2i1.2096>.

Chandira, M., & Jayakar, B. (2014). Formulation and evaluation of herbal tablets containing *Ipomoea Digitata*. *International Journal of Pharmaceutical Science Review and Research*, 3(1), 101–110. Depkes, R. (2014). *Farmakope*.

Kamal-Eldin, A. & Appelqvist, L.Å. (1996). The chemistry and antioxidant properties of tocopherols and tocotrienols. *Lipids*. 31(7): 671- 701.

Kaur, C. & Kapoor, H.C. (2001). Antioxidants in fruits and vegetables—the millennium’s health. *International Journal of Food Science & Technology*. 36(7): 703-725.

Kelebek, H., Selli, S., Canbas, A. & Cabaroglu, T. (2009). HPLC determination of organic acids, sugars, phenolic compositions and antioxidant capacity of orange juice and orange wine made from a Turkish cv. Kozan. *Microchemical Journal*. 91(2): 187-192.

Kikuzaki, H., Hisamoto, M., Hirose, K., Akiyama, K. & Taniguchi, H. (2002). Antioxidant properties of ferulic acid and its related compounds. *Journal of Agricultural and Food Chemistry*. 50(7): 2161- 2168.

Lai, H. & Lim, Y. (2011). Evaluation of antioxidant activities of the methanolic extracts of selected ferns in Malaysia. *International Journal of Environmental Science and Development*. 2(6): 442-447.

Liu, H., Xiang, B. & Qu, L. (2006). Structure analysis of ascorbic acid using near-infrared spectroscopy and generalized two-dimensional correlation spectroscopy. *Journal of Molecular Structure*. 794(1-3): 12-17.

Liu, Y.H., Lin, S.Y., Lee, C.C. & Hou, W.C. (2008). Antioxidant and nitric oxide production inhibitory activities of galacturonyl hydroxamic acid. *Food Chemistry*. 109(1): 159-166. Liu, T.Z., Chin, N., Kiser, M. & Bigler, W. (1982). Specific spectrophotometry of ascorbic acid in serum or plasma by use of ascorbate oxidase. *Clinical Chemistry*. 28(11): 2225-2228.

Mandal, S., Yadav, S., Yadav, S. & Nema, R.K. (2009). Antioxidants: a review. *Journal of Chemical and Pharmaceutical Research*. 1(1): 102-104.

Masoud, M.S., Hagagg, S.S., Ali, A.E. & Nasr, N.M. (2012). Synthesis and spectroscopic characterization of gallic acid and some of its azo complexes. *Journal of Molecular Structure*. 1014: 17-25.

Materska, M., 2008. Quercetin and its derivatives: chemical structure and bioactivity-a review. *Polish Journal of Food and Nutrition Sciences*. 58(4): 407-413.

Moon, J.K. & Shibamoto, T. (2009). Antioxidant assays for plant and food components. *Journal of Agricultural and Food Chemistry*. 57(5): 1655- 1666.

Nuengchamnong, N., Hermans-Lokkerbol, A. & Ingkaninan, K. (2004). Separation and detection of the antioxidant flavonoids, rutin and quercetin, using HPLC coupled on-line with colorimetric 100 Chimica et Natura Acta Vol. 6 No. 2, Agustus 2018: 93-100 detection of antioxidant activity. *Naresuan University Journal: Science and Technology*. 12(2): 25-37.

Panda, S.K. (2012). Assay guided comparison for enzymatic and non-enzymatic antioxidant activities with special reference to medicinal plants. In El-Missiry, M.A. (ed.). *Antioxidant Enzyme*. IntechOpen. Rijeka.

Pokorný, J. & Korczak, J. (2001). Preparation of natural antioxidant. In: Pokorný, J., Yanishlieva, N. & Gordon, M. (eds.). *Antioxidants in Food: Practical Applications*. Woodhead Publishing Limited. Cambridge.

Schuler, P. (1990). Natural Antioxidant Exploited Comercially. In: Husdont, B.J.F. (ed.). *Food Antioxidants*. Elsevier Applied Science. New York.

Sharma, O.P. & Bhat, T.K. (2009). DPPH antioxidant assay revisited. *Food Chemistry*. 113(4): 1202- 1205. Thaipong, K., Boonprakob, U., Crosby, K., Cisneros Zevallos, L. & Byrne, D.H. (2006). Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis*. 19(6-7): 669-675.

Brand-Williams, W., Cuvelier, M.E. & Berset, C.L.W.T. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT-Food science and Technology*. 28(1): 25-30.

Rice-Evans, C.A., Miller, N.J. & Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*. 20(7): 933-956.

Chaillou, L.L. & Nazareno, M.A. (2006). New method to determine antioxidant activity of polyphenols. *Journal of Agricultural and Food Chemistry*. 54(22): 8397-8402.

Chen, J.H. & Ho, C.T. (1997). Antioxidant activities of caffeic acid and its related hydroxycinnamic acid compounds. *Journal of Agricultural and Food Chemistry*. 45(7): 2374-2378.

Kontogiorgis, C.A., Savvoglou, K. & Hadjipavlou Litina, D.J. (2006). Antiinflammatory and antioxidant evaluation of novel coumarin derivatives. *Journal of Enzyme Inhibition and Medicinal Chemistry*. 21(1): 21-29.

Crozier, A., Clifford, M.N. & Ashihara, H. (2006). *Plant Secondary Metabolites: Occurrence, Structure and Role in the Human Diet*. Blackwell Publishing Ltd. Oxford. Davey, M.W., Montagu, M.V., Inze, D., Sanmartin, M., Kanellis, A., Smirnoff, N., Benzie, I.J.J., Strain, J.J., Favell, D. & Fletcher, J. (2000). Plant L-ascorbic acid: chemistry, function, metabolism, bioavailability and effects of processing. *Journal of the Science of Food and Agriculture*. 80(7): 825-860.

Dinis, T.C., Madeira, V.M. & Almeida, L.M. (1994). Action of phenolic derivatives (acetaminophen, salicylate, and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation and as peroxy radical scavengers. *Archives of Biochemistry and Biophysics*. 315(1): 161-1\69.

Dudonné, S., Vitrac, X., Coutiere, P., Woillez, M. & Mérillon, J.M. (2009). Comparative study of antioxidant properties and total phenolic content of 30 plant extracts of industrial interest using DPPH, ABTS, FRAP, SOD, and ORAC assays. *Journal of Agricultural and Food Chemistry*. 57(5): 1768-1774.

Dolatabadi, J.E.N., Mokhtarzadeh, A., Ghareghoran, S.M. & Dehghan, G. (2014). Synthesis, characterization and antioxidant property of quercetin-Tb (III) complex. *Advanced Pharmaceutical Bulletin*. 4(2): 101-104.

Fang, Y.Z., Yang, S. & Wu, G. (2002). *Free Radicals, Antioxidants, and Nutrition*. Elsevier Science Inc. United State. Columbic, C. & Mattill, H.A. (1942). The antioxidant properties of gallic acid and allied compounds.

*Oil & Soap*. 19(8): 144-145. Halliwell, B. & Gutteridge, J.M. (1995). The definition and measurement of antioxidants in biological systems. *Free Radical Biology & Medicine*. 18(1): 125-126.

Heo, S.J., Park, E.J., Lee, K.W. & Jeon, Y.J. (2005). Antioxidant activities of enzymatic extracts from brown seaweeds. *Bioresource Technology*. 96(14): 1613-1623.

Kamal-Eldin, A. & Appelqvist, L.Å. (1996). The chemistry and antioxidant properties of tocopherols and tocotrienols. *Lipids*. 31(7): 671- 701.

Kaur, C. & Kapoor, H.C. (2001). Antioxidants in fruits and vegetables—the millennium's health. *International Journal of Food Science & Technology*. 36(7): 703-725.

Kelebek, H., Sellı, S., Canbas, A. & Cabaroglu, T. (2009). HPLC determination of organic acids, sugars, phenolic compositions and antioxidant capacity of orange juice and orange wine made from a Turkish cv. Kozan. *Microchemical Journal*. 91(2): 187-192.

Kikuzaki, H., Hisamoto, M., Hirose, K., Akiyama, K. & Taniguchi, H. (2002). Antioxidant properties of ferulic acid and its related compounds. *Journal of Agricultural and Food Chemistry*. 50(7): 2161- 2168.

Lai, H. & Lim, Y. (2011). Evaluation of antioxidant activities of the methanolic extracts of selected ferns in Malaysia. *International Journal of Environmental Science and Development*. 2(6): 442-447.

Liu, H., Xiang, B. & Qu, L. (2006). Structure analysis of ascorbic acid using near-infrared spectroscopy and generalized two-dimensional correlation spectroscopy. *Journal of Molecular Structure*. 794(1-3): 12-17.

Liu, Y.H., Lin, S.Y., Lee, C.C. & Hou, W.C. (2008). Antioxidant and nitric oxide production inhibitory activities of galacturonyl hydroxamic acid. *Food Chemistry*. 109(1): 159-166. Liu, T.Z., Chin, N., Kiser, M. & Bigler, W. (1982).

Specific spectrophotometry of ascorbic acid in serum or plasma by use of ascorbate oxidase. *Clinical Chemistry*. 28(11): 2225-2228.

Mandal, S., Yadav, S., Yadav, S. & Nema, R.K. (2009). Antioxidants: a review. Journal of Chemical and Pharmaceutical Research. 1(1): 102-104.

Susanto RC, Ari M, G.A Made. Penyakit kulit dan kelamin. Yogyakarta: Nuha Medika; 2013.Mansjoer A, Suprohrita WI, Wardhani W, Setiowulan. Kapita selekta kedokteran. Edisi Ketiga. Jilid 2. Jakarta: Media Aesculapius; 2000

Suparni A. Wulandari. Herbal nusantara. 1001 ramuan radisional asli Indonesia. Yogyakarta: Rapha Publishing; 2012 Timothy SY, Wazis CH, Adati Rg and Maspalma ID. Antifungal activity of aqueous and ethamolic leaf extracts of Cassia alata Linn. Journal of Applied Pharmaceutical Science. 2012;2(7):182- 85.

Hariana H, Arief. Tumbuhan obat dan khasiatnya. Jilid 2. Jakarta: Penebar Swadaya; 2011.Anonim. 100 Top tanaman obat Indonesia. Tawangmangu. Kementerian Kesehatan Republik Indonesia. Karanganyar: Balai Besar Penelitian dan Pengembangan Tanaman Obat dan Obat Tradisional; 2011.

Ansel HC. Pengantar bentuk sediaan farmasi. Edisi Keempat. Jakarta: UI Press; 2008.Panjaitan EN, A. Saragih, dan D. Purba. Formulasi gel dari ekstrak rimpang jahe merah (*Zingiber officinale Roscoe*). Journal of Pharmaceutics and Pharmacology. 2012;1(1): 9-20.

