

## DAFTAR PUSTAKA

- Abustan, I., & Solomon Bello, O. (2011). *Adsorptive Removal of Cu(II) Using Activated Carbon Prepared from Rice Husk by ZnCl<sub>2</sub> Activation and Subsequent Gasification with CO<sub>2</sub> Adsorption efficiency of coconut husk for removal of Rhodamine-B dye from aqueous solution View project*. <https://www.researchgate.net/publication/285732977>
- Alfauzi, R. A., Ariyanto, B. F., Setyawan, K. P., Sihite, M., & Hidayah, N. (2021). Potensi Kulit Jengkol sebagai Agen Penurun Kolesterol Daging Itik Magelang. *Jurnal Sain Peternakan Indonesia*, 16(1), 98–107. <https://doi.org/10.31186/jspi.id.16.1.98-107>
- Aprilia, M. (2019). *Kesetimbangan Adsorpsi Logam Berat (Pb) Dengan Adsorben Tanah Diatomit Secara Batch*.
- Ariyani, A., R., P. A., P., E. R., & R., F. (2017). Pemanfaatan Kulit Singkong Sebagai Bahan Baku Arang Aktif Dengan Variasi Konsentrasi Naoh Dan Suhu. *Konversi*, 6(1), 7. <https://doi.org/10.20527/k.v6i1.2992>
- Bhongade, B., Talath, S., & Dhaneshwar, S. (2014). A Validated Method for the Quantitation of Ciprofloxacin Hydrochloride Using Diffuse Reflectance Infrared Fourier Transform Spectroscopy. *International Journal of Spectroscopy*, 2014, 1–6. <https://doi.org/10.1155/2014/294612>
- Budi Utomo, S., & Dwi Wahyuningsih, T. (2009). THE ADSORPTION OF Pb(II) AND Cr(III) BY POLYPROPYLALIX[4]ARENE POLYMER. In *Indo. J. Chem* (Vol. 9, Issue 3).
- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. In *Critical Reviews in Analytical Chemistry* (Vol. 45, Issue 4, pp. 289–299). Taylor and Francis Ltd. <https://doi.org/10.1080/10408347.2014.949616>
- Bunawan, H., Dusik, L., Bunawan, S. N., & Amin, N. M. (2013). Botany, traditional uses, phytochemistry and Pharmacology of Archidendron jiringa: A review. *Global Journal of Pharmacology*, 7(4), 474–478. <https://doi.org/10.5829/idosi.gjp.2013.7.4.824>
- Chakraborty, R., Asthana, A., Singh, A. K., Jain, B., & Susan, A. B. H. (2022). Adsorption of heavy metal ions by various low-cost adsorbents: a review. In *International Journal of Environmental Analytical Chemistry* (Vol. 102, Issue 2, pp. 342–379). Taylor and Francis Ltd. <https://doi.org/10.1080/03067319.2020.1722811>

- Crini, G., & Lichtfouse, E. (2019). Advantages and disadvantages of techniques used for wastewater treatment. In *Environmental Chemistry Letters* (Vol. 17, Issue 1, pp. 145–155). Springer Verlag. <https://doi.org/10.1007/s10311-018-0785-9>
- Deswardani, F., Dwi Fahyuan, H., Afrianto, M. F., & Peslinof, M. (2020). Analisis Gugus Fungsi Pada TiO<sub>2</sub> /Biochar Dengan Spektroskopi Ftir (Fourier Transform Infrared). *JoP*, 5(2), 54–58.
- Dewi Rakhmania, C., Khaeronnisa, I., Ismuyanto, B., & Nurul Faiqotul Himma, dan. (2017). Adsorpsi Ion Kalsium Menggunakan Biomassa Eceng Gondok (*Eichhornia Crassipes*) Diregenerasi HCl. In *Jurnal Rekayasa Bahan Alam dan Energi Berkelanjutan* (Vol. 1, Issue 1).
- El Azzouzi, L., El Aggadi, S., Ennouhi, M., Ennouari, A., Kabbaj, O. K., & Zrineh, A. (2022). Removal of the Amoxicillin antibiotic from aqueous matrices by means of an adsorption process using Kaolinite clay. *Scientific African*, 18, e01390. <https://doi.org/10.1016/j.sciaf.2022.e01390>
- El Mouchtari, E. M., Daou, C., Rafqah, S., Najjar, F., Anane, H., Piram, A., Hamade, A., Briche, S., & Wong-Wah-Chung, P. (2020). TiO<sub>2</sub> and activated carbon of *Argania Spinosa* tree nutshells composites for the adsorption photocatalysis removal of pharmaceuticals from aqueous solution. *Journal of Photochemistry and Photobiology A: Chemistry*, 388. <https://doi.org/10.1016/j.jphotochem.2019.112183>
- Erawati, E., Fernando, A., Yani, J. A., & Tengah, J. (2018). Pengaruh Jenis Aktivator Dan Ukuran Karbon Aktif Terhadap Pembuatan Adsorbent Dari Serbuk Gergaji Kayu Sengon (*Paraserianthes Falcataria*). In *Jurnal Integrasi Proses* (Vol. 7, Issue 2). <http://jurnal.untirta.ac.id/index.php/jip>
- Erhayem, M., Al-Tohami, F., Mohamed, R., & Ahmida, K. (2015). Isotherm, Kinetic and Thermodynamic Studies for the Sorption of Mercury (II) onto Activated Carbon from *Rosmarinus officinalis* Leaves. *American Journal of Analytical Chemistry*, 06(01), 1–10. <https://doi.org/10.4236/ajac.2015.61001>
- Fatmawati, S. (2017). pembuatan tio<sub>2</sub>. *Inovasi Teknik Kimia*, 2, 1–5.
- Fisli, A., Ariyani, A., Wardiyati, S., & Yusuf, D. S. (2012). Adsorben Magnetik Nanokomposit Fe<sub>3</sub>O<sub>4</sub>-Karbon Aktif Untuk Meyerap Thorium. *Jurnal Sains Materi Indonesia Indonesian Journal of Materials Science*, 13(3), 192–197.
- Foo, K. Y., & Hameed, B. H. (2010). Insights into the modeling of adsorption isotherm systems. In *Chemical Engineering Journal* (Vol. 156, Issue 1, pp. 2–10). <https://doi.org/10.1016/j.cej.2009.09.013>

- Hariati, Hidryawati, N., & Panggabean, A. S. (2017). Sintesis Karbon Aktif Cangkang Jengkol (*Pithecellobium lobatum*) dengan Bantuan Ultrasonik sebagai Bahan Penyimpanan Energi Elektrokimia. *Jurnal Atomik*, 02(2), 227–231.
- Hidayah, N., Lubis, R., Wiryawan, K. G., & Suharti, S. (2019). Phenotypic identification, nutrients content, bioactive compounds of two jengkol (Archidendron jiringa) varieties from Bengkulu, Indonesia and their potentials as ruminant feed. *Biodiversitas*, 20(6), 1671–1680. <https://doi.org/10.13057/biodiv/d200624>
- Irwan. (2016). Photocatal Carmine By Tio<sub>2</sub> / Wast. *Jurnal Natural*, 16(1).
- Jung, K. W., Kim, J. H., & Choi, J. W. (2020). Synthesis of magnetic porous carbon composite derived from metal-organic framework using recovered terephthalic acid from polyethylene terephthalate (PET) waste bottles as organic ligand and its potential as adsorbent for antibiotic tetracycline hydrochloride. *Composites Part B: Engineering*, 187(February), 107867. <https://doi.org/10.1016/j.compositesb.2020.107867>
- Karim, M. A., Juniar, H., Fitria, M., & Ambarsari, P. (2017). *Adsorpsi Ion Logam Fe Dalam Limbah Tekstil Sintesis Dengan Menggunakan Metode Batch* (Vol. 2, Issue 2).
- Kholidah, N. A., & Prasetyo, E. (2018). PROSIDING HEFA (Health Events for All). *Evaluasi Pengelolaan Obat Pada Tahap Perencanaan Obat Di Puskesmas Karanganyar I Kab. Demak Pada Tahun 2017*, PROSIDING, 251–257.
- Kovalakova, P., Cizmas, L., McDonald, T. J., Marsalek, B., Feng, M., & Sharma, V. K. (2020). Occurrence and toxicity of antibiotics in the aquatic environment: A review. In *Chemosphere* (Vol. 251). Elsevier Ltd. <https://doi.org/10.1016/j.chemosphere.2020.126351>
- Kumar, M., Jaiswal, S., Sodhi, K. K., Shree, P., Singh, D. K., Agrawal, P. K., & Shukla, P. (2019). Antibiotics bioremediation: Perspectives on its ecotoxicity and resistance. In *Environment International* (Vol. 124, pp. 448–461). Elsevier Ltd. <https://doi.org/10.1016/j.envint.2018.12.065>
- Lang, X., Chen, X., & Zhao, J. (2014). Heterogeneous visible light photocatalysis for selective organic transformations. In *Chemical Society Reviews* (Vol. 43, Issue 1, pp. 473–486). <https://doi.org/10.1039/c3cs60188a>
- Litskas, V. D., Karamanlis, X. N., Prousalis, S. P., & Koveos, D. S. (2018). Effects of the Antibiotic Amoxicillin on Key Species of the Terrestrial Environment.

*Bulletin of Environmental Contamination and Toxicology*, 100(4), 509–515.  
<https://doi.org/10.1007/s00128-018-2302-z>

- Meila Anggriani, U., Hasan, A., Purnamasari, I., Teknik Kimia, J., Sriwijaya, N., Srijaya, J., Bukit, N., & Palembang, B. (2021). Kinetika Adsorpsi Karbon Aktif Dalam Penurunan Konsentrasi Logam Tembaga (Cu) Dan Timbal (Pb) Kinetic Adsorption Of Activated Carbon In Decreasing Concentrations Of Copper (Cu) And Lead (Pb) Metals. *Jurnal Kinetika*, 12(02), 29–37.  
<https://jurnal.polsri.ac.id/index.php/kimia/index>
- Mishra, A., Mehta, A., & Basu, S. (2018). Clay supported TiO<sub>2</sub> nanoparticles for photocatalytic degradation of environmental pollutants: A review. In *Journal of Environmental Chemical Engineering* (Vol. 6, Issue 5, pp. 6088–6107). Elsevier Ltd. <https://doi.org/10.1016/j.jece.2018.09.029>
- Monika, I., Umar, D., Hardian, A., Astriana, R., & Sulistyohadi, F. (2021a). Pengaruh penambahan katalis TiO<sub>2</sub> terhadap sifat kimia permukaan komposit karbon aktif untuk penyerapan gas SO<sub>2</sub>. *Jurnal Teknologi Mineral Dan Batubara*, 17(3), 153–165.  
<https://doi.org/10.30556/jtmb.Vol17.No3.2021.1140>
- Monika, I., Umar, D., Hardian, A., Astriana, R., & Sulistyohadi, F. (2021b). Pengaruh penambahan katalis TiO<sub>2</sub> terhadap sifat kimia permukaan komposit karbon aktif untuk penyerapan gas SO<sub>2</sub>. *Jurnal Teknologi Mineral Dan Batubara*, 17(3), 153–165.  
<https://doi.org/10.30556/jtmb.Vol17.No3.2021.1140>
- Muslim, A., Ellysa, & Said, S. D. (2017). Cu(II) ion adsorption using activated carbon prepared from pithecellobium jiringa (Jengkol) shells with ultrasonic assistance: isotherm, kinetic and thermodynamic studies. *Journal of Engineering and Technological Sciences*, 49(4), 472–490.  
<https://doi.org/10.5614/j.eng.technol.sci.2017.49.4.4>
- Nurhasni, M.Si, N., Mar'af, R., & Hendrawati, H. (2018). Pemanfaatan Kulit Kacang Tanah (*Arachis hipogaea* L.) sebagai Adsorben Zat Warna Metilen Biru. *Jurnal Kimia VALENSI*, 4(2), 156–167.  
<https://doi.org/10.15408/jkv.v4i2.8895>
- Nurhidayati, I., Mellisani, B., Puspita, F., & Putri, A. R. (2022). Penentuan Isoterm dan Kinetika Adsorpsi Ion Besi oleh Sedimen Sebagai Adsorben. In *JULI* (Vol. 46, Issue 1).
- Nursia, Syahbanu, I., & Shofiyani, A. (2018). *Kinetika Adsorpsi Fenol Dalam Asap Cair Pada Arang Aktif Dari Cangkang Buah Karet (Hevea brasiliensis)*. 7(4), 60–65.

- Onaga Medina, F. M., Aguiar, M. B., Parolo, M. E., & Avena, M. J. (2021). Insights of competitive adsorption on activated carbon of binary caffeine and diclofenac solutions. *Journal of Environmental Management*, 278. <https://doi.org/10.1016/j.jenvman.2020.111523>
- Panadda Virounbounyapat. (2012). An alpha-glucosidase inhibitory activity of thermostable lectin protein from Archidendron jiringa Nielsen seeds. *AFRICAN JOURNAL OF BIOTECHNOLOGY*, 11(42). <https://doi.org/10.5897/ajb12.401>
- Pandia, S., & Warman, B. (2016). Pemanfaatan Kulit Jengkol Sebagai Adsorben Dalam Penyerapan Logam Cd (Ii) Pada Limbah Cair Industri Pelapisan Logam Utilization Ngapi Nut Peel As Adsorbent To Remove Cd (Ii) From Electroplating Industry Wastewater. In *Jurnal Teknik Kimia USU* (Vol. 5, Issue 4).
- Parlayıcı, & Pehlivan, E. (2017). Removal of metals by Fe<sub>3</sub>O<sub>4</sub> loaded activated carbon prepared from plum stone (*Prunus nigra*): Kinetics and modelling study. *Powder Technology*, 317, 23–30. <https://doi.org/10.1016/j.powtec.2017.04.021>
- Patel, H. (2019). Fixed-bed column adsorption study: a comprehensive review. *Applied Water Science*, 9(3). <https://doi.org/10.1007/s13201-019-0927-7>
- Pharma, D., Audina Putri, R., Vanda Wellia, D., & Septiani, U. (2017). *ISSN 0975-413X CODEN (USA): PCHHAX Photodegradation of Orange F3R Dyes: Effect of Light Sources and the Addition of CN-Codoped TiO<sub>2</sub> Catalyst* (Vol. 9, Issue 10). [www.derpharmachemica.com](http://www.derpharmachemica.com)
- Prayogatama, A., & Kurniawan, T. (2022). Modifikasi Karbon Aktif dengan Aktivasi Kimia dan Fisika Menjadi Elektroda Superkapasitor. *Jurnal Sains Dan Teknologi*, 11, 47–58. <https://doi.org/10.23887/jst-undiksha.v11i1>
- Putri Ningtias, M., & Chandra Purnama, R. (2022). ). *Prodi D3 Analisis Farmasi dan Makanan Universitas Malahayati Effect Of Storage Temperature On Amoxicillin Tablet Levels Measurd Using Uv-Vis Spectrophotometry Method Pengaruh Suhu Penyimpanan Terhadap Kadar Amoksisilin Tablet Yang*. 7(1).
- RI, D. (2020). *Farmakope Indonesia Edisi Vi 2020 Kementerian Kesehatan Republik Indonesia*.
- Rohman, T., Irwan, A., & Rahmi, Z. (2018). Penurunan Kadar Amoniak Dan Fosfat Limbah Cair Tahu Secara Foto Katalitik Menggunakan Tio<sub>2</sub> Dan H<sub>2</sub>O<sub>2</sub>. *Jurnal Sains Natural*, 8(2), 87. <https://doi.org/10.31938/jsn.v8i2.156>

- Sahara, E., Sulihingtyas, W. D., Putu, D. I., & Surya Mahardika, A. (2017). Pembuatan Dan Karakterisasi Arang Aktif Dari Batang Tanaman Gumitir (*Tagetes Erecta*) Yang Diaktivasi Dengan H<sub>3</sub>PO<sub>4</sub>. *Jurnal Kimia*, 11, 1–9.
- Santosa, S. J., Siswanta, D., Kurniawan, A., & Rahmanto, W. H. (2007). Hybrid of chitin and humic acid as high performance sorbent for Ni(II). *Surface Science*, 601(22), 5155–5161. <https://doi.org/10.1016/j.susc.2007.04.163>
- Selishchev, D. S., Kolinko, P. A., & Kozlov, D. V. (2012). Influence of adsorption on the photocatalytic properties of TiO<sub>2</sub>/AC composite materials in the acetone and cyclohexane vapor photooxidation reactions. *Journal of Photochemistry and Photobiology A: Chemistry*, 229(1), 11–19. <https://doi.org/10.1016/j.jphotochem.2011.12.006>
- Sholikhah, H. I., & Putri, R. (2021). Pengaruh Konsentrasi Aktivator Asam Fosfat (H<sub>3</sub>PO<sub>4</sub>) pada Pembuatan Karbon Aktif dari Sabut Kelapa terhadap Adsorpsi Logam Kromium. <http://equilibrium.ft.uns.ac.id>
- Sinta, I. N., Suarya, P., Sri, D., & Santi, R. (2015). Adsorpsi Ion Fosfat Oleh Lempung Teraktivasi Asam Sulfat (H<sub>2</sub>SO<sub>4</sub>). *Jurnal Kimia*, 9, 217–225.
- Sodhi, K. K., Kumar, M., & Singh, D. K. (2021). Insight into the amoxicillin resistance, ecotoxicity, and remediation strategies. In *Journal of Water Process Engineering* (Vol. 39). Elsevier Ltd. <https://doi.org/10.1016/j.jwpe.2020.101858>
- Sri Rahayu, T. E. P., Dwityaningsih, R., & Ulikaryani, U. (2022). Pengaruh Waktu Karbonisasi Terhadap Kadar Air dan Abu Serta Kemampuan Adsorpsi Arang Tempurung Nipah Teraktivasi Asam Klorida. *Infotekmesin*, 13(1), 124–130. <https://doi.org/10.35970/infotekmesin.v13i1.1027>
- Sri Wardani, D., Widhi Mahatmanti, F., & Jumaeri, dan. (2020). *Indonesian Journal of Chemical Science Sintesis Zeolit dari Kaolin sebagai Carrier Amoksisilin*. <http://journal.unnes.ac.id/sju/index.php/ijcs>
- Stiyati Prihatini, N., & Syauqiah, I. (2017). Effect Of Variation Of Ph And Adsorbent Weight In Cr Total Reduction In Artificially Waste Using Tea Leaves Dregs Adsorbents. *Jukung Jurnal Teknik Lingkungan*, 3(1), 56–65.
- Suryandari, Sonya; Mustain, A. (2019). *Fotokatalis tio-karbon*.
- Tahad, A., & Sanjaya, A. S. (2017). Aswar Tahad Ari Susandy Sanjaya ISOTHERM FREUNDLICH, KINETICS MODEL AND DEFINITION RATE ADSORPTION OF Fe WITH ACTIVATED CARBON FROM COFFEE WASTE. In *Jurnal Chemurgy* (Vol. 01, Issue 2).

- Tiedje, J. M., Wang, F., Manaia, C. M., Virta, M., Sheng, H., Ma, L., Zhang, T., & Topp, E. (2019). Antibiotic Resistance Genes in the Human-Impacted Environment: A One Health Perspective. *Pedosphere*, 29(3), 273–282. [https://doi.org/10.1016/S1002-0160\(18\)60062-1](https://doi.org/10.1016/S1002-0160(18)60062-1)
- Toraya, H. (2016). Introduction to X-ray analysis using the diffraction method. In *Rigaku Journal* (Vol. 32, Issue 2).
- Udyani, K., Yanuarita Purwaningsih, D., Setiawan, D. R., Yahya, K., Kimia-Institut, T., Adhi, T., & Surabaya, T. (2019). Jurnal Iptek Media Komunikasi Teknologi Pembuatan Karbon Aktif Dari Arang Bakau Menggunakan Gabungan Aktivasi Kimia dan Fisika Dengan Microwave. *Jurnal IPTEK*, 23(1). <https://doi.org/10.31284/j.ipitek.2019.v23i1>
- Verayana. (2018). *Pengaruh Aktivator HCl dan H3PO4 terhadap Karakteristik (Morfologi Pori) Arang Aktif Tempurung Kelapa serta Uji Adsorpsi pada Logam Timbal (Pb)*.
- Wang, H., Zhang, L., Chen, Z., Hu, J., Li, S., Wang, Z., Liu, J., & Wang, X. (2014). Semiconductor heterojunction photocatalysts: Design, construction, and photocatalytic performances. In *Chemical Society Reviews* (Vol. 43, Issue 15, pp. 5234–5244). Royal Society of Chemistry. <https://doi.org/10.1039/c4cs00126e>
- Wardani, G. A., Nuramalia, L., Wulandari, W. T., & Nofiyanti, E. (2020). Utilization of Jengkol Peel (*Pithecellobium jiringa* (Jack) Prain) as Lead (II) Ions Bio-sorbent with Column Method. *Jurnal Kimia Sains Dan Aplikasi*, 23(5), 160–166. <https://doi.org/10.14710/jksa.23.5.160-166>
- Wardani, G. A., & Wulandari, W. T. (2017). Studi Kinetika Dan Isoterm Adsorpsi Timbal(Ii) Pada Kulit Jengkol (*Pithecellobium jiringa*) TERAKTIVASI (Study of Kinetics and Isotherm Adsorption of Lead(II) on Jengkol's Peel (*Pithecellobium jiringa*) Activated). *KOVALEN*, 3(3), 252–257.
- Wellia, D. V., Fitria, D., & Safni, S. (2018). C-N-Codoped TiO<sub>2</sub> Synthesis by using Peroxo Sol Gel Method for Photocatalytic Reduction of Cr(VI). *The Journal of Pure and Applied Chemistry Research*, 7(1), 26–32. <https://doi.org/10.21776/ub.jpacr.2018.007.01.373>
- Wulandari, A., & Rahmawardany, C. Y. (2022). *Perilaku Penggunaan Antibiotik di Masyarakat*. 15(1).
- Xing, B., Shi, C., Zhang, C., Yi, G., Chen, L., Guo, H., Huang, G., & Cao, J. (2016). Preparation of TiO<sub>2</sub>/Activated Carbon Composites for Photocatalytic Degradation of RhB under UV Light Irradiation. *Journal of Nanomaterials*, 2016. <https://doi.org/10.1155/2016/8393648>

- Zeng, L., Guo, X., He, C., & Duan, C. (2016). Metal-Organic Frameworks: Versatile Materials for Heterogeneous Photocatalysis. *ACS Catalysis*, 6(11), 7935–7947. <https://doi.org/10.1021/acscatal.6b02228>
- Zhang, C., Yang, D., Jiang, X., & Jiang, W. (2016). Desulphurization performance of TiO<sub>2</sub>-modified activated carbon by a one-step carbonization-activation method. *Environmental Technology (United Kingdom)*, 37(15), 1895–1905. <https://doi.org/10.1080/09593330.2015.1135991>
- Zian, & Ulfin ita, D. H. (2016). *Pengaruh Waktu Kontak pada Adsorpsi Remazol Violet 5R Menggunakan Adsorben Nata de Coco* (Vol. 5, Issue 2).