

## DAFTAR PUSTAKA

- Abe, S. K., & Inoue, M. (2021). Green Tea and Cancer and Cardiometabolic Diseases: a Review of the Current Epidemiological Evidence. *European Journal of Clinical Nutrition*, 75(6), 865–876. <https://doi.org/10.1038/s41430-020-00710-7>
- Abiri, B., Amini, S., Hejazi, M., Hosseinpanah, F., Zarghi, A., Abbaspour, F., & Valizadeh, M. (2023). Tea's Anti-Obesity Properties, Cardiometabolic Health-Promoting Potentials, Bioactive Compounds, and Adverse Effects: A Review Focusing on White and Green Teas. *Food Science and Nutrition*, 11(10), 5818–5836. <https://doi.org/10.1002/fsn3.3595>
- Abudureheman, B., Yu, X., Fang, D., & Zhang, H. (2022). Enzymatic Oxidation of Tea Catechins and Its Mechanism. *Molecules*, 27(3). <https://doi.org/10.3390/molecules27030942>
- Akuli, A., Joshi, R., Dey, T., Pal, A., Gulati, A., & Bhattacharyya, N. (2012). A New Method For Rapid Detection of Total Colour (TC), Theaflavins (TF), Thearubigins (TR) and Brightness (TB) in Orthodox Teas. *Proceedings of the International Conference on Sensing Technology, ICST*, 23–28. <https://doi.org/10.1109/ICsensT.2012.6461679>
- Al-amrani, M., Al-alawi, A., & Al-marhobi, I. (2020). Assessment of Enzymatic Browning and Evaluation of Antibrowning Methods on Dates. *International Journal of Food Science*, 2020.
- Anjarsari, I. R. . (2016). Katekin Teh Indonesia : Prospek dan Manfaatnya. *Jurnal Kultivasi*, 15(2), 99–106. <https://doi.org/10.24198/kultivasi.v15i2.11871>
- Aprillia, A. Y., Wulandari, W. T., & Sutardi, D. R. (2023). Karakterisasi Ekstrak Etanol Daun Teh Hijau (*Camellia sinensis* (L.) Kuntze) dan Uji Aktivitas Antioksidan dengan Metode DPPH (2,2-diphenyl-1-picrylhydrazil). *Prosiding Seminar Nasional Diseminasi Penelitian*, 3(September), 2964–6154.
- Apriyani, T. W., Supriyadi, S., & Gunadi, R. (2022). Improvement of Antioxidant Activity and Sensory Quality of Pagilaran's Tea Clones Treated by Tannase. *AgriTECH*, 42(3), 218. <https://doi.org/10.22146/agritech.57006>
- Aryanti, R., Perdana, F., & Syamsudin, R. A. M. R. (2021). Telaah Metode Pengujian Aktivitas Antioksidan pada Teh Hijau (*Camellia sinensis* (L.) Kuntze). *Jurnal Surya Medika*, 7(1), 15–24. <https://doi.org/10.33084/jsm.v7i1.2024>
- Bernatoniene, J., & Kopustinskiene, D. M. (2018). The Role of Catechins in Cellular Responses to Oxidative Stress. *Molecules*, 23(4), 1–11. <https://doi.org/10.3390/molecules23040965>

- Cao, X., Cai, C., Wang, Y., & Zheng, X. (2018). The Inactivation Kinetics of Polyphenol Oxidase and Peroxidase in Bayberry Juice During Thermal and Ultrasound Treatments. *Innovative Food Science and Emerging Technologies*, 45, 169–178. <https://doi.org/10.1016/j.ifset.2017.09.018>
- Chen, H., Shurlknight, K., Leung, T., & Sang, S. (2012). Structural Identification of Theaflavin Trigallate and Tetragallate from Black Tea Using Liquid Chromatography/Electrospray Ionization Tandem Mass Spectrometry. *Journal of Agricultural and Food Chemistry*, 60(43), 10850–10857. <https://doi.org/10.1021/jf303749z>
- Chen, Y., Lai, L., You, Y., Gao, R., Xiang, J., Wang, G., & Yu, W. (2023). Quantitative Analysis of Bioactive Compounds in Commercial Teas: Profiling Catechin Alkaloids, Phenolic Acids, and Flavonols Using Targeted Statistical Approaches. *Foods*, 12(16). <https://doi.org/10.3390/foods12163098>
- Guo, X. Y., Lv, Y. Q., Ye, Y., Liu, Z. Y., Zheng, X. Q., Lu, J. L., Liang, Y. R., & Ye, J. H. (2021). Polyphenol Oxidase Dominates the Conversions of Flavonol Glycosides in Tea Leaves. *Food Chemistry*, 339(September 2020), 128088. <https://doi.org/10.1016/j.foodchem.2020.128088>
- Hashemi, S., Joseph, P., Mialon, A., Lamb, J. J., & Lien, K. M. (2021). Bioresource Technology Reports Enzymatic Pretreatment of Steam-Exploded Birch Wood for Increased Biogas Production and Lignin Degradation. *Bioresource Technology Reports*, 16(November). <https://doi.org/10.1016/j.biteb.2021.100874>
- Iqbal, A., Murtaza, A., Hu, W., Ahmad, I., Ahmed, A., & Xu, X. (2019). Food and Bioproducts Processing Activation and Inactivation Mechanisms of Polyphenol Oxidase During Thermal and Non-thermal Methods of Food Processing. *Food and Bioproducts Processing*, 117(1), 170–182. <https://doi.org/10.1016/j.fbp.2019.07.006>
- Khurshid, Z., Zafar, M. S., Zohaib, S., Najeeb, S., & Naseem, M. (2016). Green Tea (*Camellia Sinensis*): Chemistry and Oral Health. *The Open Dentistry Journal*, 10(1), 166–173. <https://doi.org/10.2174/1874210601610010166>
- Kondratiuk, A. S., Savchuk, O. M., & Hur, J. (2015). Mycobiology Optimization of Protein Extraction for Lichen Thalli. *Mycobiology*, 43, 157–162.
- Kumar, V. B. A., Mohan, T. C. K., & Murugan, K. (2008). Purification and Kinetic Characterization of Polyphenol Oxidase From Barbados Cherry (*Malpighia glabra* L.). *Food Chemistry*, 110(2), 328–333. <https://doi.org/10.1016/j.foodchem.2008.02.006>
- Liem, J. L., & Marina, M. H. (2021). Pengaruh Umur Daun Teh dan Waktu Oksidasi Enzimatis Terhadap kandungan Total Flavonoid pada Teh Hitam (*Camellia sinesis*). *Jurnal Teknik Pertanian Lampung*, 10(1), 41–48. <http://dx.doi.org/10.23960/jtep-l.v10.i1.41-48>

- LIU, Y., Chen, Q., Liu, D., Yang, L., Hu, W., Kuang, L., Teng, J., & Liu, Y. (2022). Comparison of the Biochemical Properties and Enzymatic Synthesis of Theaflavins by Soluble and Membrane-Bound Polyphenol Oxidases From Tea (*Camellia sinensis*) Leaves. *Food Science and Technology (Brazil)*, 42, 1–10. <https://doi.org/10.1590/fst.117321>
- Nogales-delgado, S. (2021). Polyphenoloxidase ( PPO ): Effect , Current Determination and Inhibition Treatments in Fresh-Cut Produce. *Applied Sciences*, 11.
- Nowak, D. (2020). The Freeze-Drying of Foods — The Characteristic of the Process Course and the Effect of Its Parameters on. *Foods*, 9.
- Nur, S., Rumpak, G., Mubarak, F., Megawati, Aisyah, A. N., & Marwati. (2020). Identifikasi dan Penentuan kadar Katekin dari Seduhan dan Ekstrak Etanol Prduk Teh Hijau (*Camelia sinensi* L) Komersial Secara Spektrofotometri UV-Visible. *Majalah Farmasi Dan Farmakologi*, 24(1), 1–4. <https://doi.org/10.20956/mff.v24i1.9261>
- Ozturk, B., Seyhan, F., Ozdemir, I. S., Karadeniz, B., Bahar, B., Ertas, E., & Ilgaz, S. (2016). Change of Enzyme Activity and Quality During the Processing of Turkish Green Tea. *LWT - Food Science and Technology*, 65, 318–324. <https://doi.org/10.1016/j.lwt.2015.07.068>
- Parish, M., Massoud, G., Hazimeh, D., Segars, J., & Islam, M. S. (2023). Green Tea in Reproductive Cancers: Could Treatment Be as Simple? *Cancers*, 15(3). <https://doi.org/10.3390/cancers15030862>
- Putri, K. D., Ari Yusasrini, N. L., & Nocianitri, K. A. (2021). Pengaruh Metode Pengolahan Terhadap Aktivitas Antioksidan Dan Karakteristik Teh Herbal Bubuk Daun Afrika (*Vernonia amygdalina* Delile). *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 10(1), 77. <https://doi.org/10.24843/itepa.2021.v10.i01.p08>
- Queiroz, C., da Silva, A. J. R., Lopes, M. L. M., Fialho, E., & Valente-Mesquita, V. L. (2011). Polyphenol Oxidase Activity, Phenolic Acid Composition and Browning in Cashew Apple (*Anacardium occidentale*, L.) After Processing. *Food Chemistry*, 125(1), 128–132. <https://doi.org/10.1016/j.foodchem.2010.08.048>
- Rayan, A., & Morsy, N. (2020). Thermal Inactivation Kinetics of Peroxidase and Polyphenol Oxidase From Pomegranate Arils (*Punica granatum* L. cv. Wonderful). *Journal of Food Biochemistry*, 44(10), 1–11. <https://doi.org/10.1111/jfbc.13428>
- Sajjad, N., Ahmad, M. S., Mahmood, R. T., Tariq, M., Asad, M. J., Irum, S., Andleeb, A., Riaz, A., & Ahmed, D. (2023). Purification and Characterization of Novel Isoforms of the Polyphenol Oxidase from *Malus Domestica* Fruit pulp. *PLoS ONE*, 18(8 AUGUST), 1–17. <https://doi.org/10.1371/journal.pone.0276041>

- Samadi, S., & Fard, F. R. (2020). Phytochemical Properties, Antioxidant Activity and Mineral Content (Fe, Zn and Cu) in Iranian Produced Black Tea, Green Tea and Roselle Calyces. *Biocatalysis and Agricultural Biotechnology*, 23(December 2019), 101472. <https://doi.org/10.1016/j.bcab.2019.101472>
- Setiawan, F., Yunita, O., & Kurniawan, A. (2018). Uji Aktivitas Antioksidan Ekstrak Etanol Kayu Secang (*Caesalpinia sappan*) Menggunakan Metode DPPH, ABTS, dan FRAP. *Media Pharmaceutica Indonesiana*, 2(2), 82–89. <https://journal.ubaya.ac.id/index.php/MPI/article/view/1662>
- Setiawan, V., Phangestu, S., Soetikno, A. G., Arianti, A., & Kohar, I. (2021). Pharmaceutical Journal Of Indonesia Rapid Screening Analysis of Antioxidant Activities in Green Tea Products Using DPPH and FRAP. *Pharmaceutical Journal of Indonesia* 2021, 7(1), 9–14.
- Shan, Z., Nisar, M. F., Li, M., Zhang, C., & Wan, C. (2021). Theaflavin Chemistry and Its Health Benefits. *Oxidative Medicine and Cellular Longevity*, 2021(Figure 1). <https://doi.org/10.1155/2021/6256618>
- Sreedevi, P., Jayachandran, L. E., & Rao, P. S. (2019). Kinetic Modeling of High-Pressure Induced Inactivation of Polyphenol Oxidase in Sugarcane Juice (*Saccharum officinarum*). *Journal of the Science of Food and Agriculture*, 99(5), 2365–2374. <https://doi.org/10.1002/jsfa.9443>
- Tram, N. N., Hien, P. P., & Oanh, H. N. (2015). Change of Polyphenol Oxidase Activity during Oolong Tea Process. *Journal of Food and Nutrition Sciences*, 3(1), 88. <https://doi.org/10.11648/j.jfns.s.2015030102.27>
- Tristanto, N. A., Budianta, T. D. W., & Utomo, A. R. (2017). Pengaruh Suhu Penyimpanan dan proposi Teh Hijau: Bubuk Daun Kering Stevia (*Stevia rebaudiana*) Terhadap Aktivitas Antioksidan Minuman Teh Hijau Stevia Dalam Kemasan Botol Plastik. *Jurnal Teknologi Pangan Dan Gizi*, 16(1), 21–28.
- Vinci, G., Ascenzo, F. D., Maddaloni, L., Prencipe, S. A., & Tiradritti, M. (2022). The Influence of Green and Black Tea Infusion Parameters on Total Polyphenol Content and Antioxidant Activity by ABTS and DPPH Assays. *Beverages*, 8.
- Yulianto, M. E., Arifan, F., Ariwibowo, D., Hartati, I., & Mustikaningtyas, D. (2007). Pengembangan Proses Inaktivasi Enzim Polifenol Oksidase untuk Produksi Teh Hijau Berkatekin Tinggi. *Jurnal Kimia Sains Dan Aplikasi*, 10(1), 24–30. <https://doi.org/10.14710/jksa.10.1.24-30>
- Zawawi, N. A. F., Hazmi, N. A. M., How, M. S., Kantono, K., Silva, F. V. M., & Sulaiman, A. (2022). Thermal, High Pressure, and Ultrasound Inactivation of Various Fruit Cultivars' Polyphenol Oxidase: Kinetic Inactivation Models and Estimation of Treatment Energy Requirement. *Applied Sciences (Switzerland)*, 12(4). <https://doi.org/10.3390/app12041864>

- Zhang, S. (2023). Recent Advances of Polyphenol Oxidases in Plants. *Molecules*, 28(5). <https://doi.org/10.3390/molecules28052158>
- Zhao, C. N., Tang, G. Y., Cao, S. Y., Xu, X. Y., Gan, R. Y., Liu, Q., Mao, Q. Q., Shang, A., & Li, H. Bin. (2019). Phenolic Profiles and Antioxidant Activities of 30 Tea Infusions From Green, Black, Oolong, White, Yellow and Dark Teas. *Antioxidants*, 8(7), 9–13. <https://doi.org/10.3390/antiox8070215>
- Zhu, J., Wang, Y., Li, X., Li, B., Liu, S., Chang, N., Jie, D., Ning, C., Gao, H., & Meng, X. (2017). Combined Effect of Ultrasound, Heat, and Pressure on Escherichia coli O157:H7, Polyphenol Oxidase Activity, and Anthocyanins in Blueberry (Vacciniumcorymbosum) Juice. *Ultrasonics - Sonochemistry*. <https://doi.org/10.1016/j.ultsonch.2017.01.017>