

DAFTAR PUSTAKA

- Agustin, A., Widayanti, E., Ikayanti, R., Kesuma, S., Prodi,), Farmasi, A., Makanan, D., Kesehatan, P., & Malang, K. (2022). Penetapan Kadar Fenol Total Ekstrak Etanol Berbagai Biji Buah Salak Bali (Salacca zalanca var. ambonensis) Menggunakan Metode Folin Ciocalteu Total Phenolic Content Determination of Ethanolic Extract from Various Salak Bali Seeds (Salacca zalanca var. amb. *Jurnal Nutriture*, 1(3), 19–25.
- Al Hasani, S., Al-Attabi, Z., Waly, M., Al-Habsi, N., Al-Subhi, L., & Shafiu Rahman, M. (2023). Polyphenol and Flavonoid Stability of Wild Blueberry (*Sideroxylon maccatense*) during Air- and Freeze-Drying and Storage Stability as a Function of Temperature. *Foods*, 12(4). <https://doi.org/10.3390/foods12040871>
- Altamash, T., Amhamed, A., Aparicio, S., & Atilhan, M. (2020). Effect of hydrogen bond donors and acceptors on Co₂ absorption by deep eutectic solvents. *Processes*, 8(12), 1–15. <https://doi.org/10.3390/pr8121533>
- Aryanti, R., Perdana, F., & Syamsudin, R. A. M. R. (2021). Telaah Metode Pengujian Aktivitas Antioksidan pada Teh Hijau (*Camellia sinensis* (L.) Kuntze). *Jurnal Surya Medika*, 7(1), 15–24. <https://doi.org/10.33084/jsm.v7i1.2024>
- César, L. R. J., Javier, H., Fernando, A. Z. J., Carlos, V., Enrique, R. Z. R., Efrain, A., Evelin, M. B., Inocencio, H. C., Luis, O. J., Zaira, D., & Humberto, G. R. (2022). Identification of the main phenolic compounds responsible for the antioxidant activity of *Litsea glaucescens* Kunth. *South African Journal of Botany*, 147, 208–214. <https://doi.org/10.1016/j.sajb.2022.01.012>
- Chaves, N., Santiago, A., & Alías, J. C. (2020). Quantification of the antioxidant activity of plant extracts: Analysis of sensitivity and hierarchization based on the method used. *Antioxidants*, 9(1). <https://doi.org/10.3390/antiox9010076>
- Chemat, F., Abert Vian, M., Fabiano-Tixier, A. S., Nutrizio, M., Režek Jambrak, A., Munekata, P. E. S., Lorenzo, J. M., Barba, F. J., Binello, A., & Cravotto, G. (2020). A review of sustainable and intensified techniques for extraction of food and natural products. *Green Chemistry*, 22(8), 2325–2353. <https://doi.org/10.1039/c9gc03878g>
- Christodoulou, M. C., Orellana Palacios, J. C., Hesami, G., Jafarzadeh, S., Lorenzo, J. M., Domínguez, R., Moreno, A., & Hadidi, M. (2022). Spectrophotometric Methods for Measurement of Antioxidant Activity in Food and Pharmaceuticals. *Antioxidants*, 11(11). <https://doi.org/10.3390/antiox11112213>
- Dheyab, A. S., Bakar, M. F. A., Alomar, M., Sabran, S. F., Hanafi, A. F. M., &

- Mohamad, A. (2021). Deep eutectic solvents (DESS) as green extraction media of beneficial bioactive phytochemicals. *Separations*, 8(10), 1–24. <https://doi.org/10.3390/SEPARATIONS8100176>
- Dianursanti, P., & Prakasa, M. B. (2020). *Comparison of Maceration and Soxhletation Method For. March 2024.*
- Evitasari, D., & Susanti, E. (2021). Total Polyphenol Content in Green Tea (*Camellia Sinensis*) Using Maceration Extraction with Comparison of Ethanol – Water Solvent. *PHARMADEMICA : Jurnal Kefarmasian Dan Gizi*, 1(1), 16–23. <https://doi.org/10.54445/pharmademica.v1i1.5>
- Ferreira, C., & Sarraguça, M. (2024). A Comprehensive Review on Deep Eutectic Solvents and Its Use to Extract Bioactive Compounds of Pharmaceutical Interest. *Pharmaceuticals*, 17(1). <https://doi.org/10.3390/ph17010124>
- Firyanto, R., Mulyaningsih, M. S., & Leviana, W. (2019). Pengambilan Polifenol dari Teh Hijau (*Camellia sinensis*) dengan Cara Ekstraksi Menggunakan Aquadest sebagai Pelarut. *Prosiding Seminar Nasional Sains Dan Teknologi*, 1(1), 10.
- Garre-Morata, L., de Haro, T., Villén, R. G., Fernández-López, M. L., Escames, G., Molina-Carballo, A., & Acuña-Castroviejo, D. (2024). Changes in Cortisol and in Oxidative/Nitrosative Stress Indicators after ADHD Treatment. *Antioxidants*, 13(1), 1–14. <https://doi.org/10.3390/antiox13010092>
- Gene, S., & Ojika, M. (2020). *Product from an Epichloë Endophyte and Isolation of.*
- Gulcin, İ., & Alwasel, S. H. (2023). DPPH Radical Scavenging Assay. *Processes*, 11(8). <https://doi.org/10.3390/pr11082248>
- Ikari, S., Yang, Q., Lu, S. L., Liu, Y., Hao, F., Tong, G., Lu, S., & Noda, T. (2021). Quercetin in tartary buckwheat induces autophagy against protein aggregations. *Antioxidants*, 10(8), 1–11. <https://doi.org/10.3390/antiox10081217>
- Ismagambetov, O., Aldiyarov, N., Almas, N., Irgibaeva, I., Baitassova, Z., Piskunov, S., Aldongarov, A., & Abdirashev, O. (2024). Atomistic Modeling of Natural Gas Desulfurization Process Using Task-Specific Deep Eutectic Solvents Supported by Graphene Oxide. *Molecules*, 29(22). <https://doi.org/10.3390/molecules29225282>
- Kist, J. A., Zhao, H., Mitchell-Koch, K. R., & Baker, G. A. (2021). The study and application of biomolecules in deep eutectic solvents. *Journal of Materials Chemistry B*, 9(3), 536–566. <https://doi.org/10.1039/d0tb01656j>
- Kruk, J., Aboul-Enein, B. H., Duchnik, E., & Marchlewicz, M. (2022). Antioxidative properties of phenolic compounds and their effect on oxidative stress induced by severe physical exercise. *Journal of Physiological Sciences*,

72(1), 1–24. <https://doi.org/10.1186/s12576-022-00845-1>

Liem, J. L., & Herawati, M. M. (2021). EFFECT OF TEA LEAVES AGE AND ENZIMATIC OXIDATION FOR TOTAL FLAVONOID CONTENTS IN BLACK TEA (*Camellia sinesis*). *Jurnal Teknik Pertanian Lampung*, 10(1), 41–48.

Luo, Q., Zhang, J. R., Li, H. Bin, Wu, D. T., Geng, F., Corke, H., Wei, X. L., & Gan, R. Y. (2020). Green extraction of antioxidant polyphenols from green tea (*Camellia sinensis*). *Antioxidants*, 9(9), 1–15. <https://doi.org/10.3390/antiox9090785>

Maslov, O. Y., Komisarenko, M. A., Kolisnyk, S. V., Golik, M. Y., Tsapko, Y. O., & Akhmedov, E. Y. (2022). Determination of the extraction frequency of green tea leaves by the antioxidant method. *Journal of Organic and Pharmaceutical Chemistry*, 20(1(77)), 28–34. <https://doi.org/10.24959/ophcj.22.252320>

Mayerhöfer, T. G., Pahlow, S., & Popp, J. (2020). The Bouguer-Beer-Lambert Law: Shining Light on the Obscure. *Chemphyschem : A European Journal of Chemical Physics and Physical Chemistry*, 21(18), 2029–2046. <https://doi.org/10.1002/cphc.202000464>

Mihaylova, D., & Lante, A. (2019). Water an Eco-Friendly Crossroad in Green Extraction: An Overview. *The Open Biotechnology Journal*, 13(1), 155–162. <https://doi.org/10.2174/1874070701913010155>

Minde, J. J., Venkataramana, P. B., & Matemu, A. O. (2021). Dolichos Lablab-an underutilized crop with future potentials for food and nutrition security: a review. *Critical Reviews in Food Science and Nutrition*, 61(13), 2249–2261. <https://doi.org/10.1080/10408398.2020.1775173>

Mir-Cerdà, A., Granados, M., Saurina, J., & Sentellas, S. (2023). Green Extraction of Antioxidant Compounds from Olive Tree Leaves Based on Natural Deep Eutectic Solvents. *Antioxidants*, 12(5). <https://doi.org/10.3390/antiox12050995>

Mokra, D., Joskova, M., & Mokry, J. (2023). Therapeutic Effects of Green Tea Polyphenol (-)-Epigallocatechin-3-Gallate (EGCG) in Relation to Molecular Pathways Controlling Inflammation, Oxidative Stress, and Apoptosis. *International Journal of Molecular Sciences*, 24(1). <https://doi.org/10.3390/ijms24010340>

Molole, G. J., Gure, A., & Abdissa, N. (2022). Determination of total phenolic content and antioxidant activity of Commiphora mollis (Oliv.) Engl. resin. *BMC Chemistry*, 16(1), 1–11. <https://doi.org/10.1186/s13065-022-00841-x>

Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: A review. *International Journal of Molecular Sciences*,

22(7). <https://doi.org/10.3390/ijms22073380>

Nahar, Y., & Thickett, S. C. (2021). Greener, faster, stronger: The benefits of deep eutectic solvents in polymer and materials science. *Polymers*, 13(3), 1–24. <https://doi.org/10.3390/polym13030447>

Noriko, N. (2021). Potensi Daun Teh (*Camellia sinensis*) dan Daun Anting-anting (*Acalypha indica* L.) dalam Menghambat Pertumbuhan *Salmonella typhi*. *JURNAL AL-AZHAR INDONESIA SERI SAINS DAN TEKNOLOGI*, 2(2), 104. <https://doi.org/10.36722/sst.v2i2.131>

Nugraheni, Z. V., Rachman, T. M., & Fadlan, A. (2022). Ekstraksi Senyawa Fenolat dalam Daun Teh Hijau (*Camellia Sinensis*). *Akta Kimia Indonesia*, 7(1), 69. <https://doi.org/10.12962/j25493736.v7i1.12557>

Octavia, Y., Chrisnasari, R., & Goretti Marianti, M. P. (2019). *Ekstrak Daun Teh Hijau (Camellia sinensis) sebagai xAntioksidan Alami Minyak Kelapa (Cocos nucifera) Green Tea (Camellia sinensis) Leaf Extract as a Natural Antioxidant in Coconut Oil (Cocos nucifera)*. 7(2), 4562.

Pinilla-González, V., Rojas-Solé, C., Gómez-Hevia, F., González-Fernández, T., Cereceda-Cornejo, A., Chichiarelli, S., Sasó, L., & Rodrigo, R. (2024). Tapping into Nature's Arsenal: Harnessing the Potential of Natural Antioxidants for Human Health and Disease Prevention. *Foods*, 13(13), 1–29. <https://doi.org/10.3390/foods13131999>

Purwanto, D. A., Agustin, B. D., & Ekowati, J. (2023). A study of the stability of antioxidant activity of green tea extract powder with vitamin C. *Pharmacy Education*, 23(4), 159–163. <https://doi.org/10.46542/pe.2023.234.159163>

Rizki, M. I., Sari, A. K., Kartika, D., Khairunnisa, A., & Normaidah. (2022). Penetapan Kadar Fenolik Total dan Uji Aktivitas Antioksidan Fraksi dari Ekstrak Etanol Daun Cempedak (*Artocarpus integer*) dengan Metode DPPH. *MPI (Media Pharmaceutica Indonesiana)*, 4(2), 168–178. <https://doi.org/10.24123/mpi.v4i2.4937>

Setiawan, V., Phangestu, S., Soetikno, A. G., Arianti, A., & Kohar, I. (2021). PHARMACEUTICAL JOURNAL OF INDONESIA Rapid Screening Analysis of Antioxidant Activities in Green Tea Products Using DPPH and FRAP. *Pharmaceutical Journal of Indonesia 2021*, 7(1), 9–14.

Silva, C. N. da, Silva, R. M. da, Lemes, A. C., & Ribeiro, B. D. (2024). Recovery of Phenolic Compounds by Deep Eutectic Solvents in Orange By-Products and Spent Coffee Grounds. *Sustainability*, 16(17), 7403. <https://doi.org/10.3390/su16177403>

Tavakoli, J., Raston, C. L., & Tang, Y. (2020). Tuning surface morphology of fluorescent hydrogels using a vortex fluidic device. *Molecules*, 25(15). <https://doi.org/10.3390/molecules25153445>

- Ternary, T. (2019). *Green Extraction of Phenolic Acids from Artemisia*. 1–12.
- Theafelicia, Z., & Narsito Wulan, S. (2023). PERBANDINGAN BERBAGAI METODE PENGUJIAN AKTIVITAS ANTIOKSIDAN (DPPH, ABTS DAN FRAP) PADA TEH HITAM (*Camellia sinensis*). *Jurnal Teknologi Pertanian*, 24(1), 35–44. <https://doi.org/10.21776/ub.jtp.2023.024.01.4>
- Theofanous, A., Deligiannakis, Y., & Louloudi, M. (2024). Hybrids of Gallic Acid@SiO₂ and {Hyaluronic-Acid Counterparts}@SiO₂ against Hydroxyl (•OH) Radicals Studied by EPR: A Comparative Study vs Their Antioxidant Hydrogen Atom Transfer Activity. *Langmuir*. <https://doi.org/10.1021/acs.langmuir.4c02760>
- Wijayanti, S., Putra, R. A., Amin, F., & Widianto, H. (2023). Antioksidan Aktivitas Antioksidan Ekstrak Etanol Batang Bandotan (*Ageratum conyzoides*) dengan DPPH (1,1 Diphenil-1-picrylhydrazyl). *Jurnal Medika & Sains [J-MedSains]*, 3(1), 1–11. <https://doi.org/10.30653/medsains.v3i1.482>
- Wojtunik-Kulesza, K. A. (2020). Approach to Optimization of FRAP Methodology for Studies Based on Selected Monoterpenes. *Molecules*, 25(22), 1–11. <https://doi.org/10.3390/MOLECULES25225267>
- Wojtunik-Kulesza, K. A., & Oniszczuk, A. (2024). Ability of Selected Monoterpenes to Reduce Fe(III) Ions Being Pro-Neurodegenerative Factors: Tests Based on a FRAP Reaction Extended to 48 Hours. *International Journal of Molecular Sciences*, 25(4). <https://doi.org/10.3390/ijms25042191>
- Yamauchi, M., Kitamura, Y., Nagano, H., Kawatsu, J., & Gotoh, H. (2024). DPPH Measurements and Structure—Activity Relationship Studies on the Antioxidant Capacity of Phenols. *Antioxidants*, 13(3). <https://doi.org/10.3390/antiox13030309>
- Yeni Aprillia, A., Trisna Wulandari, W., & Ratina Sutardi, D. (2023). Karakterisasi Ekstrak Etanol Daun Teh Hijau (*Camellia sinensis* (L.) Kuntze) dan Uji Aktivitas Antioksidan dengan Metode DPPH (2,2-diphenyl-1-picrylhydrazil). *Prosiding Seminar Nasional Diseminasi Penelitian*, 3(September), 2964–6154.
- Yuli Kurniasari, Kharismatul Khasanah, Vera Yunita, Labibah Alawiyah, & Puji Wijayanti. (2023). Aktivitas Antioksidan Ekstrak Serbuk Bekatul Menggunakan Metode Dpph, Abts, Dan Frap. *CERATA Jurnal Ilmu Farmasi*, 13(2), 82–90. <https://doi.org/10.61902/cerata.v13i2.612>