

DAFTAR PUSTAKA

- Abdullah, A., & Tahar, N. (2022). *Dissolution Improvement of Mefenamic Acid Through CocrySTALLization with Aminobenzoic Acid Using Liquid-Assisted Grinding Method Peningkatan Disolusi Asam Mefenamat Melalui Kokristalisasi dengan Para-Aminobenzoic Acid Menggunakan Metode Liquid - Assisted Grinding*. 5(2), 46–53.
- Abdullah, A., & Wikantyasning, E. R. (2022). *Cocrystals of Cefixime with Nicotinamide : Improved Solubility , Dissolution , and Permeability*. 33(3), 394–400.
- Akash, M. S. H., & Rehman, K. (2019). *Essentials of pharmaceutical analysis*. *Essentials of Pharmaceutical Analysis*, 1–222. <https://doi.org/10.1007/978-981-15-1547-7>
- Alvarenga, B. R. de J., Moseson, D. E., Carneiro, R. L., & Taylor, L. S. (2022). *Impact of Polymer Type on Thermal Degradation of Amorphous Solid Dispersions Containing Ritonavir*. *Molecular Pharmaceutics*, 19(1), 332–344. <https://doi.org/10.1021/acs.molpharmaceut.1c00823>
- Bergström, C. A. S., Box, K., Holm, R., Matthews, W., McAllister, M., Müllertz, A., Rades, T., Schäfer, K. J., & Teleki, A. (2019). *Biorelevant intrinsic dissolution profiling in early drug development: Fundamental, methodological, and industrial aspects*. *European Journal of Pharmaceutics and Biopharmaceutics*, 139, 101–114. <https://doi.org/https://doi.org/10.1016/j.ejpb.2019.03.011>
- Byrn, S.R., Zografi, G. and Chen, X. (2017). *Differential Scanning Calorimetry and Thermogravimetric Analysis*. In *Solid State Properties of Pharmaceutical Materials* (pp. 124–141). <https://doi.org/https://doi.org/10.1002/9781119264408.ch10>
- Dachriyanus, D. (2017). *Analisis Struktur Senyawa Organik Secara Spektroskopi*. *Analisis Struktur Senyawa Organik Secara Spektroskopi*. <https://doi.org/10.25077/car.3.1>

- Dahan, A., Miller, J. M., & Amidon, G. L. (2009). Prediction of solubility and permeability class membership: provisional BCS classification of the world's top oral drugs. *The AAPS Journal*, 11(4), 740–746. <https://doi.org/10.1208/s12248-009-9144-x>
- Daud, M. (2018). *Teknologi Formulasi Ransum Unggas*, Banda Aceh, Syiah Kuala University Press.
- Dengale, S. J., Grohgan, H., Rades, T., & Löbmann, K. (2016). Recent advances in co-amorphous drug formulations. *Advanced Drug Delivery Reviews*, 100, 116–125. <https://doi.org/10.1016/j.addr.2015.12.009>
- Dewi, F. A., Sopyan, I., & Rusdiana, T. (2021). Pemilihan Jenis Koformer dan Metode Preparasi dalam Sistem Penghantaran Sediaan Ko-Amorf. *Jurnal Sains Farmasi & Klinis*, 8(3), 242. <https://doi.org/10.25077/jsfk.8.3.242-257.2021>
- Fudholi A., (2013). Disolusi dan Pelepasan Obat In Vitro. Penerbit Pustaka Pelajar, Yogyakarta.
- Gyawali, R., Regmi, Y., Aryal, S., & Subramanian, R. (2025). *Optimization and Characterization of Co-Amorphous System for Ideal Drug Candidate*. 4, 29–47. <https://doi.org/10.71017/djmi.4.1.d-0356>
- Han, J., Wei, Y., Lu, Y., Wang, R., Zhang, J., Gao, Y., & Qian, S. (2020). Co-amorphous systems for the delivery of poorly water-soluble drugs: recent advances and an update. *Expert Opinion on Drug Delivery*, 17(10), 1411–1435. <https://doi.org/10.1080/17425247.2020.1796631>
- Holder, C. F., & Schaak, R. E. (2019). Tutorial on Powder X-ray Diffraction for Characterizing Nanoscale Materials. *ACS Nano*, 13(7), 7359–7365. <https://doi.org/10.1021/acsnano.9b05157>
- Ibrahim, H. A.-H. (2020). *Recent Advances In Pyrolysis*, Norderstedt, Bod–Books On Demand.
- Indra, I., Fauzi, A., & Aryani, R. (2019). Karakterisasi dan Uji Disolusi Aspirin Hasil Rekristalisasi Penguap Pelarut. *Jurnal Sains Farmasi & Klinis*, 6(2), 164. <https://doi.org/10.25077/jsfk.6.2.164-170.2019>
- Issa, M., & Ferraz, H. (2011). Intrinsic Dissolution as a Tool for Evaluating Drug Solubility in Accordance with the Biopharmaceutics Classification System.

- Dissolution Technologies*, 18. <https://doi.org/10.14227/DT180311P6>
- Jaafar, H., Al-Dabbagh, B., & Kadhim, H. J. (2019). Investigation of Superhydrophobic/Hydrophobic Materials Properties Using Electrospinning Technique. *Baghdad Science Journal*, 6, 632–638. <https://doi.org/10.21123/bsj.2019.16.3.0632>
- Jensen, K. T., Löbmann, K., Rades, T., & Grohgan, H. (2014). Improving Co-Amorphous Drug Formulations by the Addition of the Highly Water Soluble Amino Acid, Proline. In *Pharmaceutics* (Vol. 6, Issue 3, pp. 416–435). <https://doi.org/10.3390/pharmaceutics6030416>
- Karde, V., & Ghoroi, C. (2014). Influence of surface modification on wettability and surface energy characteristics of pharmaceutical excipient powders. *International Journal of Pharmaceutics*, 475(1–2), 351–363. <https://doi.org/10.1016/j.ijpharm.2014.09.002>
- Kemenkes RI. (2020). Farmakope Indonesia Edisi VI. *Kementerian Kesehatan Republik Indonesia*, 48.
- Khan, I. M. (2020). *Co-amorphization: A strategy to enhance solubility and stability of poorly soluble drugs*.
- Korhonen, O., Pajula, K., & Laitinen, R. (2017). Rational excipient selection for co-amorphous formulations. *Expert Opinion on Drug Delivery*, 14(4), 551–569. <https://doi.org/10.1080/17425247.2016.1198770>
- Leman, A., Tiwan, T. & Nurdjito, N. 2018. Karakterisasi Grinding Balls Produksi Cv Baja Ellips. *Jurnal Dinamika Vokasional Teknik Me*, 3 (1), 19-25
- Lin, K., Wang, Y., & Yu, Q. (2021). Cocrystallization from Ibuprofen Nicotinamide Vapor Phase Mixture in The Absence and Presence of Seeds. *Journal of Crystal Growth*, 570, 126229. <https://doi.org/10.1016/j.jcrysgro.2021.126229>
- M. Lavanya, & A. Deevan Paul. (2017). Improvement of Solubility of Cefixime and Omeprazole by Solid Dispersion and Slugging Method. *Indo Am. J.P. Sci*.
- Mishra, J., Rades, T., Löbmann, K., & Grohgan, H. (2018). Influence of Solvent Composition on the Performance of Spray-Dried Co-Amorphous Formulations. In *Pharmaceutics* (Vol. 10, Issue 2).

<https://doi.org/10.3390/pharmaceutics10020047>

- Pang, W., Lv, J., Du, S., Wang, J., Wang, J., & Zeng, Y. (2017). Preparation of Curcumin–Piperazine Coamorphous Phase and Fluorescence Spectroscopic and Density Functional Theory Simulation Studies on the Interaction with Bovine Serum Albumin. *Molecular Pharmaceutics*, 14(9), 3013–3024. <https://doi.org/10.1021/acs.molpharmaceut.7b00217>
- Patrick J. Sinko. (2011). *Martin's Physical Pharmacy And Pharmaceutical Sciences* (Sixth Edit). The State University of New Jersey. <https://drive.google.com/file/d/1S2eOIjA6Fptj1JHvkxflIN7OJJe8o61b/preview>
- Prasad, G., Maheshwari, R. K., & Mishra, P. (2022). *Solubility enhancement of cefixime trihydrate by solid dispersions using hydrotropic solubilization technique and their characterization*. 1–9.
- Prihatini, E., Ismail, R., Rahayu, I. S., & Saputri, E. D. (2024). *Pengembangan Sistem Alat Ukur Sudut Kontak dengan Metode Optical Contact Angle*. 6(1), 8–16.
- Ramezani, N., & Sain, M. (2018). Thermal and Physiochemical Characterization of Lignin Extracted from Wheat Straw by Organosolv Process. *Journal of Polymers and the Environment*, 26. <https://doi.org/10.1007/s10924-018-1199-2>
- Rizky Juwita Sugihartj, Silvie Rahmawati Hegarsasiwi, M. M. (2016). *Pengaruh Pemberian Beberapa Antibiotik Terhadap Efektivitas Radiofarmaka 99mtc-Siprofloksasin Sebagai Penyidik Infeksi*. 2016, 167–174.
- Ruponen, M., Kettunen, K., Pires, M. S., & Laitinen, R. (2021). *Co-Amorphous Formulations of Furosemide with Arginine and P-Glycoprotein Inhibitor Drugs*.
- Sari, N. W., Fajri, M., Terpadu, L., Unggul, U. E., Barat, J., & Jeruk, K. (2018). *Analisis Fitokimia Dan Gugus Fungsi Dari Ekstrak Etanol Pisang Pendahuluan Metodologi Penelitian Waktu dan Tempat Penelitian Alat dan Bahan Persiapan Sampel Ekstraksi Pemeriksaan Alkaloid Pemeriksaan Flavonoid. L.*
- Setiabudi, A., Hardian, R., & Muzakir, A. (2012). *Karakterisasi Material: Prinsip*

- dan Aplikasinya dalam Penelitian Kimia. *UPI Press*, 1, 37–39.
- Shah, R. M., Eldridge, D. S., Palombo, E. A., & Harding, I. H. (2016). Microwave-assisted formulation of solid lipid nanoparticles loaded with non-steroidal anti-inflammatory drugs. *International Journal of Pharmaceutics*, 515(1), 543–554. <https://doi.org/10.1016/j.ijpharm.2016.10.054>
- Singh, M., Barua, H., Jyothi, V. G. S. S., Dhondale, M. R., Nambiar, A. G., Agrawal, A. K., Kumar, P., Shastri, N. R., & Kumar, D. (2023). Cocrystals by Design: A Rational Coformer Selection Approach for Tackling the API Problems. *Pharmaceutics*, 15(4). <https://doi.org/10.3390/pharmaceutics15041161>
- Siregar C.J.P., (2010) Teknologi Farmasi Sediaan Tablet : Dasar-dasar Praktis. Penerbit Buku Kedokteran, Jakarta.
- Surana, R., & Suryanarayanan, R. (2013). Quantitation of crystallinity in substantially amorphous pharmaceuticals and study of crystallization kinetics by X-ray powder diffractometry. *Powder Diffraction*, 15(1), 2–6. [https://doi.org/DOI: 10.1017/S0885715600010757](https://doi.org/DOI:10.1017/S0885715600010757)
- Tekade, R. K. (2018). *Dosage Form Design Parameters*: Volume II, London, Academic Press.
- Thakuria, R., Delori, A., Jones, W., Lipert, M. P., Roy, L., & Rodríguez-Hornedo, N. (2013). Pharmaceutical cocrystals and poorly soluble drugs. *International Journal of Pharmaceutics*, 453(1), 101–125. <https://doi.org/10.1016/j.ijpharm.2012.10.043>
- Vemuri, V. D., & Lankalapalli, S. (2019). Insight into Concept and Progress on Pharmaceutical Co-crystals: An overview. *Indian Journal of Pharmaceutical Education and Research*, 53(4), s522–s528. <https://doi.org/10.5530/ijper.53.4s.147>
- Wang, Y., Liu, Z., Muzzio, F., Drazer, G., & Callegari, G. (2018). A drop penetration method to measure powder blend wettability. *International Journal of Pharmaceutics*, 538(1–2), 112–118. <https://doi.org/10.1016/j.ijpharm.2017.12.034>
- Wang, Y., Wang, L., Zhang, F., Wang, N., Gao, Y., Xiao, Y., Wang, Z., & Bao, Y. (2022). Structure Analysis and Insight into Hydrogen Bond and van der

- Waals Interactions of Etoricoxib Cocrystals and Cocrystal Solvate. *Journal of Molecular Structure*, 1258, 132665. <https://doi.org/10.1016/j.molstruc.2022.132665>
- Wei, Y., Zhang, L., Wang, N., Shen, P., Dou, H., Ma, K., Gao, Y., Zhang, J., & Qian, S. (2018). Mechanistic Study on Complexation-Induced Spring and Hover Dissolution Behavior of Ibuprofen-Nicotinamide Cocrystal. *Crystal Growth and Design*, 18, 7343–7355. <https://doi.org/10.1021/acs.cgd.8b00978>
- Windriyati, Y. N., Dyah, M., Rini, S., Anggara, D. A., Fitriani, N., Farmasi, T., Farmasi, F., & Wahid, U. (2023). *Formulation of atorvastatin calcium tablets by liquisolid technique using propylene glycol as a solvent and some carrier materials* *Formulasi tablet kalsium atorvastatin dengan teknik likuisolid menggunakan pelarut propilen glikol dan beberapa bahan pembawa termasuk kelas II dalam BCS , dengan sifat kelarutan dalam air tergantung pH . Pada pH 1 , 2 pemanasan dan tidak menggunakan pelarut organik yang mudah menguap (Yadavb & bahan aktif dalam pelarut non-volatile sehingga menjadi larutan atau suspensi yang*. 19(2), 169–181.
- Wishart, D. S., Knox, C., Guo, A. C., Shrivastava, S., Hassanali, M., Stothard, P., Chang, Z., & Woolsey, J. (2006). DrugBank: a comprehensive resource for in silico drug discovery and exploration. *Nucleic Acids Research*, 34(Database issue), D668-72. <https://doi.org/10.1093/nar/gkj067>
- Wu, W., Löbmann, K., Schnitzkewitz, J., Knuhtsen, A., Pedersen, D. S., Grohgan, H., & Rades, T. (2018). Aspartame as a co-former in co-amorphous systems. *International Journal of Pharmaceutics*, 549(1), 380–387. <https://doi.org/10.1016/j.ijpharm.2018.07.063>
- Yuan, Y., & Lee, T. R. (2013). *Contact Angle and Wetting Properties BT - Surface Science Techniques* (G. Bracco & B. Holst (eds.); pp. 3–34). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-34243-1_1