

DAFTAR PUSTAKA

- Aditiyarini, D., Restiani, R., & Evieyana, E. (2022). Profiling secondary metabolites and antioxidant activity of tea mistletoe leaves (*Scurrula atropurpurea* (Bl.) Danser) in Nglinggo, Kulon Progo, Yogyakarta. *Biogenesis: Jurnal Ilmiah Biologi*, 10(2), 196–205. <https://doi.org/10.24252/bio.v10i2.31258>
- Carsono, N., Tumilaar, S. G., Kurnia, D., Latipudin, D., & Satari, M. H. (2022). A Review of Bioactive Compounds and Antioxidant Activity Properties of Piper Species. *Molecules*, 27(19), 1–22. <https://doi.org/10.3390/molecules27196774>
- Chuo, S. C., Nasir, H. M., Mohd-Setapar, S. H., Mohamed, S. F., Ahmad, A., Wani, W. A., Muddassir, M., & Alarifi, A. (2022). A Glimpse into the Extraction Methods of Active Compounds from Plants. *Critical Reviews in Analytical Chemistry*, 52(4), 667–696. <https://doi.org/10.1080/10408347.2020.1820851>
- Desbrianto, D., Ulfa, A. M., & Lestari, Y. E. (2024). Uji Stabilitas Formulasi Spray Nanoemulsi Variasi Polietilen Glikol 400 Ekstrak Bunga Telang (*Clitoria ternatea* L.) Sebagai Tabir Surya. *Journal Farmasi Malahayati*, 7 (1), 132–145. <https://doi.org/10.33024/jfm.v7i1.11439>
- Du, F., Li, J., Zhang, S., Zeng, X., Nie, J., & Li, Z. (2024). Oxidative stress in hair follicle development and hair growth: Signalling pathways, intervening mechanisms and potential of natural antioxidants. *Journal of Cellular and Molecular Medicine*, 28(12), 1–14. <https://doi.org/10.1111/jcmm.18486>
- Elfita, E., Muharni, M., Mardiyanto, M., Fitrya, F., Fera, F., & Widjajanti, H. (2020). Antibacterial activity of traditional medicine *Scurrula atropurpurea* (BL) DANS and their endophytic fungi. *Key Engineering Materials*, 840 KEM, 205–213. <https://doi.org/10.4028/www.scientific.net/kem.840.205>
- Erdoğan, B. (2016). Anatomy and Physiology of Hair. *Intech*, 11, 13–27. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- Farhan, R. (2023). *Formulasi Dan Evaluasi Sediaan Hair Tonic Ekstrak buah pare (Momordica charantia L.) Pada Pertumbuhan Rambut Kelinci Formulation and Evaluation of Hair Tonic Preparations Bitter gourd extract (Momordica*

- charantia L .) On Rabbit Hair Growth Abstrak Alat.* 9(2), 1–6.
- Fernández, E., Martínez-Teipel, B., Armengol, R., Barba, C., & Coderch, L. (2012). Efficacy of antioxidants in human hair. *Journal of Photochemistry and Photobiology B: Biology*, 117, 146–156. <https://doi.org/10.1016/j.jphotobiol.2012.09.009>
- Gordon, K., Gordon, K., & Tosti, A. (2011). Alopecia: evaluation and treatment. *Clinical, Cosmetic and Investigational Dermatology*, 101. <https://doi.org/10.2147/ccid.s10182>
- Harris, B. (2021). Kerontokan Dan Kebotakan Pada Rambut. *Ibnu Sina: Jurnal Kedokteran Dan Kesehatan - Fakultas Kedokteran Universitas Islam Sumatera Utara*, 20(2), 159–168. <https://doi.org/10.30743/ibnusina.v20i2.219>
- Hidayat, T., Aprianti, P. T., Pebiansyah, A., Rahayuningsih, N., & S, D. A. N. (2023). *Formulasi Dan Evaluasi Sediaan Masker Gel Peel-Off Ekstrak Benalu Teh (Scurulla atropurpurea (BL .) Dans) Dengan Uji Hedonik.* 3(September), 228–237.
- Hidayat, T., Ismail Sabilul Huda, M., Hidayah, N. A., Giovani, J., Rachmadhiani, A. N., & Marliyani, M. (2024). Formulasi Nanoteknologi Dari Tumbuhan Sebagai Hair Tonic : Review Artikel. *Journal of Pharmacopolium*, 7(1), 29–36.
- Hidayat, T., & Suhendy, H. (2020). FORMULASI HAIR TONIC EKSTRAK KECAMBAH KACANG HIJAU SEBAGAI HAIR TONIC. *Journal of Pharmacopolium*, 3(3), 152–156.
- Hlail, A. T. (2020). *Al-Kindy College Medical Journal (KCMJ) Review Article Various types of Alopecia and the options of the treatment.* 2, 1–6.
- Hunt, N., & McHale, S. (2005). Psychological impact of alopecia. *Alopecia: Risk Factors, Treatment and Impact on Quality of Life*, 951–953.
- Katrin, E., Yulianti, M., & Winarno, H. (2011). Effectiveness of gamma irradiation for decontamination of microbes on tea parasite herb *Scurrula atropurpurea* (Bl.) dans. *Atom Indonesia*, 37(3), 107–112. <https://doi.org/10.17146/aij.2011.77>
- Kinasih, U. I., Abdoes Sjakoer, N. A., & Mubarakati, N. J. (2021). Uji Toksisitas Subkronik 28 Hari Kombinasi Ekstrak Metanolik Benalu Teh dan Benalu

- Mangga terhadap Profil Protein pada Tikus Wistar (*Rattus norvegicus*) Betina. *Biosaintropis (Bioscience-Tropic)*, 7(1), 9–15. <https://doi.org/10.33474/e-jbst.v7i1.354>
- Lestari, A., Ulfa, A. M., & Saputri, G. A. R. (2024). Evaluasi Fisik Dan Uji Aktivitas Sediaan Hair Tonic Ekstrak Bunga Telang (*Clitoria ternatea* L.) Terhadap Pertumbuhan Rambut Kelinci Jantan (*Oryctolagus cuniculus*). *Jurnal Ilmiah Wahana Pendidikan*, 10(22), 104–118.
- Liyanage, D., & Sinclair, R. (2016). Telogen effluvium. *Cosmetics*, 3(2), 1–8. <https://doi.org/10.3390/cosmetics3020013>
- Majeed, M., Majeed, S., Nagabhushanam, K., Mundkur, L., Neupane, P., & Shah, K. (2020). Clinical study to evaluate the efficacy and safety of a hair serum product in healthy adult male and female volunteers with hair fall. *Clinical, Cosmetic and Investigational Dermatology*, 13, 691–700. <https://doi.org/10.2147/CCID.S271013>
- Muchtaromah, B., Habibie, S., Ma'arif, B., Ramadhan, R., Savitri, E. S., & Maghfuroh, Z. F. (2021). Tropical Journal of Natural Product Research. *Original Research Article*, 5(3), 465–469.
- Muliani, W., Setiawan, F., & Sukmawan, yedy P. (2022). Formulasi dan Evaluasi Sediaan Hair Tonic Ekstrak Etanol Daun Katuk (*Sauropus androgynus* (L.) Merr.) sebagai Pertumbuhan Rambut pada Kelinci Jantan New Zealand White. *Prosiding Seminar Nasional Diseminasi*, 2, 102–112.
- Mulyana, sri. (2016). *PENGARUH PROPILEN GLIKOL TERHADAP PENETRASI GEL HESPERIDIN SECARA IN VITRO*.
- Nisa, N. F., Kurnianto, E., & Sutopo, S. (2022). Karakterisasi Morfometrik dan Pendugaan Jarak Genetik Kelinci New Zealand, Rex dan Flemish Giant. *Jurnal Ilmu Ternak Universitas Padjadjaran*, 22(1), 22. <https://doi.org/10.24198/jit.v22i1.39310>
- Ohashi, K., Winarno, H., Mukai, M., Inoue, M., Prana, M. S., Simanjuntak, P., & Shibuya, H. (2003). Indonesian medicinal plants. XXV. Cancer cell invasion inhibitory effects of chemical constituents in the parasitic plant *Scurrula atropurpurea* (Loranthaceae). *Chemical and Pharmaceutical Bulletin*, 51(3), 343–345. <https://doi.org/10.1248/cpb.51.343>

- Park, H. J., Jin, G. R., Jung, J. H., Hwang, S. Bin, Lee, S. H., & Lee, B. H. (2021). Hair Growth Promotion Effect of Nelumbinis Semen Extract with High Antioxidant Activity. *Evidence-Based Complementary and Alternative Medicine*, 2021. <https://doi.org/10.1155/2021/6661373>
- Park, S., & Lee, J. (2021). Modulation of hair growth promoting effect by natural products. *Pharmaceutics*, 13(12), 1–24. <https://doi.org/10.3390/pharmaceutics13122163>
- Prasetyo, H. I., Falyani, S. A., Athiroh, N., Sjakoe, A., Sulistyowati, E., Prasetyo, H. I., Falyani, S. A., Athiroh, N., Sjakoe, A., & Sulistyowati, E. (2023). *Peran Herbal Benalu Teh (Scurrula atropurpurea) dan Benalu Mangga (Dendrophthoe petandra) Terhadap Profil Trombosit serta Leukosit Darah The Role of Herbal Tea Mistletoe (Scurrula atropurpurea) and Mango Mistletoe (Dendrophthoe petandra) on Platelet*. 0341, 1–5.
- Rahmiyani, I., Nurviana, V., Aji, N., & Sri Zustaka, D. (2021). FARMAKOGNOSI (Teori dan Panduan Praktikum). In *Perkumpulan Rumah Cemerlang Indonesia*.
- Rasul, M. G. (2018). Conventional Extraction Methods Use in Medicinal Plants, their Advantages and Disadvantages. *International Journal of Basic Sciences and Applied Computing*, 2(6), 10–14.
- Rasyadi, Y., Tri Juli Fendri, S., & Tri Wahyudi, F. (2021). Pengaruh Sediaan Pomade Ekstrak Etanol Daun Pare (Momordica charantia.L) Terhadap Pertumbuhan Rambut Tikus Putih Jantan. *Jurnal Insan Farmasi Indonesia*, 4(2), 266–274. <https://doi.org/10.36387/jifi.v4i2.796>.
- Rostamailis dkk. 2009. *Tata Kecantikan Rambut: Untuk Sekolah Menengah Kejuruan*. Jakarta: Direktorat Pembinaan Sekolah Menengah Kejuruan.
- Sembiring, P., & Sianipar, M. P. (2024). FORMULASI SEDIAAN HAIR TONIC EKSTRAK ETANOL DAUN TEH HIJAU (Camellia sinensisL.) SEBAGAI PENUMBUH RAMBUT TERHADAP KELINCI JANTAN (Oryctolagus cuniculus). *Jurnal Farmasi Dan Herbal*, 6(2), 1–8.
- Sjakoe, N. A. A., Mubarakati, N. J., & Taufiq, A. (2021). Investigation of Excellent ACE Inhibitor Agents from Scurrula Atropurpure and Dendrophthoe Pentandra for Anti-Hypertension. *Chiang Mai University Journal of Natural*

- Sciences*, 20(3), 1–17. <https://doi.org/10.12982/CMUJNS.2021.068>
- Solikin, S. (2022). Infestation and host specificity of mistletoe parasitic plants in Purwodadi Botanic Garden. *Berkala Penelitian Hayati*, 28(1), 1–9. <https://doi.org/10.23869/bphjbr.28.1.20221>
- Stewart, C. K., Parker, J., Hwang, R., Vincent, M., & Fung, E. (2023). Quantitative Risk Assessment of Dermal Sensitization Potential Following Use of Shampoo Products Containing the Formaldehyde Releasing Preservative DMDM Hydantoin. *International Journal of Toxicology*, 42(4), 326–333. <https://doi.org/10.1177/10915818231174429>
- Supriadi, Y., & Hardiansyah, N. H. (2020). Formulasi Dan Evaluasi Fisik Sediaan Gel Rambut Ekstrak Etanol Daun Pare. *Indonesia Natural Research Pharmaceutical Journal*, 1(1), 262–269.
- Tanaka, S., Saito, M., & Tabata, M. (1980). Bioassay of Crude Drugs for Hair Growth Promoting Activity in Mice by a New Simple Method. *Fakulty of Pharmaceutical Sceinces Kyoto University Japan*. <https://doi.org/10.1055/s-2008-1075009>
- Tjitrosoepomo, G. (2010). *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University.
- Tosti, A., & Duque-Estrada, B. (2009). Treatment strategies for alopecia. *Expert Opinion on Pharmacotherapy*, 10(6), 1017–1026. <https://doi.org/10.1517/14656560902876368>
- Tran, N., Pham, B., & Le, L. (2020). Bioactive compounds in anti-diabetic plants: From herbal medicine to modern drug discovery. *Biology*, 9(9), 1–31. <https://doi.org/10.3390/biology9090252>
- Widodo, S., & Purba, A. V. (2016). PENGEMBANGAN SEDIAAN GEL EKSTRAK DAUN KACANG PANJANG (*Vigna sinensis* L.) DAN EKSTRAK SELEDRI (*Apium graveolens* L.) UNTUK PERTUMBUHAN RAMBUT KELINCI. *Jurnal Ilmiah Indonesia*, 5(12), 1735–1753.
- Yulianti, M., Jalaluddin, J., Muarif, A., Dewi, R., & Hakim, L. (2023). Pengaruh Lama Perendaman Biji Nangka Dalam Natrium Metabisulfit ($\text{Na}_2\text{S}_2\text{O}_5$) Dengan Metode Pengeringan Terhadap Kualitas Tepung Biji Nangka. *Chemical Engineering Journal Storage (CEJS)*, 3(3), 322.

<https://doi.org/10.29103/cejs.v3i3.10181>

Yulva, I. (2021). AKTIVITAS ANTIOKSIDAN DAN SENYAWA AKTIF DAUN DAN BATANG BENALU TEH (*Scurrula atropurpurea* (BL) Dans.) PADA BERBAGAI METODE PENGERINGAN SIMPLISIA. *Skripsi*.