

## DAFTAR PUSTAKA

- Agoes, G. (2012). *Sediaan Farmasi Padat*. ITB.
- Akash, M. S. H. and Rehman, K. (2019) *Essentials of pharmaceutical analysis, Essentials of Pharmaceutical Analysis*. doi: 10.1007/978-981-15-1547-7.
- Akhtar, K. et al. (2018) *Scanning electron microscopy: Principle and applications in nanomaterials characterization, Handbook of Materials Characterization*. doi: 10.1007/978-3-319-92955-2\_4.
- Al-Dulaimi, A. F., Al-Kotaji, M. and Abachi, F. T. (2022) ‘Co-crystals for improving solubility and bioavailability of pharmaceutical products’, *Egyptian Journal of Chemistry*, 65(1), pp. 81–89. doi: 10.21608/EJCHEM.2021.77694.3793.
- Alatas, F. et al. (2013) ‘Cocrystal formation between didanosine and two aromatic acids’, *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(SUPPL 3), pp. 275–280.
- Ariasti, M. and Muhsin, L. B. (2024) ‘Perbandingan Kecepatan Disolusi Intrinsik ( Absorpsi ) Tablet Asetosal Menggunakan Pelarut Etanol 95 % dengan Pelarut Kloroform Comparison of Intrinsic Dissolution Rate ( Absorption ) of Acetosal Tablets using 95 % Ethanol solvent with Chloroform solvent’, 12(1), pp. 25–27.
- Badan Pengawas Obat dan Makanan (2022) *Peraturan Badan Pengawas Obat dan Makanan Nomor 11 Tahun 2022 Tentang Tata Laksana Uji Bioekivalensi, Bpom Ri*.
- Batisai, E. et al. (2014) ‘Melting Point-Solubility-Structure Correlations In Multicomponent Crystals Containing Fumaric Or Adipic Acid’, *CrystEngComm*, 16(43), pp. 9992–9998. doi: 10.1039/c4ce01298d.
- Bučar, D. K. et al. (2007) ‘A “Hidden” Co-Crystal Of Caffeine And Adipic Acid’, *Chemical Communications*, (5), pp. 525–527. doi: 10.1039/b611749j.
- Bunaciu, A. A., Udriștioiu, E. gabriela and Aboul-Enein, H. Y. (2015) ‘X-Ray Diffraction: Instrumentation and Applications’, *Critical Reviews in Analytical Chemistry*, 45(4), pp. 289–299. doi: 10.1080/10408347.2014.949616.
- Dachriyanus (2004) *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Edited by M. LPTIK. Padang: Lembaga Pengembangan Teknologi dan Komunikasi (LPTIK) Universitas Andalas.
- Darwish, S. et al. (2018) ‘A New 1:1 Drug-Drug Cocrystal of Theophylline and Aspirin: Discovery, Characterization, and Construction of Ternary Phase Diagrams’, *Crystal Growth and Design*, 18(12), pp. 7526–7532. doi: 10.1021/acs.cgd.8b01330.

- Depkes RI (2020) *Farmakope Indonesia edisi VI, Departemen Kesehatan Republik Indonesia.*
- Dutt, B., Choudhary, M. and Budhwar, V. (2021) ‘Preparation, Characterization And Evaluation Of Fenofibrate: Benzoic Acid Cocrystals With Enhanced Pharmaceutical Properties’, *Future Journal of Pharmaceutical Sciences*, 7(1). doi: 10.1186/s43094-021-00320-5.
- Dwichandra Putra, O., Yonemochi, E. and Uekusa, H. (2016) ‘Isostructural multicomponent gliclazide crystals with improved solubility’, *Crystal Growth & Design*, 16(11), pp. 6568–6573.
- Elsayed, E. M. (2008) ‘A Study on Synthesis and Characterization of Some (I-IV-VI) Groups Compounds for Solar Cells Energy Application For Partial Fulfillment of the Requirements for The Master Degree’, (January 2016). doi: 10.13140/RG.2.2.21918.79685.
- Florey, K. (1979) *Analytical Profiles of Drug Substances, Analytical Profiles of Drug Substances and Excipients*. doi: 10.1016/S0099-5428(08)60112-4.
- Fu, D. et al. (2011) ‘Pore decoration on microcapsule surface using nonionic surfactant micelles as template: Temperature effect and encapsulation mechanism investigation’, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 384(1–3), pp. 219–227. doi: 10.1016/j.colsurfa.2011.03.054.
- Galvão, A. D. et al. (2019) ‘Synthesis and Characterization of a New Compound of Cobalt II with Isonicotinamide and Evaluation of the Bactericidal Potential’, *Open Journal of Inorganic Chemistry*, 09(02), pp. 11–22. doi: 10.4236/ojic.2019.92002.
- Gao, H. et al. (2017) ‘Synthesis and Characterization of a New Co-Crystal Explosive with High Energy and Good Sensitivity’, *Journal of Energetic Materials*, 35(4), pp. 490–498. doi: 10.1080/07370652.2017.1290712.
- Haskins, M. M. and Zaworotko, M. J. (2021) ‘Screening and Preparation of Cocrystals: A Comparative Study of Mechanochemistry vs Slurry Methods’, *Crystal Growth and Design*, 21(7), pp. 4141–4150. doi: 10.1021/acs.cgd.1c00418.
- Indra, I. et al. (2022) ‘Kokristalisasi Aspirin Dan Asam Tartrat Dengan Metode Penguapan Pelarut’, *Journal of Pharmacopilum*, 4(3), pp. 152–161. doi: 10.36465/jop.v4i3.793.
- Indra, I., Fauzi, A. and Aryani, R. (2019) ‘Karakterisasi dan Uji Disolusi Aspirin Hasil Rekristalisasi Penguap Pelarut’, *Jurnal Sains Farmasi & Klinis*, 6(2), p. 164. doi: 10.25077/jsfk.6.2.164-170.2019.

- Isnaeni, N. L., Trisna Wulandari, W. and Alifiar, I. (2021) ‘Pembuatan dan karakterisasi kokristal kurkumin dengan asam askorbat sebagai koformer’, *Prosiding Seminar Nasional Diseminasi Penelitian*, 1(1), pp. 122–129.
- Issa, M. G. and Ferraz, H. G. (2011) ‘Intrinsic dissolution as a tool for evaluating drug solubility in accordance with the biopharmaceutics classification system’, *Dissolution Technologies*, 18(3), pp. 6–13. doi: 10.14227/DT180311P6.
- Kumar, A., Singh, P. and Nanda, A. (2020) ‘Hot stage microscopy and its applications in pharmaceutical characterization’, *Applied Microscopy*, 50(1). doi: 10.1186/s42649-020-00032-9.
- Larsson, J. (2009) ‘Methods for measurement of solubility and dissolution rate of sparingly soluble drugs’, *Master thesis*, p. 7. Available at: <http://www.chemeng.lth.se/exjobb/E272.pdf>.
- Liu, H. et al. (2021) ‘Bergenin-isonicotinamide (1:1) cocrystal with enhanced solubility and investigation of its solubility behavior’, *Journal of Drug Delivery Science and Technology*, 64(May), p. 102556. doi: 10.1016/j.jddst.2021.102556.
- Madhavi et.al (2019) ‘Pharmaceutical Co-cristal- A review’.
- Muthuselvi, C., Dhavachitra, M. and Pandiarajan, S. (2016) ‘Growth and Characterization of Aspirin Crystal in the Phosphoric acid Medium’, Available online [www.jocpr.com](http://www.jocpr.com) *Journal of Chemical and Pharmaceutical Research*, 8(5), pp. 804–814. Available at: [www.jocpr.com](http://www.jocpr.com).
- Nandiyanto, A. B. D., Oktiani, R. and Ragadhita, R. (2019) ‘How to read and interpret ftir spectroscope of organic material’, *Indonesian Journal of Science and Technology*, 4(1), pp. 97–118. doi: 10.17509/ijost.v4i1.15806.
- Nawatila, R. et al. (2017) ‘Preparation of acyclovir-nicotinamide cocrystal by solvent evaporation technique with variation of solvent’, *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), pp. 283–287. doi: 10.22159/ajpcr.2017.v10i3.16149.
- Padrela, L., De Azevedo, E. G. and Velaga, S. P. (2012) ‘Powder X-ray diffraction method for the quantification of cocrystals in the crystallization mixture’, *Drug Development and Industrial Pharmacy*, 38(8), pp. 923–929. doi: 10.3109/03639045.2011.633263.
- Putri, S. S., Darusman, F. and Hidayat, A. F. (2023) ‘Pembentukan Kokristal Sebagai Upaya Peningkatan Kelarutan dan Laju Disolusi Obat BCS Kelas II’, *Bandung Conference Series: Pharmacy*, pp. 63–71. doi: 10.29313/bcsp.v3i2.7497.

- Putta, S. K. and Srikumar, P. (2016) ‘Spherical crystallization and its process optimization’, Available online [www.jocpr.com](http://www.jocpr.com) *Journal of Chemical and Pharmaceutical Research*, 8(7), pp. 611–623. Available at: [www.jocpr.com](http://www.jocpr.com).
- Qiao, N. et al. (2011) ‘Pharmaceutical cocrystals: An overview’, *International Journal of Pharmaceutics*, 419(1–2), pp. 1–11. doi: 10.1016/j.ijpharm.2011.07.037.
- Rahman, F. et al. (2017) ‘Comparison study of grinding and slurry method on physicochemical characteristic of acyclovir – Succinic acid cocrystal’, *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), pp. 153–158. doi: 10.22159/ajpcr.2017.v10i3.15925.
- Rodrigues, M. et al. (2018) ‘Pharmaceutical cocrystallization techniques. Advances and challenges’, *International Journal of Pharmaceutics*, 547(1–2), pp. 404–420. doi: 10.1016/j.ijpharm.2018.06.024.
- Saha, A. et al. (2024) ‘Ternary phase diagram and investigation of slurry conversion of 1: 1 sulfamethazine-acetylsalicylic acid cocrystal’, *Chemical Engineering Research and Design*, 210, pp. 71–81.
- Savjani, K. T., Gajjar, A. K. and Savjani, J. K. (2012) ‘Drug Solubility: Importance and Enhancement Techniques’, *ISRN Pharmaceutics*, 2012(100 mL), pp. 1–10. doi: 10.5402/2012/195727.
- Shamim, H. (2010) *Investigating Co-crystallisation of Primary Amides and Carboxylic acids*. University of Bradford. doi: 10.1007/s40093-015-0101-7.
- Shanthala, H. K. et al. (2021) ‘Enhancement of solubility and dissolution rate of acetylsalicylic acid via co-crystallization technique: A novel asa-valine cocrystal’, *International Journal of Applied Pharmaceutics*, 13(1), pp. 199–205. doi: 10.22159/ijap.2021v13i1.40054.
- Thayyil, A. R. et al. (2020) ‘Pharmaceutical co-crystallization: Regulatory aspects, design, characterization, and applications’, *Advanced pharmaceutical bulletin*, 10(2), p. 203.
- Wicaksono, Y., Setyawan, D. and Siswandono (2017) ‘Formation of ketoprofen-malonic acid cocrystal by solvent evaporation method’, *Indonesian Journal of Chemistry*, 17(2), pp. 161–166. doi: 10.22146/ijc.24884.
- Winantari, A. N. et al. (2020) ‘Preparation Of Acyclovir-Isonicotinamide Cocrystal By Solvent Evaporation Method With Methanol And Isopropanol Preparation of Cocrystal Acyclovir – Isonicotinamide By Solvent Evaporation Differential Scanning Calorimetry ( DSC ) Powdered X-Ray Diffraction’, pp. 109–114.

Zaini, E. *et al.* (2019) ‘Multicomponent Crystal of Mefenamic Acid and N-Methyl-D-Glucamine: Crystal Structures and Dissolution Study’, *Journal of Pharmaceutical Sciences*, 108(7), pp. 2341–2348. doi: 10.1016/j.xphs.2019.02.003.

Zhang, Y. *et al.* (2021) ‘Crystal structure of five solid forms from isonicotinamide and carboxylic acids assembled by classical hydrogen bonds and other noncovalent interactions’, *Journal of Molecular Structure*, 1233(2), p. 130048. doi: 10.1016/j.molstruc.2021.130048.

Zhou, W. *et al.* (2007) ‘Fundamentals of scanning electron microscopy (SEM)’, *Scanning Microscopy for Nanotechnology: Techniques and Applications*, pp. 1–40. doi: 10.1007/978-0-387-39620-0\_1.