

DAFTAR PUSTAKA

- Adhikar, M. S., Chavan, V. A., & Gaikwad, N. B. (2024). FORMULATION AND EVALUATION OF FACE SERUM CONTAINING CARICA PAPAYA AND ALOE VERA. *International Journal of Creative Research Thoughts*, 12(6), 121–132.
- Ambari, Y., Saputri Ocardini, S., & Nurrosyidah Hanida, I. (2021). Formulasi dan Uji Aktivitas Antioksidan Body Lotion Ekstrak Daun Kemangi (*Ocimum cannum* Sims.) Dengan Metode DPPH (1,1 – diphenyl-2- picrylhydrazyl). 47(8), 170–179.
- Anjarsari, D. (2016). Katekin teh Indonesia : prospek dan manfaatnya Indonesia tea catechin : prospect and benefits. *Jurnal Kultivasi*, 15(2), 99–106.
- Antar, G. M., Almeida, R. B. P., Accardo-Filho, M. A. P., & Barbosa-Silva, R. G. B.-. (2022). Tracking Brazil ’ s Colonization Footprints : First record of the tea plant (*Camellia sinensis* (L .) Kuntze – Theaceae) naturalized in the Atlantic Forest Hotspot. *Journal of Plant Taxonomy and Geography*, 77(1), 177–183. <https://doi.org/10.36253/jopt-12854>
- Aprilia, M., Wisaniyasa, N. W., & Suter, I. K. (2020). Pengaruh Suhu dan Lama Pelayuan Terhadap Karakteristik Teh Herbal Daun Kenikir (*Cosmos caudatus* Kunth .). *Jurnal Itepa*, 9(2), 136–150.
- Aprillia, A. Y., Wulandari, W. T., & Sutardi, D. ratna. (2023). Karakterisasi Ekstrak Etanol Daun Teh (*Camellia sinensis* (L.) Kuntze) dan Uji Aktivitas Antioksidan dengan Metode DPPH (2,2-diphenyl-1-picrylhydrazil). *Prosiding Seminar Nasional Diseminasi Penelitian* (Vol. 3).
- Aritonang, N. S., Sherlyn, Chiuman, L., & Rudy. (2022). Uji Identifikasi Senyawa Steroid Fraksi Ekstrak Metanol Andaliman (*Zanthoxylum acthopodium* DC) Secara Kromatografi Lapis Tipis. *Journal Health and Science*, 6(1), 90–98.
- Armstrong, L., Carmo, M. A. V., Wu, Y., Esmerino, L. A., Azevedo, L., Zhang, L., & Granato, D. (2020). Optimizing the extraction of bioactive compounds from pu-erh tea (*Camellia sinensis* var . *assamica*) and evaluation of antioxidant , cytotoxic , antimicrobial , antihemolytic , and inhibition of α -amylase and α -glucosidase activities. *Food Research International*, 137(109430), 1–11. <https://doi.org/10.1016/j.foodres.2020.109430>
- Aryanti, R., Perdana, F., & Rizkio S., R. A. M. (2021). TELAAH METODE PENGUJIAN AKTIVITAS ANTIOKSIDAN PADA DAUN TEH HIJAU (*Camellia sinensis* (L .) Kuntze). *Jurnal Surya Medika*, 7(1), 15–24. <https://doi.org/http://dx.doi.org/10.33084/jsm.v7i1.2024>
- Ashaolu, T. J. (2021). Nanoemulsions for health , food , and cosmetics : a review. *Environmental Chemistry Letters*, 19, 3381–3395.

<https://doi.org/10.1007/s10311-021-01216-9>

- Aung, W. W., Panich, K., Watthanophas, S., Naridsirikul, S., Ponphaiboon, J., Krongrawa, W., Kulpicheswanich, P., Limmatvapirat, S., & Limmatvapirat, C. (2023). Preparation of Bioactive De-Chlorophyll Rhein-Rich Senna alata Extract. *Antibiotics*, *12*(181), 1–25.
- Baki, G. & Alexander, K. S. (2019). *Formulasi dan Teknologi Kosmetik*. 4 th ed. Jakarta: EGC.
- Beandrade, M. U. (2018). Formulasi dan Karakterisasi SNEDDS Ekstrak Jinten Hitam (*Nigella Sativa*) dengan Fase Minyak Ikan Hiu Cucut Botol (*Centrophorus Sp*) serta Uji Aktivitas Immunostimulan. *Journal of Pharmaceutical Science and Clinical Research*, *01*, 50–61. <https://doi.org/10.20961/jpscr.v3i1.15506>
- Bitwell, C., Indra, S. Sen, Luke, C., & Kakoma, M. K. (2023). A review of modern and conventional extraction techniques and their applications for extracting phytochemicals from plants. *Scientific African*, *19*(e01585), 1–19. <https://doi.org/10.1016/j.sciaf.2023.e01585>
- Butar-butur, M. E. T., Sianturi, S., & Fajar, F. G. (2022). Formulasi dan Evaluasi Blush On Compact Powder Menggunakan Ekstrak Daging Buah Naga Merah (*Hylocereus polyrhizus*) sebagai Coloring Agent. *Majalah Farmasetika*, *8*(1), 27–43. <https://doi.org/10.24198/mfarmasetika.v8i1.40591>
- Calienni, M. N., Martínez, L. M., Izquierdo, M. C., Alonso, S. del V., & Montanari, J. (2023). Rheological and Viscoelastic Analysis of Hybrid Formulations for Topical Application. *Pharmaceutics*, *15*(2392). <https://doi.org/https://doi.org/10.3390/pharmaceutics15102392>
- Celep, E., Charehsaz, M., Akyüz, S., Acar, T. E., & Yesilada, E. (2015). Effect of in vitro gastrointestinal digestion on the bioavailability of phenolic components and the antioxidant potentials of some Turkish fruit wines. *Food Research International*, *78*, 209–215. <https://doi.org/10.1016/j.foodres.2015.10.009>
- Chalia, K. F., Winahyu, D. A., & Al, K. R. (2024). FORMULATION AND SPF TEST OF DURIAN (*Durio zibethinus L.*) PEEL EXTRACT EMULSION WITH A COMBINATION OF VCO AND OLIVE OIL. *Jurnal Analis Farmasi*, *9*(1), 14–29.
- Chan, E. W. C., Lim, Y. Y., & Chew, Y. L. (2006). Antioxidant activity of *Camellia sinensis* leaves and tea from a lowland plantation in Malaysia. *Food Chemistry*, *102*(2007), 1214–1222. <https://doi.org/10.1016/j.foodchem.2006.07.009>
- Chan, E. W. C., & Wong, S. K. (2015). Herbs and Herbal Teas With Antioxidant Properties Comparable To or Superior Than Those Of *Camellia Sinensis*.

- International Journal of Pharmacogony*, 2(1), 33–37.
[https://doi.org/10.13040/IJPSR.0975-8232.IJP.2\(1\).33-37](https://doi.org/10.13040/IJPSR.0975-8232.IJP.2(1).33-37)
- Chaves, N., Santiago, A., & Alias, J. C. (2020). Quantification of the antioxidant activity of plant extracts: Analysis of sensitivity and hierarchization based on the method used. *Antioxidants*, 9(1). <https://doi.org/10.3390/antiox9010076>
- Choirunnisa, A. R., Fidrianny, I., & Ruslan, K. (2016). Comparison of Five Antioxidant Assays for Estimating Antioxidant Capacity from Three Solanum SP. Extracts. *Asian Journal of Pharmaceutical and Clinical Research*, 9(2), 123–128. <https://doi.org/10.22159/ajpcr.2016.v9s2.13155>
- Christodoulou, M. C., Palacios, J. C. O., Hesami, G., Jafarzadeh, S., Lorenzo, J. M., Domínguez, R., Moreno, A., & Hadidi, M. (2022). Spectrophotometric Methods for Measurement of Antioxidant Activity in Food and Pharmaceuticals. *Antioxidants*, 11(2212), 1–33. <https://doi.org/https://doi.org/10.3390/antiox11112213>
- Danaei, M., Dehghankhold, M., Ataei, S., Davarani, F. H., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(57), 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- DepKes RI. (1989). *Materia Medika Indonesia Jilid IV*. Kementerian Kesehatan Republik Indonesia.
- DepKes RI. (2017). *Farmakope Herbal Indonesia Edisi II*. Kementerian Kesehatan Republik Indonesia.
- Ekayanti, M., Ardiana, L., Najib, S. Z., Sauriasari, R., & Elya, B. (2017). Pharmacognostic and Phytochemical Standardization of White Tea Leaf (*Camellia sinensis* L . Kuntze) Ethanolic Extracts. *Pharmacognosy Journal*, 9(2), 221–226.
- Emelda. (2019). *Farmakognosi Untuk Mahasiswa Kompetensi Keahlian Farmasi*. Pustaka Baru Press.
- Endarini, L. H. (2016). *Farmakognosi dan Fitokimia*. Pusdik SDM Kesehatan.
- Fadhilah, D. N., Suharyanisa, Hutaeruk, D., & Nurbaya, S. (2023). Karakterisasi Simplisia dan Skrining Fitokimia Ekstrak Etanol Kayu Secang (*Caesalpinia Sappan* L). *Jurnal Ilmu Kesehatan dan Gizi (JIG)*, 1(1), 207–217.
- Fadhilah, Z. H., Perdana, F., Aldizal, R., & Rizkio, M. (2021). Review : Telaah Kandungan Senyawa Katekin dan Epigalokatekin Galat (EGCG) sebagai Antioksidan pada Berbagai Jenis Teh. *Pharmascience*, 08(01), 31–44.
- Fajar, R. I., Wrasati, L. P., & Suhendra, L. (2018). Kandungan senyawa flavonoid dan aktivitas antioksidan ekstrak teh hijau pada perlakuan suhu awal dan lama penyeduhan. *Jurnal Rekayasa dan Manajemen Agroindustri*, 6(3), 196–202.

- Farah, V., Nurhasanah, D., & Putra, N. (2023). Peredaman Radikal Bebas Ekstrak Etanol Daun Rosella (*Hibiscus sabdariffa* L) Dengan Metode Frap. *Journal of Pharmaceutical*, 1(1), 21–29.
- Fatimawali, Kepel, B. J., & Bodhi, W. (2020). Standarisasi Parameter Spesifik dan Non-Spesifik Ekstrak Rimpang Lengkuas Merah (*Alpinia Purpurata* K . Schum) sebagai Obat Antibakteri. *e Biomedik*, 8(1), 63–67.
- Fikayuniar, L., A. H. Kusumawati, M. P. Silpia, H. Monafita., & L. Tusyaadah. (2021). Formulasi dan Uji Efektivitas Antibakteri Sediaan Serum Antijerawat Ekstrak Etanol Daun Kemangi (*Ocimum x africanum* Lour.). *Jurnal Buana Farma*. 01: 14-20.
- Fikayuniar, L., Amallia, S., Azzahra, A. J., Anisa, M. A., Sagala, B. C., & Irawan, L. (2023). Skrinning Fitokimia Serta Uji Karakteristik Simplisia Dan Ekstrak Bunga Telang (*Clitoria Ternatea* L.) Dengan Berbagai Metode. *Jurnal Ilmiah Wahana Pendidikan*, 9(15), 308–320.
- Firmansyah, F., Khairiati, R., Muhtadi, W. K., & Chabib, L. (2022). Uji AKTIVITAS ANTIBAKTERI SERUM EKSTRAK ETANOL BUAH BELIMBING WULUH TERHADAP *Propionibacterium acnes* , *Staphylococcus aureus* , dan *Staphylococcus epidermis*. *Majalah Farmasi dan Farmakologi*, 26(2), 69–73. <https://doi.org/10.20956/mff.v26i2.18578>
- Fujioka, K., Salaheldin, T. A., Godugu, K., Meyers, H. V., & Mousa, S. A. (2022). Edible Green Solvent for Optimized Catechins Extraction from Green Tea Leaves: Anti-Hypercholesterolemia. *Journal of Pharmacy and Pharmacology Research*, 6(2), 1–17. <https://doi.org/10.26502/fjppr.053.Edible>
- Gulcin, İ. (2020). Antioxidants and antioxidant methods : an updated overview. *Archives of Toxicology*, 94, 651–715. <https://doi.org/10.1007/s00204-020-02689-3>
- Gulcin, I., & Alwasel, S. H. (2023). DPPH Radical Scavenging Assay . *Procrsses*, 11(2248), 1–20. <https://doi.org/http://dx.doi.org/10.3390/pr11082248>
- Hajrin, W., Subaidah, W. A., & Juliantoni, Y. (2024). Formulation And Charachterization of Nanoemulsion from *Brucea javanica* Seed Extract. *Indonesian Journal of Pharmaceutical Science and Technology*, 11(1), 117–125. <http://jurnal.unpad.ac.id/ijpst/>
- Haseley, P., & Oetjen, G. (2018). *Freeze-Drying* (Third Edit). Wiley-VCH Verlag GmbH & Co. o. KGaA, Boschstr.
- He, J., Xu, L., Yang, L., & Wang, X. (2018). Epigallocatechin Gallate Is the Most Effective Catechin Against Antioxidant Stress via Hydrogen Peroxide and Radical Scavenging Activity. *Medical Science Monitor*, 24, 8198–8206. <https://doi.org/10.12659/MSM.911175>

- Karimi, A., Krähmer, A., Herwig, N., Schulz, H., Hadian, J., & Meiners, T. (2020). Variation of Secondary Metabolite Profile of *Zataria multiflora* Boiss. Populations Linked to Geographic, Climatic, and Edaphic Factors. *Frontiers in Plant Science*, 11, 1–15. <https://doi.org/10.3389/fpls.2020.00969>
- Kaur, A., Kaur, M., Kaur, P., Kaur, H., Kaur, S., & Kaur, K. (2015). Estimation and Comparison of Total Phenolic and Total Antioxidants in Green Tea and Black Tea. *Global Journal of Bio-science and Biotechnology*, 4(1), 116–120.
- Kaur, R. dan Ajitha, M. 2019. Formulation of transdermal nanoemulsion gel drug delivery system of lovastatin and its in vivo characterization in glucocorticoid induced osteoporosis rat model. *Journal of Drug Delivery Science and Technology*. 52: 968-978. doi: <https://doi.org/10.1016/j.jddst.2019.06.008>
- Khaira, Z., Monica, E., & Yoesditira, C. D. (2022). FORMULASI DAN UJI MUTU FISIK SEDIAAN SERUM MIKROEMULSI EKSTRAK BIJI MELINJO (*Gnetum gnemon* L .). *SAINSBERTEK: Jurnal Ilmiah Sains dan Teknologi*, 3(1).
- Klau, M. H. C., & Hesturini, R. J. (2021). Pengaruh Pemberian Ekstrak Etanol Daun Dandang Gendis (*Clinacanthus nutans* (Burm F) Lindau) Terhadap Daya Analgetik Dan Gambaran Makroskopis Lambung Mencit. *Jurnal Farmasi & Sains Indonesia*, 4(1), 6–12. <https://doi.org/10.52216/jfsi.v4i1.59>
- Kusa, S. R., Naiu, A. S., & Yusuf, N. (2022). Karakteristik Kolagen Kuit Ikan Tuna Sirip Kuning (*Thunnus albacares*) Pada Waktu Hidro-Ekstraksi Berbeda Dan Potensinya Dalam Bentuk Sediaan Nanokolagen. *Media Teknologi Hasil Perikanan*, 10(2), 107–116. <https://doi.org/10.35800/mthp.10.2.2022.41716>
- Lasanudin, R. I., Bachri, M. S., Wahyuningsih, I., & Efiana, N. A. (2024). Nanoemulsion Formulation Combination of Virgin Coconut Oil (VCO) and Candlenut Oil (*Alleurites mollucanus*) for Hair Growth in Male White Rats (*Rattus novergicus*). *Pharmacon: Jurnal Farmasi Indonesia*, 21(1), 59–66. <https://doi.org/10.23917/pharmacon.v21i1.4348>
- Liandhajani, Fitria, N., & Ratu, A. P. (2022). KARAKTERISTIK DAN STABILITAS SEDIAAN SERUM EKSTRAK BUAH KERSEN (*Muntingia calabura* L .) DENGAN VARIASI KONSENTRASI. *Jurnal Farmamedika*, 7(1), 17–27.
- Liu, K. (2022). Different Types of Antioxidants and its Importance. *Oxidants and Antioxidants in Medical Science*, 11(1).
- Mardhiani, Y. D., A, D. P., & Fadilah, L. (2021). Astaxanthin Nanoemulsion Formulation and Evaluation. *Indonesian Journal of Pharmaceutics*, 3(3), 139–148.
- Martono, B., Falah, S., & Nurlaela, E. (2016). AKTIVITAS ANTIOKSIDAN TEH VARIETAS GMB 7 PADA BEBERAPA KETINGGIAN TEMPAT. *Jurnal*

Tanaman Industri dan Penyegar, 3(1), 53–60.

- Merivaara, A., Zini, J., Koivunotko, E., Valkonen, S., Korhonen, O., Fernandes, F. M., & Yliperttula, M. (2021). Preservation of biomaterials and cells by freeze-drying : Change of paradigm. *Journal of Controlled Release*, 336, 480–498. <https://doi.org/10.1016/j.jconrel.2021.06.042>
- Murillo, A. G., Hu, S., & Fernandez, M. L. (2019). Zeaxanthin: Metabolism, properties, and antioxidant protection of eyes, heart, liver, and skin. *Antioxidants*, 8(390), 1–18. <https://doi.org/10.3390/antiox8090390>
- Mursyid, A. M., Zulkarnain, M., & Khusnia. (2023). FORMULASI SERUM EKSTRAK DAUN KEMANGI (*Ocimum basilicum*. L) SEBAGAI ANTIOKSIDAN. *Makassar Pharmaceutical Science Journal*, 1(2), 43–56.
- Musial, C., Kuban-Jankowska, A., & Gorska-Ponikowska, M. (2020). Beneficial Properties of Green Tea Catechins. *International Journal of Molecular Sciences*, 21(1744), 1–11.
- Najib, A., Malik, A., Ahmad, A. R., Handayani, V., Syarif, R. A., & Waris, R. (2017). STANDARISASI EKSTRAK AIR DAUN JATI BELANDA DAN TEH HIJAU. *Jurnal Fitofarmaka Indonesia*, 4(2), 241–245.
- Nasir, N. H., Hagur, U. G., Putri, R. J., & Fauziah, R. (2023). Uji Aktivitas Antidiare Ekstrak Etanol Bunga Kecombrang (*Etlingera elatior* (Jack) R. M. Sm.) Terhadap Mencit Jantan dengan Metode Transit Intestinal. *Jurnal Mandala Pharmacon Indonesia*, 9(1), 171–178.
- Nugraha, N. S., Listyani, T. A., & Septiarini, A. D. (2022). The Antioxidant Test And Determination Of Phenolic Content In Packaged Green Tea Using The FRAP Method. *Science and Community Pharmacy Journal*, 1(2), 59–68.
- Nur, S., Rumpak, G., Mubarak, F., Megawati, Aisyah, A. N., Marwati, Sami, F. J., & Fatmawaty, A. (2020). IDENTIFIKASI DAN PENENTUAN KADAR KATEKIN DARI SEDUHAN DAN EKTRAK ETANOL PRODUK TEH HIJAU (*Camelia sinensis* L) KOMERSIAL SECARA SPEKTROFOTOMETRI UV-VISIBLE. *Majalah Farmasi dan Farmakologi*, 24(1), 1–4. <https://doi.org/10.20956/mff.v24i1.9261>
- Nurdianti, L., Aryani, R., & Indra. (2017). Formulasi dan Karakterisasi SNE (Self Nanoemulsion) Astaxanthin dari *Haematococcus pluvialis* sebagai Super Antioksidan Alami. *Jurnal Sains Farmasi & Klinis*, 4(2), 30–36. <https://doi.org/10.29208/jsfk.2017.4.1.168>
- Nurdianti, L., Setiawan, F., Maya, I., Rusdiana, T., Kusumawulan, C. K., Gozali, D., & Virgianti, D. P. (2024). Formulation and Evaluation of Radiance Serum Containing Astaxanthin–Zeaxanthin Nanoemulsions as an Anti-Wrinkle Agent: Stability, Ex Vivo, and In Vivo Assessments. *Cosmetics*, 11(182), 1–18.

- Nurdianti, L., Setiawan, F., Rusdiana, T., Gozali, D., & Cahyati, K. I. (2023). PHYSICAL AND CHEMICAL EVALUATIONS OF TOPICAL RADIANCE SERUM CONTAINING NANOEMULSION COMBINATION OF ASTAXANTHIN AND ZEAXANTHIN: DESIGNED AS ANTI-WRINKLE AND SKIN-BRIGHTENING SERUM. *International Jpurnal of Applied Pharmaceutics*, 15(5), 1–6.
- Nurlely, Rahmah, A., Ratnapuri, P. H., Srikartika, V. M., & Anwar, K. (2021). Uji Karakteristik Fisik Sediaan Gel Ekstrak Daun Kirinyuh (*Chromolaena odorata* L.) dengan Variasi Karbopol dan HPMC. *Jurnal Pharmascience*, 8(2), 79–89.
- Oetjen, G., & Haseley, P. (2004). *Freeze-Drying*. Wiley-VCH GmbH & Co. KGaA.
- Ojha, S., Sinha, S., Chadha, H., & Aggarwal, B. (2019). FORMULATION AND EVALUATION OF FACE SERUM CONTAINING BEE VENOM AND ALOE VERA GEL. *World Journal of Pharmaceutical Research*, 8(2), 1100–1105. <https://doi.org/10.20959/wjpr20192-14104>
- Osório, C., Machado, S., Peixoto, J., Bessada, S., Pimentel, F. B., Alves, R. C., & Oliveira, M. B. P. P. (2020). Pigments Content (Chlorophylls , Fucoxanthin and Phycobiliproteins) of Di fferent Commercial Dried Algae. *Separations*, 7(33), 1–14. <https://doi.org/https://doi.org/10.3390/separations7020033>
- Özyürek, M., Bektaşoğlu, B., Güçlü, K., Güngör, N., & Apak, R. (2008). Simultaneous total antioxidant capacity assay of lipophilic and hydrophilic antioxidants in the same acetone-water solution containing 2% methyl- β -cyclodextrin using the cupric reducing antioxidant capacity (CUPRAC) method. *Analytica Chimica Acta*, 630(1), 28–39. <https://doi.org/10.1016/j.aca.2008.09.057>
- Pareek, S., Sagar, N. A., Sharma, S., Kumar, V., Agarwal, T., González-Aguilar, G. A., & Yahia, E. M. (2018). Chlorophylls: Chemistry and Biological Functions. In *Fruit and Vegetable Phytochemicals: Chemistry and Human Health Second Edition* (Vol. 1). John Wiley & Sons Ltd.
- Pelalak, R., Khan, A., Zare, M. H., Sadeghi, M. H., & Marjani, A. (2021). Extraction of ingredients from tea leaves using oxidative enzymatic reaction and optimization of extraction conditions. In *Scientific Reports*. Nature Publishing Group UK. <https://doi.org/10.1038/s41598-021-83232-x>
- Pratiwi, D., Sidoretno, W. M., & Aisah, N. (2021). The Combination of Turmeric (*Curcuma domestica*) Rhizome Extract and Collagen in A Serum Formulation as an Antioxidant. *Borneo Journal of Pharmacy*, 4(1), 36–42.
- Prawira-atmaja, M. I., Ula, F., Maulana, H., Harianto, S., S., S., & Arief, D. Z. (2022). Effect of fixation methods and various clones of *Camellia sinensis* var . *sinensis* (L) properties and antioxidant activity of Indonesian green tea. *International Journal of Secondary Metabolite (IJSM)*, 9(3), 278–289. <https://doi.org/10.21448/ijsm.1014894>

- Priani, S. E., Putri, C. A., Darma, G. C. E., Mulkiya, K., & Syafnir, L. (2024). Formulasi Nanoemulsi Antioksidan Mengandung Ekstrak Etanol Teh Hijau dan Minyak Calendula. *Majalah Farmasetika*, 9(2), 193–204.
- Purwanti, L., Dasuki, U. A., & Imawan, A. R. (2019). PERBANDINGAN AKTIVITAS ANTIOKSIDAN DARI SEDUHAN 3 MERK TEH HITAM (*Camellia sinensis* (L .) Kuntze) DENGAN METODE SEDUHAN BERDASARKAN SNI 01-1902-1995. *Jurnal Ilmiah Farmasi Farmasyifa*, 2(1), 19–25.
- Putri, K. D., Yusasrini, N. L. A., & Nocianitri, K. A. (2021). Pengaruh Metode Pengolahan Terhadap Aktivitas Antioksidan Dan Karakteristik Teh Herbal Bubuk Daun Afrika (*Vernonia amygdalina* Delile). *Itepa: Jurnal Ilmu dan Teknologi Pangan*, 10(1), 77–96.
- Rahmawati, D., Samodra, G., & Fitriana, A. S. (2022). Skrining Fitokimia Senyawa Metabolit Sekunder Ekstrak Etanol Daun Teh Hijau (*Camellia sinensis* (L .) Kuntze). *Seminar Nasional Penelitian dan Pengabdian Kepada Masyarakat (SNPPKM)*, 385–389.
- Ramayani, S. L., Septiana, V., & Waris, M. A. A. (2023). PENGARUH UKURAN PARTIKEL SERBUK DAUN KITOLOD (*Isotoma longiflora* L .) TERHADAP KADAR TOTAL FENOLIK. *Jurnal FarmasiKoe*, 6(1), 28–32. <https://doi.org/10.31965/jfkoe.v6i1.1156>
- Rapisarda, P., Amenta, M., Ballistreri, G., Fabroni, S., & Timpanaro, N. (2022). Distribution, Antioksidant Capacity, Bioavailability and Biological Properties of Anthocyanin Pigment in Blood Oranges and Other Citrus Species. 1–27.
- Reşat Apak, Kubilay Güçlü, Birsen Demirata, Mustafa Özyürek, S. E. Ç., & Burcu Bektaşoğlu, K. I. B. and D. Ö. (2004). <*Journal of Agricultural and Food Chemistry Volume 52 issue 26 2004 [doi 10.1021%2Fjf048741x]* Apak, Reat; Güçlü, Kubilay; Özyürek, -- *Novel Total Antioxidant Capacity Index for Dietary Polyphenols and Vitamins .pdf*>. 7970–7981.
- Sadik, F., & Disi, M. Z. A. (2023). Standarisasi Parameter Spesifik Ekstrak Etanol Daun Jarak Pagar (*Jatropha Curcas* L) sebagai Vasorelaxan. *Journal Syifa Sciences and Clinical Research*, 5(1), 54–62. <https://doi.org/https://doi.org/10.37311/jsscr.v5i1.18187>
- Sari, E. Y., Mutia, C., Fitri, Z. S., Sakhi, R. A. T. N., Maharini, I., & Elisma. (2025). Formulasi Sediaan Nanoemulgel dari Ekstrak Resin Jernang (*Daemonorops draco* (Wild .)) untuk Penyembuhan Luka Bakar pada Tikus Putih Jantan (*Rattus norvegicus*). *Jurnal Farmasimed (JFM)*, 7(2), 371–380.
- Sari, M., Ulfa, R. N., Marpaung, M. P., & Purnama. (2021). Penentuan Aktivitas Antioksidan dan Kandungan Flavonoid Total Ekstrak Daun Papasan (*Coccinia grandis* L.) Berdasarkan Perbedaan Pelarut Polar. *KOVALEN: Jurnal Riset Kimia*, 7(1), 30–41. <https://doi.org/10.22487/kovalen.2021.v7.i1.15437>

- Sawiji, R. T., Rumbory, S., Cahyaningrum, D. A. P. W., Dewi, N. P. F. S., Nauli, M. N., Putri, A. A. I. P. A., & Suryani, N. M. L. (2024). Pengaruh Variasi Konsentrasi Gelling agent (Xanthan gum dan Carbopol) pada Sediaan Serum dengan Bahan Aktif Retinoic acid. *Acta Holistica Pharmacia*, 6(1), 1–10. <https://doi.org/https://doi.org/10.62857/ahp.v6i1.157>
- Setiawan, F., Nurdianti, L., & Sri, N. (2021). FORMULATION AND EFFECTIVITY OF THE ANTIOXIDANT GEL PREPARATION CONTAINING ZEAXANTHIN AS ANTI AGING. *International Journal of Applied Pharmaceutics*, 13(4), 152–156.
- Setiawan, F., Rusdiana, T., Gozali, D., Nurdianti, L., Idacahyati, K., & Wulandari, W. T. (2022). FORMULATION AND CHARACTERIZATION OF ZEAXANTHIN NANOEMULSION RADIANCE SERUM AS ANTIOXIDANT. *International Journal of Applied Pharmaceutics*, 14(4), 116–120.
- Setiawan, P. A., Rahmawanty, D., & Sari, D. I. (2023). Formulasi dan Evaluasi Sifat Fisik Sediaan Serum Wajah Ekstrak Daun Singkong (Manihot esculenta) dengan Variasi Konsentrasi Xanthan Gum. *Jurnal Pharmascience*, 10(2), 394–404.
- Shejul, T. S., & Kudale, P. K. (2023). Facial Serum : Its Formulation , Usage , Special Ingredients , Various Types and Benefits. *International Journal of Pharmaceutical Research and Application*, 8(2), 680–692. <https://doi.org/10.35629/7781-0802680692>
- Sinko, P. J. (2011). Martin's Physical Pharmacy and Pharmaceutical Sciences: Physical chemical and biopharmaceutical principles in the pharmaceutical sciences Sixth Edition. In D. B. Troy (Ed.), *Lippincott Williams & Wilkins*.
- Siqhny, Z. D., Azkia, M. N., dan Kunarto, B., 2020, Karakteristik Nanoemulsi Ekstrak Buah Parijoto (Medinilla speciosa Blume), *Jurnal Teknologi Pangan dan Hasil Pertanian*, 15(1), 1–10.
- Stephanie, 2015, Pengaruh Variasi Fase Minyak Virgin Coconut Oil dan MediumChain Triglycerides Oil Terhadap Stabilitas Fisik Nanoemulsi Minyak Biji Delima dengan Kombinasi Surfaktan Tween 80 dan Kosurfaktan PEG 400, Skripsi, Fakultas Farmasi, Universitas Sanata Dharma, Yogyakarta.
- Sukweenadhi, J., Yunita, O., Setiawan, F., Kartini, Siagian, M. T., Danduru, A. P., & Avanti, C. (2020). Antioxidant activity screening of seven Indonesian herbal extract. *Biodiversitas*, 21(5), 2062–2067. <https://doi.org/10.13057/biodiv/d210532>
- Tsai, Y.-J., & Chen, B.-H. (2016). Preparation of catechin extracts and nanoemulsions from green tea leaf waste and their inhibition effect on prostate cancer cell PC-3. *International Journal of Nanomedicine*, 11, 1907–1926.

- Tungadi, R., Thomas, N. A., & Gobel, W. G. Van. (2021). Formulasi , Karakterisasi , Dan Evaluasi Drops Liquid Self Nano- Emulsifying Drug Delivery System (SNEDDS) Astaxanthin. *Indonesian Journal of Pharmaceutical Education*, 1(3), 168–178. <https://doi.org/10.37311/ijpe.v1i3.11400>
- Tzima, K., Brunton, N. P., & Rai, D. K. (2020). Evaluation of the impact of chlorophyll removal techniques on polyphenols in rosemary and thyme by-products. *Journal of Food Biochemistry*, 44(13148), 1–22. <https://doi.org/10.1111/jfbc.13148>
- Wahyuni, S., & Marpaung, P. (2020). *Determination Of Total Alkaloid Levels Extracts Of Akar Kuning (Fibraurea chloroleuca Miers) Based On The Differences Of Ethanol Concentrations by Spectrofotometry UV-Vis Method. Jurnal Pendidikan Kimia dan Ilmu Kimia* (Vol. 3).
- Wahyuningsih, S., Yunita, I., Sundari, U. Y., Nurmalasari, E., Suryandani, H., Pagalla, D. B., Kalalinggi, S. Y., Alpian, Ramlah, & Nasrullah, M. (2024). *Ekstraksi Bahan Alam Edisi 2024*. CV. Gita Lentera Redaksi.
- Wang, C., Han, J., Yuting, P., & Wang, X. (2022). Tea (*Camellia sinensis*): A Review of Nutritional Composition , Potential Applications , and Omics Research. *Applied Sciences*, 12(5874), 1–20. <https://doi.org/https://doi.org/10.3390/app12125874>
- Wani, T. A., Masoodi, F. A., Jafari, S. M., & McClements, D. J. (2018). Safety of Nanoemulsions and Their Regulatory Status. In *Nanoemulsions* (hal. 613–628). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-811838-2.00019-9>
- Wardani, T. S. (2021). *Isolasi dan Analisis Tumbuhan Obat*. Pustaka Baru Press. <https://doi.org/10.53801/sjki.v4i1.222>
- Wibowo, N. K., Rudyanto, M., & Purwanto, D. A. (2022). Aktivitas Antioksidan Teh Hijau dan Teh Hitam. *Camellia*, 1(2), 48–55. <https://doi.org/https://doi.org/10.30651/cam.v1i2.16722>
- Widodo, S., Yusa, N. M., & Ina, P. T. (2021). Pengaruh Waktu Maserasi Terhadap Aktivitas Antioksidan Ekstrak Daun Mundu (*Garcinia dulcis* (Roxb .) Kurz). *Itepa: Jurnal Ilmiah dan Teknologi Pangan*, 10(1), 14–23.
- Winarsi, H. (2014). *Antioksidan Daun Kapulaga: Aplikasinya di Bidang Kesehatan*. Graha Ilmu.
- Yu, M. O., S., V. K., A., K. M., & V., P. S. (2021). ANTIOXIDANT ACTIVITY OF GREEN TEA LEAVES (*CAMELLIA SINENSIS* L .) LIQUID EXTRACTS. *Pharmacology Online*, 3, 291–298.
- Zhao, T., Li, C., Wang, S., & Song, X. (2022). Green Tea (*Camellia sinensis*): A Review of Its Phytochemistry, Pharmacology, and Toxicology. *Molecules*, 27(3909), 1–23. <https://doi.org/https://doi.org/10.3390/molecules27123909>

Zubaydah, W. O., Indalifiany, A., Yamin, Suryani, Munasari, D., Sahumena, M., & Jannah, S. (2023). Formulasi dan Karakterisasi Nanoemulsi Ekstrak Etanol Buah Wualae (*Etlingera Elatior* (Jack) R.M. Smith). *Lansau: Jurnal Ilmu Kefarmasian*, 1(1), 22–37. <https://doi.org/10.33772/lansau.v1i1.4>