

DAFTAR PUSTAKA

- Ahmed, M., Ji, M., Qin, P., Gu, Z., Liu, Y., Sikandar, A., Javeed, A. (2019). Phytochemical Screening, Total Phenolic And Flavonoids Contents And Antioxidant Activities Of Citrullus Colocynthis L. And Cannabis Sativa L. *Applied Ecology And Environmental Research*, 17(3): 6961-6979. doi:http://dx.doi.org/10.15666/aeer/1703_69616979
- Aini, N., Wijayatri, R., & Pribadi, P. (2022). NANOEMULSION CHARACTERISTICS OF ETHANOL EXTRACT FROM LEAVES OF VARIOUS PLANTS: A LITERATURE REVIEW. *Jurnal Farmasi Sains dan Praktis*, Vol.8, No.3, Page:215-226,. doi:<https://doi.org/10.31603/pharmacy.v8i3.4786>
- Ainsworth, E. A., & Gillespie, K. M. (2007). Estimation of total phenolic content and other oxidation substrates in plant tissues using Folin-Ciocalteu reagent. *Nat Protoc* , 2, 875–877 . doi:<https://doi.org/10.1038/nprot.2007.102>
- Akoetey, W., Caton, S., Lai, E., & Hosseinian, F. (2024). Decolorizing of seaweed extract by electrocoagulation. *Food Production, Processing and Nutrition*, 6:96. doi:<https://doi.org/10.1186/s43014-024-00270-4>
- Algahtani, M., Ahmad, M. Z., & Ahmad, J. (2022). Investigation of Factors Influencing Formation of Nanoemulsion by Spontaneous Emulsification: Impact on Droplet Size, Polydispersity Index, and Stability. *Bioengineering*, 9(8), 384;. doi:<https://doi.org/10.3390/bioengineering9080384>
- Alves, A., Teixeira, E., Oliveira, G., Pereira, L., Oliveira, C., & Costa, L. (2017). Physicochemical characterization and antioxidant activity of decolorized Moringa oleifera Lam leaf flour. *Nutrire*, 42:31. doi:[10.1186/s41110-017-0058-6](https://doi.org/10.1186/s41110-017-0058-6)
- Amalia, R., Julianto, M., & Agustina, A. (2024). Optimization of Spray Drying Process Parameter Condition for Theaflavin Extract from Black Tea

- (*Camellia sinensis*) Using Response Surface Methodology (RSM). *Indonesian Food Science and Technology Journal*, Vol 8 No 1, 138-148.
- Ananda, T., Febriani, Y., & Sudewi. (2023). Body lotion formulation from bit (*Beta vulgaris* L.) ethanol extract as skin moisturizer and antioxidant. *Journal of Pharmaceutical and Sciences*, Volume 6 No.3 pp.980-988 .
- Antar, G., Almeida, R. P., Accardo-Filho, M., & Silva, R. (2022). Tracking Brazil's Colonization Footprints: First record of the tea plant (*Camellia sinensis* (L.) Kuntze – Theaceae) naturalized in the Atlantic Forest Hotspot. *Journal of Plant Taxonomy and Geography*, 77(1): 177-183.
- Araujo, H. S., Jesus, M. S., Leite Neta, M. T., Gualberto, N. C., Matos, C. M., Rajan, M., Nairan, N. (2020). Effect of maltodextrin and gum arabic on antioxidant activity and phytochemical profiles of spray-dried powders of sapota (*Manilkara zapota*) fruit juice. *Drying Technology*, Vol 39 Issue 3 Pages 392-404. doi:<https://doi.org/10.1080/07373937.2020.1839487>
- Aryanti, R., Perdana, F., & Rizkio, R. A. (2021). TELAAR METODE PENGUJIAN AKTIVITAS ANTIOKSIDAN PADA DAUN TEH HIJAU (*Camellia sinensis* (L.) Kuntze). *Jurnal Surya Medika*, Vol 7 No 1 Page 15–24. doi:<https://doi.org/10.33084/jsm.vxix.xxx>.
- Ashaolu, T. (2021). Nanoemulsions for health, food, and cosmetics: a review. *Environmental Chemistry Letters*, Volume 19, pages 3381–3395. doi:<https://doi.org/10.1007/s10311-021-01216-9>
- Aung, W. W., Panich, K., Wathanophas, S., Naridsirikul, S., Ponphaiboon, J., Kongrowa, W., . . . Limmatvapirat, C. (2023). Preparation of Bioactive De-Chlorophyll Rhein-Rich Senna alata Extract. *Antibiotics*, 12(181), 1–25.
- Balderrama, C., Porras, C., Figueroa, Y., Solís, V., Salas, C., & Leos, M. (2020). Encapsulation of Active Ingredients in Food Industry by Spray-Drying and Nano Spray-Drying Technologies. *Processes*, 8, 889. doi:10.3390/pr8080889
- Cantika, F., & Priani, S. (2023). Uji Aktivitas Antioksidan Dan Inhibitor Tirosinase Ekstrak Etanol Daun Teh Hijau. *Jurnal Riset Farmasi*, Volume 3, No. 2, 113-120. doi:<https://doi.org/10.29313/jrf.v3i2.3262>

- Chan, E. W., Lim, Y., & Chew, Y. (2007). Antioxidant activity of *Camellia sinensis* leaves and tea from a lowland plantation in Malaysia. *Food Chemistry*, 102, 1214–1222. doi:10.1016/j.foodchem.2006.07.009
- Chaurasiya, C., Gupta, J., & Kumar, S. (2021). Herbal Nanoemulsion in Topical Drug Delivery and Skin Disorders: Green Approach. *Journal of Reports in Pharmaceutical Sciences*, Volume 10 Issue 2. doi:10.4103/jrptps.JRPTPS_64_20
- Danaei, M., Dehghankhold, M., Ataei, S., Davarani, F., Javanmard, R., Dokhani, A., Mozafari, M. R. (2018). Impact of Particle Size and Polydispersity Index on the Clinical Applications of Lipidic Nanocarrier Systems. *Pharmaceutics*, 10, 57. doi:10.3390/pharmaceutics10020057
- Das, A., Islam, M., Faruk, M., Ashaduzzaman, M., & Dungani, R. (2020). Review on tannins: Extraction processes, applications and possibilities. *South African Journal of Botany*, Volume 135, Pages 58-70. doi:10.1016/j.sajb.2020.08.008
- Dewi, M. C., Kusumaningtyas, N. M., & Kurniawan. (2021). STUDI PENGARUH VARIASI KONSENTRASI PELARUT MASERASI TERHADAP KADAR SENYAWA FLAVONOID TEH (*CAMELLIA SINENSIS* L.) HIJAU (*Camelia Sinensis*). *Pharmasipha*, Vol. 5, No. 1.
- Evitasari, D., & Susanti, E. (2021). Kadar Polifenol Total Teh Hijau (*Camellia sinensis*) Hasil Maserasi dengan Perbandingan Pelarut Etanol – Air. *PHARMADEMICA*, Vol. 1 No. 1 Hlm. 16-23. doi:10.54445/pharmademica.v1i1.5
- Fadilah, Y. N., Nurdianti, L., Sutiawan, A., Ardiansyah, D., Puspita, P. R., Mustafidah, S., & Setiawan, F. (2026). Formulation and Characterization of Buccal Film Containing Nanoemulsion of Kirinyuh Leaf Extract (*Chromolaena odorata*.L) as an Antidiabetic. *Jurnal Ilmiah Farmako Bahari*, Vol. 17 ; No. 1 26-36.
- Farnsworth, N. R. (1996). Biological and phytochemical screening of plants. *J.pharm.Sci*, 5, 225–276.

- Fatimawati, Kepel, B. J., & Bodhi, W. (2020). Standarisasi Parameter Spesifik dan Non-Spesifik Ekstrak Rimpang Lengkuas Merah (*Alpinia Purpurata* K. Schum) sebagai Obat Antibakteri. *eBiomedik*, 8(1):63-67. doi:<https://doi.org/10.35790/ebm.8.1.2020.28131>
- Fatmawati, I., Haeruddin, & Mulyana, W. (2023). Uji Aktivitas Antioksidan dan Ekstrak Etil Asetat Daun Belimbing Wuluh (*Aveerrhoabilimbi* L.) dengan Metode DPPH. *JURNAL KIMIA DAN PENDIDIKAN KIMIA*, Volume 12, Nomor 1.
- Febriani, S., Astuti, Ediputra, K., & Zulfah. (20223). Jurnal Pengabdian Masyarakat dan Riset Pendidikan. *Anova dan Tukey HSD Analisis Kesalahan Siswa dalam Menjawab Soal Cerita Matematika Berdasarkan Kriteria Watson*, Volume 2 No 1, pp 183-188. doi:<https://doi.org/10.31004/jerkin.v2i1.139>
- Felipe, J. O.-T. (2020). Recent advances and comparisons of conventional and alternative extraction techniques of phenolic compounds. *J Food Sci Technol*, 57(12):4299–4315. doi:<https://doi.org/10.1007/s13197-020-04433-2>
- Habibi, N. A., Palupi, N. S., & Boi, A. S. (2020). Stability of herbal honey with emulsifier and antioxidant using spontaneous emulsification method. *Jurnal Litbang Industri*, Vol. 10 No. 2, 111 – 120. doi:DOI: 10.24960/jli.v10i2.6114.111-120
- Hadiyantini, F., Sukmawati, D., & Gantini, T. (2022). Partisipasi Masyarakat dalam Program Gerakan Tanam dan Pelihara 50 Juta Pohon terhadap Tingkat Penjualan Bibit Tanaman Hutan di Provinsi Jawa Barat. *Jurnal Ilmiah Pertanian*, Vol. 10 No. 2. doi:<http://dx.doi.org/10.35138/paspalum.v10i2.449>
- Handayani, F. s., Nugroho, B. H., & Munawiroh, S. Z. (2018). Optimization of low energy nanoemulsion of Grape seed oil formulation using D-Optimal Mixture Design (DMD). *Jurnal Ilmiah Farmasi*, 14(1) 17-34.
- Handoyo, D. L. (2020). Pengaruh Lama Waktu Maserasi (Perendaman) Terhadap Kekentalan Ekstrak Daun Sirih (*Piper Betle*). *Jurnal Farmasi Tinctura*, Vol 2, No 1, 34-41.
- Hasan, M., Haque, M. M., Hoque, M., Sultana, S., Rahman, M. M., Shaikh, M., & Sarker, K. (2024). Antioxidant activity study and GC-MS profiling of

- Camellia sinensis Linn. *Heliyon*, 10. e23514.
doi:<https://doi.org/10.1016/j.heliyon.2023.e23514>
- Hauzin, N., Hadzir, N., Hamid, H. A., Hasham, R., & Ibrahim, W. W. (2024). FABRICATION AND CHARACTERIZATION OF WATER-IN-PALM OIL NANOEMULSION AS A CARRIER FOR CATECHIN . *Malaysian Journal of Analytical Sciences*, Vol 28 No 2 : 247 - 256.
- Hendradi, E., Hariyadi, D., Purwanti, T., Rijal, M. S., Miatmoko, A., & Retnowati, D. (2023). *Teknologi Penghantaran Obat*. Surabaya: Airlangga University Press.
- Heroweti, J., Mindiono, I., Mahmud, N., Pradasari, F., Fresiva, U., & Prihantini, M. (2025). Formulation of Nanoemulsion Gel Pogostemon cablin Benth. and Anti-acne Activity. *Indonesian Journal of Pharmaceutical Science and Technology*, Vol. 12 No. 3, 338-348. doi:<https://doi.org/10.24198/60143>
- Hestari, W., Mariska, R., & As'adi, M. (2024). PENGARUH ALGINAT DAN **CaCl₂** TERHADAP FORMULASI NANOPARTIKEL EKSTRAK ETANOL DAUN TEH (Camellia sinensis (L.) Kuntze) KERINCI SEBAGAI ANTIOKSIDAN ALAMI. *JURNAL PENGEMBANGAN ILMU PENGETAHUAN*, Volume 05, No. 4.
- ICH. (2025). *ICH (International Council for Harmonisation of Technical Requirements for Pharmaceuticals) Q1 guideline on stability testing of drug substances and*. Geneva: ICH.
- Jusnita, N., & Syurya, w. (2019). Karakterisasi Nanoemulsi Ekstrak Daun Kelor (Moringa oleifera Lamk.). *Jurnal Sains Farmasi & Klinis*, Vol. 6 No. 1 pp. 16–24 .
- Kasapoğlu, K., Özgüven, M., Kruger, J., Frank, J., Bayramoğlu, P., Demirkoz, A., & Özçelik, B. (2024). Effect of Spray Drying on Physicochemical Stability and Antioxidant Capacity of Rosa pimpinellifolia Fruit Extract-Loaded Liposomes Conjugated with Chitosan or Whey Protein During In Vitro Digestion. *Food and Bioprocess Technology*, Volume 17, pages 3162–3176,. doi:<https://doi.org/10.1007/s11947-024-03317-z>
- Kemenkes RI. (2017). *Farmakope Herbal edisi II*. Jakarta: Kementrian Kesehatan Republik Indonesia.

- Keshavarz, M., Najaf, G., Gavlighi, H., Seyfi, P., & Ghomi, H. (2020). Enhancement of polyphenolic content extraction rate with maximal antioxidant activity from green tea leaves by cold plasma. *Journal of Food Science*, Vol. 0, Iss. 0.
- Khalid, A., Arshad, M., Imran, A., Khalid, S., & Shah, M. (2023). Development, stabilization, and characterization of nanoemulsion of vitamin D3-enriched canola oil. *Front. Nutr*, 10:1205200. doi:doi: 10.3389/fnut.2023.1205200
- Khatoon, U., & Velidandi, A. (2025). An Overview on the Role of Government Initiatives in Nanotechnology Innovation for Sustainable Economic Development and Research Progress. *Sustainability*, 17, 1250. doi:https://doi.org/10.3390/su17031250
- Kim, S. B., Bisson, J., Friesen, J., Pauli, G., & Simmler, C. (2020). Selective Chlorophyll Removal Method to “Degreen” Botanical Extracts. *Journal of Natural Products*, Vol 83 Issue 6 1846–1858. doi:https://doi.org/10.1021/acs.jnatprod.0c00005
- Kozłowska, M., Zbikowska, A., Szpicer, A., & Połtorak, A. (2019). Oxidative stability of lipid fractions of sponge-fat cakes after green tea extracts application. *J Food Sci Technol*, 56(5):2628–2638. doi:https://doi.org/10.1007/s13197-019-03750-5
- Lestari, A. B., Fudhoh, A., Nugroho, A. K., & Setyowato, E. P. (2015). Pengaruh Purifikasi N-Heksane Pada Serbuk Simplisia Terhadap Kadar Asiatikosida, Penangkapan Radikal Bebas dan Kadar Fenol Total Ekstrak Etanolik Herba Pegagan (*Centella asiatica* (L.)). *Jurnal ilmu Kefarmasian*, Volume 13 No. 1 Hal 10-16.
- Liu, K., Chen, Q., Luo, H., Li, R., Chen, L., Jiang, B., . . . Zhao, M. (2023). An In Vitro Catalysis of Tea Polyphenols by Polyphenol Oxidase. *Molecules*, 28, 1722. doi:https://doi.org/10.3390/molecules28041722
- Luo, Q., Zhang, J.-R., Li, H.-B., Wu, D.-T., Geng, F., Corke, H., . . . Gan, R.-Y. (2020). Green Extraction of Antioxidant Polyphenols from Green Tea (*Camellia sinensis*). *Antioxidants*, 9, 785. doi:10.3390/antiox9090785
- Magrode, N., Poomanee, W., Kiattisin, K., & Ampasavate, C. (2024). Microemulsions and Nanoemulsions for Topical Delivery of Tripeptide-3:

- From Design of Experiment to Anti-Sebum Efficacy on Facial Skin. *Pharmaceutics*, 16, 554. doi:<https://doi.org/10.3390/pharmaceutics16040554>
- Maha, A. M., Rahma, H., & Mulyanti, D. (2025). Formulasi SNEDDS (Self-Nanoemulsifying Drug Delivery System) yang Mengandung Minyak Jagung (*Oleum maydis*). *Bandung Conference Series: Pharmacy*, Vol. 5No. 2, Hal: 467-474. doi:<https://doi.org/10.29313/bcsp.v5i2.19686>
- Maslahah, N. (2024). STANDAR SIMPLISIA TANAMAN OBAT SEBAGAI BAHAN SEDIAAN HERBAL. *Balai Pengujian Standar Instrumen Tanaman Rempah, Obat dan Aromatik*, Vol. 2 No.2.
- Maslov, O. Y., Komisarenko, M. A., Kolisnyk, S. V., Golik, M. Y., Tsapko, Y. O., & Akhmedov, E. Y. (2022). Determination of the extraction frequency of green tea leaves by the antioxidant method. *Journal of Organic and Pharmaceutical Chemistry*, 20 (1).
- McClements, D., Bai, L., & Chung, C. (2017). Recent Advances in the Utilization of Natural Emulsifiers to Form and Stabilize Emulsions. *Annu. Rev. Food Sci. Technol*, 8:205–36. doi: [doi: 10.1146/annurev-food-030216-030154](https://doi.org/10.1146/annurev-food-030216-030154)
- Mikołajewicz, A., Nawrot, U., Malec, K., Krajewska, K., Nartowski, K., & Karolewicz, d. (2024). The Effect of High-Pressure Homogenization Conditions on the Physicochemical Properties and Stability of Designed Fluconazole-Loaded Ocular Nanoemulsions. *Pharmaceutics*, 16, 11. doi:<https://doi.org/10.3390/pharmaceutics16010011>
- Molyneux, P. (2004). The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin J. sci. technol*, 26(2):211-219.
- Muliasari, H., Hanifa, N., Hajrin, W., Andanalusi, M., & Hidayati, A. R. (2023). Determination of Antioxidants by DPPH Scavenging Activity of Ashitab Herb (*Angelica keiskei*) Methanol Extract. *Jurnal Biologi Tropis*, 23 (4): 482 – 490. doi:DOI: <http://dx.doi.org/10.29303/jbt.v23i4.5686>
- Mutavski, Z., Vidović, S., Lazarević, Z., Ambrus, R., Motzwickler-Németh, A., Aladić, K., & Nastić, N. (2025). Stabilization and Preservation of Bioactive Compounds in Black Elderberry By-Product Extracts Using

- Maltodextrin and Gum Arabic via Spray Drying. *Foods*, 14, 723.
doi:<https://doi.org/10.3390/foods14050723>
- Ngabalin, D., Putnarubun, C., Metungun, J., & Ngabalin, D. R. (2025). PIGMEN KLOOROFIL PADA MIKROALGA *Coccolithophore* sp. HASIL KULTIVASI PADA SKALA LABORATORIUM. *Jambura Fish Processing Journal*, Vol. 7 No. 2.
doi:<https://doi.org/10.37905/jfpj.v7i2.33201>
- Norhelmi, S., Kassim, A., & Razali, N. (2022). Effect of Carrier Types and Spray Drying Temperature On the Physicochemical Properties of Turmeric Tea. *Progress in Engineering Application and Technology* , Vol. 3 No. 2 p. 96-106.
- Nurani, S., & Pujiastuti, A. (2023). Evaluasi Mutu Fisik, Stabilitas Mekanik dan Aktivitas Antioksidan Hand and Body Lotion Ekstrak Labu Kuning (*Cucurbita moschata* D.). *Indonesian Journal of Pharmacy and Natural Product*, Volume 06, Nomor 01.
- Nurdianti, L., Setiawan, F., Maya, I., Rusdiana, T., Kusumawulan, C. K., Gozali, D., & Virgianti, D. P. (2024). Formulation and Evaluation of Radiance Serum Containing Astaxanthin–Zeaxanthin Nanoemulsions as an Anti-Wrinkle Agent: Stability, Ex Vivo, and In Vivo Assessments. *Cosmetics*, 11(182), 1–18.
- Nurdianti, L., Yuliana, A., Firmansya, A., & Setiawan, F. (2022). Formulation And Characterization Of Buccal Film Nanoemulsion Apigenin As Antidiabetic. *Indonesian Journal of Pharmaceutical Science and Technology*, 1(1), 22-32.
- Nurkhasanah, Bachri, M. s., & Yuliani, S. (2023). *Antioksidan dan Stress Oksidatif*. Yogyakarta: UAD Press.
- Passos, R. F., Barreto, B., Leite, J. F., Trevisan, A., Souza, C., Silva, M., & Cavaleiro, C. (2022). Green tea extract as natural preservative in chicken patties: Effects on physicochemical, microbiological, and sensory properties. *J Food Process Preserv*, 46:e16224.
doi:<https://doi.org/10.1111/jfpp.16224>

- Perdana, F., Martiani, I., Rustammsyah, A., Aryanti, R., & Khairunnisa, A. (2024). Effect Of Different Extraction Methods On White Tea Leaf Polyphenol Content. *Jurnal Teknologi Pangan dan Ilmu Pertanian*, Vol. 06 No.02, 48-55.
- Prakoso, H., Dimawarnita, F., Syarif, A., Faramitha, Y., & Widiastuti, H. (2022). DEKOLORISASI PEWARNA TEKSTIL MENGGUNAKAN TEKNIK BATCH DAN ROTARY BIOLOGICAL CONTACTOR DENGAN TIGA JENIS AGEN HAYATI. *Jurnal Teknologi Industri Pertanian*, 32 (3): 295-304. doi:<https://doi.org/10.24961/j.tek.ind.pert.2022.32.3.295>
- Prawira, A. M., Ula, F., Maulana, H., Harianto, S., Shabri, S., & Arief, D. Z. (2022). Effect of Fixation Methods and Various Clones of *Camellia sinensis* var. *sinensi* (L) Properties and Antioxidant activity of indonesian green tea. *International Journal of Secondary Metabolite*, 9(3), 278–289. doi:<https://doi.org/10.21448/ijsm.1014894>
- Priani, S., Syafnir, L., Mulkiya, K., Fitrianiingsih, S., & Radina, F. (2024). Pengembangan Sediaan Emulgel Ekstrak Etanol Teh Putih dan Minyak Biji Delima dengan Aktivitas Antioksidan dan Fotoprotektif. *Jurnal Mandala Pharmacon Indonesia*, vol 10 No 1 43-53. doi:<https://doi.org/10.35311/jmpi.v10i1.458>
- Puspita, W., Sari, D., & Rahman, I. (2020). Uji Aktivitas Antioksidan Ekstrak Etanol Daun Buas-Buas (*Premna serratifolia* L.) Asal Kabupaten Melawi Provinsi Kalimantan Barat Dengan Metode DPPH. *Jurnal Insan Farmasi Indonesia*, 3(2) (405-412).
- Puspitasari, L., Hifna, R. M., & Manalu, R. T. (2025). Total Fenolik dan Aktivitas Antioksidan Ekstrak dan Fraksi Daun Mimba (*Azadirachta indica* A.Juss). *Journal of Research in Pharmacy*, Vol 5, 2. doi:<https://doi.org/10.14710/genres.v5i2.25937>
- Rachman, E. S., Soeratri, W., & Erawati, T. (2023). Characteristics and Physical Stability of Nanoemulsion as a Vehicle for Anti-Aging Cosmetics: A Systematic Review. *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, Vol. 10 No. 1 62-85. doi:<http://doi.org/10.20473/jfiki.v10i12023.62-85>

- Rachmawati, H., Novel, M., Ayu, S., Berlian, G., Tandrasasmita, O., Tjandrawinata, R., & Anggadiredja, K. (2017). The In Vitro–In Vivo Safety Confirmation of PEG-40 Hydrogenated Castor Oil as a Surfactant for Oral Nanoemulsion Formulation. *Scientia Pharmaceutica*, 85, 18. doi:10.3390/scipharm85020018
- Fadilah, Y. N., Nurdianti, L., Sutiawan, A., Ardiansyah, D., Puspita, P. R., Mustafidah, S., & Setiawan, F. (2026). Formulation and Characterization of Buccal Film Containing Nanoemulsion of Kirinyuh Leaf Extract (*Chromolaena odorata*.L) as an Antidiabetic. *Jurnal Ilmiah Farmako Bahari*, Vol. 17 ; No. 1 26-36.
- Hadiyantini, F., Sukmawati, D., & Gantini, T. (2022). Partisipasi Masyarakat dalam Program Gerakan Tanam dan Pelihara 50 Juta Pohon terhadap Tingkat Penjualan Bibit Tanaman Hutan di Provinsi Jawa Barat. *Jurnal Ilmiah Pertanian*, Vol. 10 No. 2. doi:http://dx.doi.org/10.35138/paspalum.v10i2.449
- Rahmasia, Sartini, & Marzuki, A. (2019). Pengaruh Bahan Tambahan Maktodextrin Dan Gom Arab Terhadap Kadar Total Polifenol dari Ekstrak Daun Teh (*Camellia Sinensis*) Setelah Penyimpanan. *Majalah Farmasi dan Farmakologi*, 23(1):21-24.
- Rahmawanty, D., Sariah, & Sari, D. (2021). PENGARUH PENGGUNAAN KOMBINASI SURFAKTAN NONIONIK TERHADAP STABILITAS FISIK SEDIAAN NANOEMULSI MINYAK IKAN HARUAN (*CHANNA STRIATA*). *Prosiding Seminar Nasional Lingkungan Lahan Basah*, Volume 6 Nomor 1.
- Ramadhani, R., Noval, & Darsono, P. (2024). Characterization of Self Nano Emulsifying Drug Delivery System (SNEDDS) Water Hyacinth Leaf Extract (*Eichhornia Crassipes*) with Variation of Virgin Coconut Oil (VCO) Concentrations. *Jurnal Surya Medika (JSM)*, Vol 10 No 3, Page 185 – 191.
- Rauf, A., Himaniarwati, & Saranani, S. (2023). Penetapan Kadar Polifenol Total Dan Tanin Total Dari Ekstrak Etanol Buah Senggani (*melastoma malabathricum* L.) Serta Uji Aktivitas Antioksidan Dengan Metode ABTS.

Jurnal Pharmacia Mandala Waluya, Vol.2 No.6.
doi:<https://doi.org/10.54883/jpmw.v2i6.60>

- Razoki, Butar-Butar, R. S., Neswita, E., Sembiring, N., Novriani, E., Simanjuntak, N. P., & Pakpahan, E. H. (2023). Phytochemical screening test and measurement of total flavonoid levels in paku (*Nephrolepis biserrata*) extract with n-hexane, ethyl acetate, and water fractions. *Journal of Pharmaceutical and Sciences*, Volume 6 No.3 pp.1142-1160. doi:<https://doi.org/10.36490/journal-jps.com.v6i3.185>
- Ristroph, K., Feng, J., McManus, S., Zhang, Y., Gong, K., Ramachandrani, H., . . . Prud'homme, R. (2019). Spray drying OZ439 nanoparticles to form stable, water-dispersible powders for oral malaria therapy. *Journal of Translational Medicine*, Volume 17, number 97. doi:<https://doi.org/10.1186/s12967-019-1849-8>
- Rismarika, Maharini, I., & Yusnelti. (2020). Pengaruh konsentrasi PEG 400 sebagai kosurfaktan pada formulasi nanoemulsi minyak kepayang. *Chempublish Journal*, Vol. 5 No. 1 1-14. doi:<https://doi.org/10.22437/chp.v5i1.7604>
- Rusak, G., S'ola, I., & Bok, V. (2021). Matcha and Sencha green tea extracts with regard to their phenolics pattern and antioxidant and antidiabetic activity during in vitro digestion. *Journal Food Sci Technol*, 58, 3568–3578. doi:<https://doi.org/10.1007/s13197-021-05086-5>
- Rusminingsih, E., Susanto, H., Afifah, D., Martien, R., & Anas, Y. (2023). Peningkatan Performa Self Nanoemulsifying Drug Delivery System Daun Kelor (*Moringa oleifera* Lam) Menggunakan Metode Emulsifikasi Ultrasonik. *Pharmaceutical Journal of Indonesia*, VOL 20 (02) 123-129. doi:<https://doi.org/10.30595/pharmacy.v0i0.17415>
- Safitri, A., Roosdiana, A., Prasetyawan, S., Srihardyastuti, A., Sutrisno, Putri, A. S., & Octavianty, T. D. (2021). *Teknologi Mikroenkapsulasi untuk Bahan Alam*. Malang: Media Sutra Atiga.
- Sandhori, F., Prasetyawan, H., Istiqamah, F., Sulistiyono, I., & Hasanah, R. (2025). SKRINING FITOKIMIA DAUN TEH HIJAU (*CAMELLIA SINENSIS* L.) DAN BIJI LADA HITAM (*PIPER NIGRUM* L.). *JURNAL MEDICARE*, VOLUME 4 NOMOR 3.

- Sarel, Z., & Simanjuntak, K. (2020). PENGARUH PEMBERIAN EKSTRAK TEH HIJAU (*Camellia sinensis* L.) TERHADAP PENURUNAN KADAR KOLESTEROL TOTAL TIKUS WISTAR (*Rattus norvegicus*) DIABETES INDUKSI ALOKSAN. *Jurnal Sehat Mandiri*, Volume 15 No 1.
- Sari, A., & Ayati, R. (2018). PENENTUAN AKTIVITAS ANTIOKSIDAN EKSTRAK ETANOL DAUN JERUK PURUT (*Citrus hystrix* D.C) DENGAN METODE DPPH(1,1-diphenyl-2-picrylhydrazyl). *Jurnal Current Pharmaceutical Sciences*, Vol. 1 No 2.
- Sari, E. Y., Mutia, C., Fitri, Z. S., Sakhi, R. T., Maharani, I., & Elisma. (2025). Formulation of Nanoemulgel Preparation from Jernang Resin Extract (*Daemonorops draco* (Wild.)) for Healing Burn Wounds in Male White Rats (*Rattus norvegicus*). *JURNAL FARMASIMED*, Volume 7, Nomor 2 371–380
- Senent, F. R., Bolaños, J. F., Borrego, A. G., Muñoz, A. L., & Gutiérrez, G. R. (2017). Influence of pH on the antioxidant phenols solubilised from hydrothermally treated olive oil by-product (alperujo). *Food Chemistry*, 219, 339–345. doi:<http://dx.doi.org/10.1016/j.foodchem.2016.09.141>
- Setiawan, F., Yunita, O., & Kurniawan, A. (2018). Uji Aktivitas Antioksidan Ekstrak Etanol Kayu Secang (*Caesalpinia sappan*) Menggunakan Metode DPPH, ABTS, dan FRAP. *Media Pharmaceutica Indonesiana*, Vol 2 No 2.
- Setyopratiwi, A., & Hanifah, H. T. (2022). Formulasi dan Stabilitas Mikroemulsi Minyak dalam Air dengan Virgin Coconut Oil (VCO) Sebagai Fase Minyak Menggunakan Metode Emulsifikasi. *Prosiding Seminar Nasional Kimia (SNK)*, Volume 1.
- Shaukat, H., Ali, A., Zhang, Y., Ahmad, A., Riaz, S., Khan, A., . . . Qin, H. (2023). Tea polyphenols: extraction techniques and its potency as a nutraceutical. *Front. Sustain. Food Syst*, 7:1175893. doi:[10.3389/fsufs.2023.1175893](https://doi.org/10.3389/fsufs.2023.1175893)
- Sikder, I., Khan, M., Smrity, S., Islam, M., & Khan, S. (2022). Phytochemical and pharmacological investigation of the ethanol extract of *Byttneria pilosa* Roxb. *Clinical Phytoscience*, 8:1. doi:<https://doi.org/10.1186/s40816-021-00333-w>

- Singleton, V. L., Orthofer, R., & Raventós, L. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin–Ciocalteu reagent. *Methods in Enzymology*, 299, 152–178. doi:[https://doi.org/10.1016/S0076-6879\(99\)99017-1](https://doi.org/10.1016/S0076-6879(99)99017-1)
- Srihari, E. M., & Lingganingrum, F. (2021). TEH HIJAU BUBUK DARI DAUN ASHITABA MENGGUNAKAN PROSES SPRAY DRYING. *Jurnal Teknik Kimia*, Vol 16, No.1.
- Sukhweenadhi, J., Yunita, O., Setiawan, F., Kartini, Siagian, M. T., Danduru, A. P., & Avanti, C. (2020). Antioxidant activity screening of seven Indonesian herbal extract. *Biodiversitas*, Vol. 21 No. (5) :2062-2067.
- Syamsul, T., Lala, & Syaharuddin. (2022). Kandungan Fitokimia, Polifenol Dan Flavonoid Madu Trigona (Tetragonula Biroi) Bone, Sulawesi-Selatan. *JOURNAL OF TRAINING AND COMMUNITY SERVICE ADAPTASI*, Volume 2 No. 2.
- Tahir, K., Syahrana, N., Putri, A., Annisa, K., Imani, F., Indah, I., . . . Lalo, A. (2025). Karakteristik Fitosom dari Ekstrak Etanol Daun Laruna (*Chromolaena odorata* L.) Menggunakan SEM (Scanning Electron Microscope) dan PSA (Particle Size Analyzer). *Jurnal Mandala Pharmacon Indonesia*, 11(2), 626–633. doi:<https://doi.org/10.35311/jmpi.v11i2>
- Tengse, D., Priya, B., & Kumar, P. R. (2016). Optimization for encapsulation of green tea (*Camellia sinensis* L.) extract by spray drying technology. *Food Measure*. doi:10.1007/s11694-016-9374-4
- Theafelicia, Z., & Wulan, S. (2023). PERBANDINGAN BERBAGAI METODE PENGUJIAN AKTIVITAS ANTIOKSIDAN (DPPH, ABTS DAN FRAP) PADA TEH HITAM (*Camellia sinensis*). *Jurnal Teknologi Pertanian*, Vol. 24 No. 1 35-44. doi:<https://doi.org/10.21776/ub.jtp.2023.024.01.4>
- Thorstensson, E., & Ydreborg, M. (2024). The impact of colour on purchase intention in the Cosmetics and Personal care industry: A gender-based analysis.
- Tzima, K., Brunton, N. P., & Rai, D. K. (2020). Evaluation of the impact of chlorophyll removal techniques on polyphenols in rosemary and thyme by-

- products. *Journal of Food Biochemistry*, 44(13148), 1–22.
doi:<https://doi.org/10.1111/jfbc.13148>
- Tzima, K., Brunton, N., & Rai, D. (2019). Evaluation of the impact of chlorophyll removal techniques on polyphenols in rosemary and thyme by-products. *Journal Food Biochem.* doi:<https://doi.org/10.1111/jfbc.13148>
- Utami, N. F., Syarif, R. M., Irawan, C. S., & Ramadhani, S. (2025). Analysis of Solvent Concentration Effect and Extraction Method on The Total Phenolic of *Syzygium myrtifolium* Walp. Leaf Extract. *Pharmacognosy Journal*, Vol 17, Issue 4 ; : 461-469. doi:10.5530/pj.2025.17.59
- Wahyuningsih, S. (2024). *Buku Ekstraksi Bahan Alam*. Padang: CV. Gita Lentera Redaksi.
- Wang, C., Han, J., Pu, Y., & Wang, X. (2022). Tea (*Camellia sinensis*): A Review of Nutritional Composition, Potential Applications, and Omics Research. *Appl. Sci*, 12. 5874. doi:<https://doi.org/10.3390/app12125874>
- Wang, X., Liu, H., He, H., Luo, X., Yang, H., Bhullar, K., . . . Zhou, W. (2025). Optimizing decolorization and deodorization to remove pigments and fishy odors while preserving antioxidant activity in Asian swamp eel (*Monopterus albus*) hydrolysate. *Food Chemistry*, Volume 28, 102545. doi:<https://doi.org/10.1016/j.fochx.2025.102545>
- Weng, V., Brazinha, C., Coelho, I., & Alves, V. (2021). Decolorization of a Corn Fiber Arabinoxylan Extract and Formulation of Biodegradable Films for Food Packaging. *membranes*, 11, 321. doi:<https://doi.org/10.3390/membranes11050321>
- Wibowo, N., Rudyanto, M., & Purwanto, D. (2022). Aktivitas Antioksidan Teh Hijau dan Teh Hitam. *Camellia*, Vol. 1 No. 2.
- Widyaningrum, I., Triyoga, E. F., Wibisono, N., Kusumawati, S., & Widiyana, A. P. (2023). Type of Cosurfactant Effects on Particle Size in Nanoemulsion Drug Delivery Systems. *East Asian Journal of Multidisciplinary Research*, Vol. 2, No. 9, : 3811-3820. doi:<https://doi.org/10.55927/eajmr.v2i9.6276>
- Xie, X., Li, Y., Zhao, D., Fang, C., He, D., Yang, Q., . . . Zhang, J. (2020). Oral administration of natural polyphenol-loaded natural polysaccharide-cloaked

lipidic nanocarriers to improve efficacy against small-cell lung cancer.
Journal Pre-proof. doi:<https://doi.org/10.1016/j.nano.2020.102261>

- Yunarto, N., Sulistyaningrum, N., Kurniatri, A., & Elya, B. (2021). Gambir (Uncaria gambir Roxb.) as A Potential Alternative Treatment for Hyperlipidemia. *Media Penelitian dan Pengembangan Kesehatan*, Vol. 31 No. 3, 183 – 192.
- Zokti, J., Baharin, B., Mohammed, A., & Abas, F. (2016). Green Tea Leaves Extract: Microencapsulation, Physicochemical and Storage Stability Study. *Molecules*, 21, 940. doi:[doi:10.3390/molecules21080940](https://doi.org/10.3390/molecules21080940)
- Zubaydah, W., Indalifiany, A., Suryani, Y., Munasari, D., Sahumena, M., & Jannah, S. N. (2023). Formulasi dan Karakterisasi Nanoemulsi Ekstrak Etanol Buah Wualae (Etlingera Elatior(Jack) R.M. Smith). *Jurnal Ilmu Kefarmasian*, Volume 1, Nomor1, Hal. 22-37. doi:[10.33772/lansau.v1i1.4](https://doi.org/10.33772/lansau.v1i1.4)

