

DAFTAR PUSTAKA

- Ahmadi, S., & Rohani, S. (2023). Overcoming the Hydrophobic Nature of Zinc Phenylacetate Through Co-Crystallization with Isonicotinamide. *Journal of Pharmaceutical Sciences*, 112(7), 1929–1938. <https://doi.org/10.1016/j.xphs.2023.02.026>
- Ali, A., Rahman, A., Rahman, K., Muhammad, N. M., Khan, A., Ko, J. B., Khan, S., Yang, B. S., Kim, H. C., Doh, Y. H., Kim, D. S., & Choi, K. H. (2010). Printed Patterns Adhesion dependency on Contact Angle of Ink on Substrate. *International Journal of Engineering & Technology*, 10, 72–75.
- Almarsson, Ö., & Zaworotko, M. J. (2004). Crystal engineering of the composition of pharmaceutical phases. Do pharmaceutical co-crystals represent a new path to improved medicines? In *Chemical Communications* (Vol. 35, Number 17, pp. 1889–1896). Royal Society of Chemistry. <https://doi.org/10.1039/b402150a>
- Amidon, G. L., Lennernas, H., Shah, V. P., & Crison, J. R. (1994). A Theoretical Basis for a Biopharmaceutic Drug Classification: The Correlation of in Vitro Drug Product Dissolution and in Vivo Bioavailability. *Pharmaceutical Research*, 12(3), 413–420.
- Anggraini, D., Salsabila, H., Umar, S., Aldi, Y., & Zaini, E. (2022). Preparation and Characterization of a Eutectic Mixture of Fenofibric Acid and Nicotinic Acid and Evaluatuion of In Vivo Antihyperlipidemic Activity. *Science and Technology Indonesia*, 7(4), 514–521. <https://doi.org/11.26554/sti.2222.7.4.514-521>
- Baby, P., & Shabaraya, A. R. (2021). Pharmaceutical Cocrystals: A Novel Approach for Solubility Modification. *Certified Journal | PriWorld Journal of Pharmaceutical Research SJIF Impact Factor*, 10(4), 1707–1724. <https://doi.org/10.20959/wjpr20214-20205>
- Barikah, K. Z. (2018). Traditional and novel methods for cocrystal formation: A mini review. *Systematic Reviews in Pharmacy*, 9(1), 79–82. <https://doi.org/10.5530/srp.2018.1.15>
- Bavishi, D. D., & Borkhataria, C. H. (2016). Spring and parachute: How cocrystals enhance solubility. *Progress in Crystal Growth and Characterization of Materials*, 62(3), 1–8. <https://doi.org/10.1016/j.pcrysgrow.2016.07.001>
- Beketov, G. V., & Shynkarenko, O. V. (2022). SURFACE WETTING AND CONTACT ANGLE: BASICS AND CHARACTERISATION. In *Himia, Fizika ta Tehnologia Poverhni* (Vol. 13, Number 1, pp. 3–35). Chuiko Institute of Surface Chemistry of National Academy of Sciences of Ukraine. <https://doi.org/10.15407/HFTP13.01.003>
- Biscaia, I. F. B., Oliveira, P. R., Gomes, S. N., & Bernardi, L. S. (2021). Obtaining cocrystals by reaction crystallization method: Pharmaceutical applications. In

- Pharmaceutics* (Vol. 13, Number 6). MDPI. <https://doi.org/10.3390/pharmaceutics13060898>
- Budiman, A., Husni, P., Shafira, & Alfauziah, T. Q. (2019). The development of glibenclamide-saccharin cocrystal tablet formulations to increase the dissolution rate of the drug. *International Journal of Applied Pharmaceutics*, 11(4), 359–364. <https://doi.org/10.22159/ijap.2019v11i4.33802>
- Budiman, A., Megantara, S., & Apriliani, A. (2019). Solid dosage form development of glibenclamide-aspartame cocrystal using the solvent evaporation method to increase the solubility of glibenclamide. *International Journal of Applied Pharmaceutics*, 11(3), 150–154. <https://doi.org/10.22159/ijap.2019v11i3.32121>
- Budiman, A., Nurlatifah, E., & Amin, S. (2016). Enhancement of Solubility and Dissolution Rate of Glibenclamide by Cocrystal Approach with Solvent Drop Grinding Method. In *Available online on International Journal of Current Pharmaceutical Review and Research* (Vol. 7, Number 5). www.ijcpr.com
- Chhajed, S. S., Rajderkar, Y. R., Tajanpure, A. B., Sangshetti, J. N., Mahapatra, D. K., & Kshirsagar, S. J. (2020). Solvent drop grinding approach assisted development of glimepiride co-crystals: Solubility enhancement journey of bcs class-ii product. *Indian Journal of Pharmaceutical Education and Research*, 54(3), 602–609. <https://doi.org/10.5530/ijper.54.3.109>
- Cullity, B. D., & Stock, S. R. (2014). *Elements of X-Ray Diffraction*. Pearson Education Limited.
- Dachriyanus. (2004). *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas.
- DrugBank. (2026, January 18). *Glyburide*. <https://go.drugbank.com/drugs/DB01016>.
- Dutt, B., Choudhary, M., & Budhwar, V. (2022). A Brief Discussion of Multi-Component Organic Solids: Key Emphasis on Co-Crystallization. *Turkish Journal of Pharmaceutical Sciences*, 19(2), 220–231. <https://doi.org/10.4274/tjps.galenos.2020.78700>
- Erxleben, A. (2020). *Cocrystal Applications in Drug Delivery* (MDPI, Ed.). MDPI Pharmaceutics. www.mdpi.com/journal/pharmaceutics
- Feng, Y., Meng, Y., Tan, F., Lv, L., Li, Z., Wang, Y., Yang, Y., Gong, W., & Yang, M. (2021). Effect of surfactants and polymers on the dissolution behavior of supersaturable tecovirimat-4-hydroxybenzoic acid cocrystals. *Pharmaceutics*, 13(11). <https://doi.org/10.3390/pharmaceutics13111772>
- Goyal, P., Rani, D., & Chadha, R. (2018). Crystal Engineering: A Remedy to Tailor the Biopharmaceutical Aspects of Glibenclamide. *Crystal Growth and Design*, 18(1), 105–118. <https://doi.org/10.1021/acs.cgd.7b00933>
- Guo, M., Sun, X., Chen, J., & Cai, T. (2021). Pharmaceutical cocrystals: A review of preparations, physicochemical properties and applications. *Acta*

- Pharmaceutica Sinica B*, 11(8), 2537–2564.
<https://doi.org/10.1016/j.apsb.2021.03.030>
- Höhne, G. W. H., Hemminger, W. F., & Flammersheim, H.-J. (2003). *Differential Scanning Calorimetry* (Enlarged). Springer Berlin Heidelberg.
<https://doi.org/10.1007/978-3-662-06710-9>
- Huang, L., Ni, W., Jia, Y., Zhu, M., Yang, T., Yu, M., & Zhang, J. (2025). Process Development for the Continuous Manufacturing of Carbamazepine-Nicotinamide Co-Crystals Utilizing Hot-Melt Extrusion Technology. *Pharmaceutics*, 17(5). <https://doi.org/10.3390/pharmaceutics17050568>
- Kailas Naik, B., Ramesh Parkar, S., & Bharmu Nangunurkar, S. (2024). A Review on RAW MATERIAL ANALYSIS. *International Journal of Novel Reaserch and Development*, 9(1), 1–9. www.ijnrd.org
- Kimoto, K., Yamamoto, M., Karashima, M., Hohokabe, M., Takeda, J., Yamamoto, K., & Ikeda, Y. (2020). Pharmaceutical cocrystal development of TAK-020 with enhanced oral absorption. *Crystals*, 10(3).
<https://doi.org/10.3390/cryst10030211>
- Krishnan, A. B., & Fazan, M. O. (2025). Co-Crystallization as a Strategy for Solubility Enhancement: Design, Development, and Pharmaceutical Applications. *Int. J. Sci. R. Tech*, 2(8), 1–14. www.ijstjournal.com
- Kumar, A., Singh, P., & Nanda, A. (2020). Hot stage microscopy and its applications in pharmaceutical characterization. *Applied Microscopy*, 50(1), 1–11. <https://doi.org/10.1186/s42649-020-00032-9>
- Kumar Bandaru, R., Rout, S. R., Kenguva, G., Gorain, B., Alhakamy, N. A., Kesharwani, P., & Dandela, R. (2021). Recent Advances in Pharmaceutical Cocrystals: From Bench to Market. *Frontiers in Pharmacology*, 12(1), 1–16.
<https://doi.org/10.3389/fphar.2021.780582>
- Kwok, Y. K. (2020). Wettability on Different Surfaces. In *21st Century Surface Science - a Handbook* (pp. 1–10). IntechOpen. www.intechopen.com
- Machado, T. C., Kuminek, G., Cardoso, S. G., & Rodríguez-Hornedo, N. (2020). The role of pH and dose/solubility ratio on cocrystal dissolution, drug supersaturation and precipitation. *European Journal of Pharmaceutical Sciences*, 152. <https://doi.org/10.1016/j.ejps.2020.105422>
- Malik, J., Sachdeva, H., Khatkar, A., & Nanda, A. (2025). DESIGN AND CHARACTERIZATION OF GLIBENCLAMIDE-CAFFEIC ACID COCRYSTALS VIA CRYSTAL ENGINEERING. *International Journal of Applied Pharmaceutics*, 17(1), 365–379.
<https://doi.org/10.22159/ijap.2025v17i1.51992>
- Mir, K. B., Khan, N. A., Shah, M. D., & Dar, A. A. (2024). *Formulation, Characterization and Pharmacokinetic Evaluation of Amorphous Solid Dispersions of Glibenclamide for Bioavailability Enhancement in Wistar Rats*.
<https://doi.org/10.1101/2024.01.31.578259>
- My Scope. (2025). *Anatomy of an X-ray diffractometer - Intro - XRD*. My Scope.

https://myscope.training/XRD_Anatomy_of_an_X_ray_diffractionometer___Intro

- Newman, A., & Zografi, G. (2023). Perspectives on the Wetting of Solids in Pharmaceutical Systems. *Pharmaceutical Research* 40:12, 40(12), 3099–3118. <https://doi.org/10.1007/s11095-023-03491-3>
- Nijhawan, M., Dhyagala, S., Sailaja, G., Aleti, R., & Saxena, T. (2024). Dipyridamole Cocrystal Tablets with Enhanced Solubility and Dissolution at Intestinal pH. *Fabad Journal of Pharmaceutical Sciences*, 49(1), 37–50. <https://doi.org/10.55262/fabadeczacilik.1318448>
- Nurrahmadewi, S., Setiawan, F., & Indra. (2024). Pembentukan dan Karakterisasi Kokristal Celecoxib Menggunakan Koformer Nikotinamid. *Disemnasi Farmasi UBTH 4.0*, 4, 238–243.
- Pallipurath, A. R., Skelton, J. M., Britton, A., Willneff, E. A., & Schroeder, S. L. M. (2021). Bulk and surface conformations in solid-state lovastatin: Spectroscopic and molecular dynamics studies. *Crystals*, 11(5). <https://doi.org/10.3390/cryst11050509>
- Parisi, E., Del Duca, G., Prandini, E., Fraterrigo Garofalo, S., Rosso, C., Chierotti, M. R., & Simone, E. (2025). A Combined Experimental and Modeling Workflow to Tune Surface Properties of Organic Materials via Cocrystallization. *Chemistry of Materials*, 37(15), 5593–5608. <https://doi.org/10.1021/acs.chemmater.5c00634>
- PubChem. (2026a, January 28). *Glibenclamide*. <https://pubchem.ncbi.nlm.nih.gov/compound/3488>.
- PubChem. (2026b, January 28). *Hippuric Acid*. <https://pubchem.ncbi.nlm.nih.gov/compound/464>.
- Reynaert, C., Śniezek, E., & Szczerba, J. (2020). Corrosion tests for refractory materials intended for the steel industry - A review. *Ceramics - Silikaty*, 64(3), 278–288. <https://doi.org/10.13168/cs.2020.0017>
- Roni, K. A., & Herawati, N. (2020). *Kimia Fisika I* (I). Rafah Press UIN Raden Fatah Palembang.
- Rusdiana, T., Darusman, F., Sopyan, I., & Putri, S. S. (2025). Cocrystallization approach: Dissolution rate enhancement of carbamazepine with various coformers and virtual screening tools. *Journal of Pharmacy & Pharmacognosy Research*, 13(6), 1963–1977. https://doi.org/10.56499/jppres25.2409_13.6.1963
- Sagala, R. J. (2019). Review: Metode Peningkatan Kecepatan Disolusi Dikombinasi Dengan Penambahan Surfactan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(1), 84–92. <https://doi.org/10.22487/j24428744.2019.v5.i1.12360>
- Sajadian, S. A., Esfandiari, N., & Padrela, L. (2024). CO₂ utilization as a gas antisolvent in the production of glibenclamide nanoparticles, glibenclamide-HPMC, and glibenclamide-PVP composites. *Journal of CO₂ Utilization*, 84.

- <https://doi.org/10.1016/j.jcou.2024.102832>
- Sathisaran, I., & Dalvi, S. V. (2018). Engineering cocrystals of poorlywater-soluble drugs to enhance dissolution in aqueous medium. *Pharmaceutics*, 10(3), 1–74. <https://doi.org/10.3390/pharmaceutics10030108>
- Schultheiss, N., & Newman, A. (2009). Pharmaceutical cocrystals and their physicochemical properties. *Crystal Growth and Design*, 9(6), 2950–2967. <https://doi.org/10.1021/cg900129f>
- Setiawan, A. K. R., Iswandi, I., & Marlina, D. (2022a). Karakterisasi Cocrystal Glibenklamida Dengan Variasi Pelarut dan Uji Stabilitas Termal. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 7(3), 268–280. <https://doi.org/10.20961/jpscr.v7i3.59893>
- Setiawan, A. K. R., Iswandi, I., & Marlina, D. (2022b). Karakterisasi Cocrystal Glibenklamida Dengan Variasi Pelarut dan Uji Stabilitas Termal. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 7(3), 268–280. <https://doi.org/10.20961/jpscr.v7i3.59893>
- Silva Filho, S. F., Pereira, A. C., Sarraguça, J. M. G., Sarraguça, M. C., Lopes, J., Façanha Filho, P. de F., dos Santos, A. O., & da Silva Ribeiro, P. R. (2018). Synthesis of a Glibenclamide Cocrystal: Full Spectroscopic and Thermal Characterization. *Journal of Pharmaceutical Sciences*, 107(6), 1597–1604. <https://doi.org/10.1016/j.xphs.2018.01.029>
- Solares-Briones, M., Coyote-Dotor, G., Páez-Franco, J. C., Zermeño-Ortega, M. R., Contreras, C. M. de la O., Canseco-González, D., Avila-Sorrosa, A., Morales-Morales, D., & Germán-Acacio, J. M. (2021). Mechanochemistry: A green approach in the preparation of pharmaceutical cocrystals. *Pharmaceutics*, 13(6). <https://doi.org/10.3390/pharmaceutics13060790>
- Suganya, S., Saravanan, K., Jaganathan, R., & Kumaradhas, P. (2021). Salt formation, hydrogen-bonding patterns and supramolecular architectures of acridine with salicylic and hippuric acid molecules. *Acta Crystallographica Section C: Structural Chemistry*, 77, 790–799. <https://doi.org/10.1107/S2053229621011189>
- Tagliati, S. (2010). *Development and characterization of a membrane-based nanocalorimeter for low temperatures*. Stockholm University.
- Wei, H., Dalton, C., Di Maso, M., Kanfer, I., & Löbenberg, R. (2008). Physicochemical characterization of five glyburide powders: A BCS based approach to predict oral absorption. *European Journal of Pharmaceutics and Biopharmaceutics*, 69(3), 1046–1056. <https://doi.org/10.1016/j.ejpb.2008.01.026>
- Xia, M. Y., Zhu, B. Q., Wang, J. R., Yang, Z. E., & Mei, X. F. (2022). Superior Dissolution Behavior and Bioavailability of Pharmaceutical Cocrystals and Recent Regulatory Issues. *ACS Medicinal Chemistry Letters*, 13(1), 29–37. <https://doi.org/10.1021/acsmchemlett.1c00478>
- Zhao, Y., Yang, H., Shang, Z., Gong, T., Zhang, X., & Wu, S. (2018). Supporting

Information Solubility determination and correlation of glibenclamide in eleven mono-solvents and (acetone + acetonitrile) binary solvents from 283.15 K to 323.15 K. *Journal of Chemical & Engineering Data*, 64(1), 1.

Zmeškalová, E., Stara, F., Havlůjová, T., & Šoóš, M. (2025). Surface analysis of cannabigerol cocrystals: Linking crystal structure to enhanced properties. *IUCrJ*, 12(2), 141–154. <https://doi.org/10.1107/S2052252525001009>