

DAFTAR PUSTAKA

- Alparslan, L., Torkay, G. sah, Özdemir, S., Bal-Öztürk, A., & Karayıldırım, Ç. K. (2025). Smart Thermoresponsive Sol – Gel Formulation of Polyhexanide for Rapid and Painless Burn and Wound Management. *Polymers*, 17(2079), 1–18. <https://doi.org/https://doi.org/10.3390/polym17152079>
- Buddhadev, S. S., & Garala, K. C. (2021). Pharmaceutical Cocrystals—A Review. *Proceedings*, 62(14), 1–14. <https://doi.org/10.3390/proceedings2020062014>
- Chang, J. J., Lin, Q., Ong, N., Wong, J. H. M., Ow, V., Sim, B., ... Loh, X. J. (2025). Progress in Polymer Science Polymeric thermogels : Fundamentals and strategies for their rational design. *Progress in Polymer Science*, 168. <https://doi.org/https://doi.org/10.1016/j.progpolymsci.2025.102004>
- Chen, S., Wu, J., Tang, Q., Xu, C., Huang, Y., Huang, D., ... Wang, S. (2020). Nano-micelles based on hydroxyethyl starch-curcumin conjugates for improved stability, antioxidant and anticancer activity of curcumin. *Carbohydrate Polymers*, 228, 115398. <https://doi.org/10.1016/j.carbpol.2019.115398>
- Chuysinuan, P., Pengsuk, C., Lirdprapamongkol, K., Thanyacharoen, T., Techasakul, S., Svasti, J., & Nooeaid, P. (2023). Turmeric Herb Extract-Incorporated Biopolymer Dressings with Beneficial Antibacterial, Antioxidant and Anti-Inflammatory Properties for Wound Healing. *Polymers*, 15(1090), 1–20. <https://doi.org/https://doi.org/10.3390/polym15051090>
- Deng, X., Ratnayake, J., & Ali, A. (2025). Curcumin-Loaded Drug Delivery Systems for Acute and Chronic Wound Management : A Review. *Bioengineering*, 1, 1–27. <https://doi.org/https://doi.org/10.3390/bioengineering1208086>
- Desiraju. (1995). *Supramolecular synthons in crystal engineering a new organic synthesis*. Angew. Chem.
- Dona, R., Mora, E., & Huda, N. (2025). Sintesis dan Karakterisasi Senyawa 4'-aminokalkon dengan Metode Pengadukan dan Refluks Termodifikasi. *JOPS: Journal of Pharmacy and Science*, 9(1), 48–59.
- El-Saadony, M. T., Saad, A. M., Mohammed, D. M., Alkafaas, S. S., Ghosh, S., Negm, S. H., ... El-Tarabily, K. A. (2025). Curcumin, an active component of turmeric: biological activities, nutritional aspects, immunological, bioavailability, and human health benefits - a comprehensive review. *Frontiers in Immunology*, 16(August), 1–43. <https://doi.org/10.3389/fimmu.2025.1603018>
- Ezekiel, C. I., Jadhav, S., Stevens, L. L., & Macgillivray, L. R. (2024). Assessing

- Structures and Solution Behaviors of Molecular and Ionic Cocrystals with a Common Bioactive Molecule: 2,4- Pyridinedicarboxylic Acid with Tranexamic Acid and Nicotinamide. *Crystal Growth & Design*, 24, 6618–6624. <https://doi.org/10.1021/acs.cgd.4c00525>
- Gallardo-Villagrán, M., Paulus, L., Leger, D. Y., Therrien, B., & Liagre, B. (2022). Dimethyl Sulfoxide: A Bio-Friendly or Bio-Hazard Chemical? The Effect of DMSO in Human Fibroblast-like Synoviocytes. *Molecules*, 27(14), 1–9. <https://doi.org/10.3390/molecules27144472>
- Giuliano, E., Paolino, D., Fresta, M., & Cosco, D. (2019). Drug-Loaded Biocompatible Nanocarriers Embedded in Poloxamer 407 Hydrogels as Therapeutic Formulations. *Medicines*, 6(1). <https://doi.org/10.3390/medicines6010007>
- Górnicka, J., Mika, M., Wróblewska, O., Siudem, P., & Paradowska, K. (2023). Methods to Improve the Solubility of Curcumin from Turmeric. *Life*, 13(207), 1–13.
- Haeria, Tahar, N., & Zakir, A. (2018). Pembentukan, Karakterisasi, Dan Uji Disolusi Kokristal Meloksikam Dengan Asam Paraaminobenzoat. *Jurnal Farmasi UIN Alaudin Makassar*, 6(36), 17–24.
- Haskins, M. M., & Zaworotko, M. J. (2021). Screening and Preparation of Cocrystals: A Comparative Study of Mechanochemistry vs Slurry Methods. *Crystal Growth and Design*, 21(7), 4141–4150. <https://doi.org/10.1021/acs.cgd.1c00418>
- Hessel, V., Tran, N. N., Asrami, M. R., Tran, Q. D., Van Duc Long, N., Escribà-Gelonch, M., ... Sundmacher, K. (2022). Sustainability of green solvents – review and perspective. *Green Chem.*, 24(2), 410–437. <https://doi.org/10.1039/D1GC03662A>
- Huang, Y., Hao, S., Chen, J., Wang, M., Lin, Z., & Liu, Y. (2024). Synthesis and Characterization of a Novel Chitosan-Based Nanoparticle – Hydrogel Composite System Promising for Skin Wound Drug Delivery. *Marine Drugs*, 22(428), 1–19. <https://doi.org/https://doi.org/10.3390/md22090428>
- Ishtiaq, M., Asghar, S., Khan, I. U., Iqbal, M. S., & Khalid, S. H. (2022). Development of the Amorphous Solid Dispersion of Curcumin : A Rational Selection of Polymers for Enhanced Solubility and Dissolution. *Crystals*, 12(1606), 1–12. <https://doi.org/https://doi.org/10.3390/cryst12111606>
- Karimi-jafari, M., Padrela, L., Walker, G. M., & Croker, D. M. (2018). Creating Cocrystals : A Review of Pharmaceutical Cocrystal Preparation Routes and Applications. *Crystal Growth and Design*, 18, 6370–6387. <https://doi.org/10.1021/acs.cgd.8b00933>

- Kumari, A., Raina, N., Wahi, A., Goh, K. W., Sharma, P., Nagpal, R., ... Gupta, M. (2022). Wound-Healing Effects of Curcumin and Its Nanoformulations : A Comprehensive Review. *Pharmaceutics*, 14, 1–24. <https://doi.org/https://doi.org/10.3390/pharmaceutics14112288>
- Le, P., Nguyen, M., Le, Q., & Nguyen, H. Van. (2025). Tropical Journal of Natural Product Research Recent Strategies for Enhancing the Solubility and Dissolution of Poorly Water- Soluble Curcumin for Therapeutic Purposes and Beyond. *Tropical Journal of Natural Product Research*, 9(July), 3413–3429
- Liang, Y., Li, M., Tang, Y., Yang, J., Wang, J., Zhu, Y., ... Zhu, H. (2023). Temperature-sensitive hydrogel dressing loaded with nicotinamide mononucleotide accelerating wound healing in diabetic mice. *Biomedicine and Pharmacotherapy*, 167(September), 115431. <https://doi.org/10.1016/j.biopha.2023.115431>
- Longo, E., Giuliano, E., Gagliardi, A., Gaetano, V., Frisina, M., Verdiglione, M., & Cosco, D. (2025). In Situ Forming Poloxamer-Based Thermo-Sensitive Hydrogels for Ocular Application : A Focus on the Derivatives 407 and 188. *Gels*, 11(752), 1–31.
- Lv, T., Chen, Y., Li, N., Liao, X., Heng, Y., Guo, Y., & Hu, K. (2025). A Comprehensive Review of Thermosensitive Hydrogels: Mechanism , Optimization Strategies , and Applications. *Gels*, 11, 1–33. <https://doi.org/https://doi.org/10.3390/gels11070544>
- Mohanty, C., & Sahoo, S. K. (2017). Curcumin and its topical formulations for wound healing applications. *Drug Discovery Today*, 22(10), 1582–1592. <https://doi.org/10.1016/j.drudis.2017.07.001>
- Pantwalawalkar, J., More, H., Bhange, D., Patil, U., & Jadhav, N. (2021). Novel curcumin ascorbic acid cocrystal for improved solubility. *Journal of Drug Delivery Science and Technology*, 61(August 2020), 102233. <https://doi.org/10.1016/j.jddst.2020.102233>
- Pawar, B., Otavi, S., Singh, A., Kaur, S., & Tekade, R. K. (2024). Biomaterials Advances On-demand Opto-Laser activatable nanoSilver ThermoGel for treatment of full-thickness diabetic wound in a mouse model. *Biomaterials Advances Journal*, 164(May), 1–19. <https://doi.org/https://doi.org/10.1016/j.bioadv.2024.213994> Received
- Rachmaniar, R., Tristiyanti, D., & Sari, D. Y. (2020). [Review] Pengaruh Koformer Nikotinamid Dan Metode Pembentukan Kokristal Terhadap Kelarutan Zat Aktif Tidak Larut Air. *Jurnal Sains Dan Teknologi Farmasi Indonesia*, IX(1), 27–40.
- Rathore, S., Mukim, M., Sharma, P., Devi, S., Chandra Nagar, J., & Khalid, M. (2020). Curcumin: A Review for Health Benefits Kingdom of Saudi Arabia.

- Ribas, M. M., Pablo, G., Aguiar, S., Muller, L. G., Siebel, A. M., Lanza, M., & Oliveira, J. V. (2019). Curcumin-nicotinamide cocrystallization with supercritical solvent (CSS): Synthesis , characterization and in vivo antinociceptive and anti- inflammatory activities. *Industrial Crops & Products*, 139(July), 1–7. <https://doi.org/10.1016/j.indcrop.2019.111537>
- Sakhiya, D. C., & Borkhataria, C. H. (2024). Heliyon Review article A review on advancement of cocrystallization approach and a brief on screening , formulation and characterization of the same. *Heliyon*, 10(7), e29057. <https://doi.org/10.1016/j.heliyon.2024.e29057>
- Sankar, P., Gopal Telang, A., Kalaivanan, R., Karunakaran, V., Manikam, K., & Sarkar, S. N. (2015). Effects of nanoparticle-encapsulated curcumin on arsenic-induced liver toxicity in rats. *Environmental Toxicology*, 30(6), 628–637. <https://doi.org/10.1002/tox.21940>
- Tyagi, P., Singh, M., Kumari, H., Kumari, A., & Mukhopadhyay, K. (2015). Bactericidal Activity of Curcumin I Is Associated with Damaging of Bacterial Membrane. *PLOS ONE*, 10(3), 1–15. <https://doi.org/10.1371/journal.pone.0121313>
- Urošević, M., Nikolić, L., Gajić, I., Nikolić, V., Dinić, A., & Miljković, V. (2022). Curcumin : Biological Activities and Modern. *Antibiotics*, 11(135), 1–27.
- Urwin, S. J., Yerdelen, S., Houson, I., & Horst, J. H. (2021). Impact of Impurities on Crystallization and Product Quality : A Case Study with Paracetamol. *Crystal*, 11(1344), 1–19.
- Wang, H., Zheng, C., Tian, F., Xiao, Z., Sun, Z., Lu, L., ... Mei, X. (2024). Improving the Dissolution Rate and Bioavailability of Curcumin. *Pharmaceuticals*, 17(489), 1–16.
- Wang, J., Huang, L., Wu, E., Li, X., Rao, Y., & Zhu, C. (2025). Recent Advances on Chitosan-Based Thermosensitive Hydrogels for Skin Wound Treatment. *Biology*, 14(6). <https://doi.org/10.3390/biology14060619>
- Wathoni, N., Sari, D. P., Suharyani, I., Motoyama, K., Mohammed, A. F. A., Cahyanto, A., ... Muchtaridi, M. (2020). Enhancement of α -Mangostin Wound Healing Ability by Complexation with 2-Hydroxypropyl- β -Cyclodextrin in Hydrogel Formulation. *Pharmaceuticals*, 13(290), 1–16. <https://doi.org/10.3390/ph13100290>
- Wicaksono, Y., Zu, K., Yudatama, A. Della, Maulia, H., & Setyawan, D. (2023). Increasing the Solubility and Anti-Inflammatory Activity of Curcumin by. *Science and Technology Indonesia*, 8(3), 501–508.

- Wolska, E., & Szymanska, M. (2023). Comparison of the In Vitro Drug Release Methods for the Selection of Test Conditions to Characterize Solid Lipid Microparticles. *Pharmaceutics*, 15(511), 1–19.
- Yen, Y., Pu, C., Chen-wei, Chen, Y., Chen, Y., Liang, C.-J., ... Chen, Y.-L. (2018). Curcumin accelerates cutaneous wound healing via multiple biological actions : The involvement of TNF- α , MMP-9 , α -SMA , and collagen. *Int Wound J*, 15(November 2017), 605–617. <https://doi.org/10.1111/iwj.12904>
- Yu, J. Y., Kim, J. A., Joung, H. J., Ko, J. A., & Park, H. J. (2020). Preparation and characterization of curcumin solid dispersion using HPMC. *Journal of Food Science*, 85(11), 3866–3873. <https://doi.org/10.1111/1750-3841.15489>
- Zhang, Z., Chen, H., Shen, W., Deng, J., Bai, C., Xiao, Y., & Lyu, L. (2022). Localized delivery of curcumin by thermosensitive hydrogels for promoting wound healing. *J. Cosmet Dermatol*, 21, 5081–5091. <https://doi.org/10.1111/jocd.14967>