

DAFTAR PUSTAKA

- Akash, M. S. H., & Rehman, K. (2020). *Essentials of pharmaceutical analysis*. Springer Nature Singapore.
- Aprilyanti, R. F., Nisa, A. H., Agustiani, A. K., Rahmalia, N., Pahlevi, M. R., Jafar, G., & Sagita, N. D. (2025). Review: Karakterisasi modifikasi bahan aktif farmasi menjadi kokristal menggunakan instrumen FTIR, SEM, XRD, dan DSC. *Journal Sains Farmasi dan Kesehatan*, 2(3), 142–150.
- Bashimam, M., & El-Zein, H. (2022). Pharmaceutical cocrystal of antibiotic drugs: A comprehensive review. *Heliyon*.
- Bhowmik, D., Singh, A., Gautam, D., & Kumar, K. P. S. (2016). Immediate release drug delivery system – A novel drug delivery system. *Journal of Pharmaceutical and Biological Science*, 4(6), 197–202.
- Bolla, G., Sanphui, P., & Nangia, A. (2013). Solubility advantage of tenoxicam phenolic cocrystals compared to salts. *Crystal Growth & Design*, 13(5).
- Buddhadev, S. S., & Garala, K. C. (2021). Pharmaceutical cocrystals—A review. *Proceedings*, 62(1), 14.
- Chaturvedi, K., Shah, H. S., Nahar, K., Dave, R., & Morris, K. R. (2020). Contribution of crystal lattice energy on the dissolution behavior of eutectic solid dispersions. *ACS Omega*, 5(17), 9690–9701.
- Departemen Kesehatan Republik Indonesia. (2020). *Farmakope Indonesia (Edisi VI)*. Departemen Kesehatan Republik Indonesia.
- Di Muzio, S., Ramondo, F., Palumbo, O., Trequattrini, F., Roy, P., Brubach, J.-B., & Paolone, A. (2024). Conformational geometry matters: The case of the low-melting-point systems of tetrabutylammonium triflate with fumaric or maleic acid. *Molecules*, 29(21), 5093.
- Ferdiansyah, R., Ardiansyah, S. A., Rachmaniar, R., & Yuniar, I. (2021). Review: The effect of cocrystal formation using carboxylic acid coformer with solvent evaporation and solvent drop grinding methods on bioavailability of active substances. *Jurnal Ilmiah Farmako Bahari*.
- Fernandes, R. P., Nascimento, A. L. C. S., Carvalho, A. C. S., Teixeira, J. A., Ionashiro, M., & Caires, F. J. (2019). Mechanochemical synthesis, characterization, and thermal behavior of meloxicam cocrystals with salicylic acid, fumaric acid, and malic acid. *Journal of Thermal Analysis and Calorimetry*, 138, 765–777.
- Gao, Z., Yu, L., Clark, S., Trehy, M., Moore, T., Westenberger, B., Buhse, L., Kauffman, J., Bishop, B., Velazquez, L., & Furness, S. (2015). Dissolution

- testing for bioavailability of over-the-counter (OTC) drugs—A technical note. *AAPS PharmSciTech*, 16(5), 1227–1241.
- Guo, M., Sun, X., Chen, J., & Cai, T. (2021). Pharmaceutical cocrystals: A review of preparations, physicochemical properties and applications. *Acta Pharmaceutica Sinica B*, 11(8), 2537–2564.
- Haeria, H., Tahar, N., & Zakir, A. (2018). Pembentukan, karakterisasi, dan uji disolusi kokristal meloksikam dengan asam para-aminobenzoat. *Jurnal Farmasi UIN Alauddin*, 6(1).
- Harmita. (2019). Analisis fisikokimia potensiometri & spektroskopi (N. Z. Astuti, Ed.; Vol. 1). Buku Kedokteran EGC.
- Holder, C. F., & Schaak, R. E. (2019). Tutorial on powder X-Ray diffraction for characterizing nanoscale materials. *ACS Nano*, 13, 7359–7365.
- Hutchins, K. M. (2018). Functional materials based on molecules with hydrogen-bonding ability: Applications to drug co-crystals and polymer complexes. *Royal Society Open Science*, 5(6), 180564.
- Indra. (2017). Karakterisasi padatan hasil proses kokristalisasi asam mefenamat menggunakan metode penguapan pelarut. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analisis Kesehatan dan Farmasi*, 17(1).
- Komisarek, D., Taskiran, E., & Vasylyeva, V. (2023). Maleic acid as a co-former for pharmaceutically active GABA derivatives: Mechanochemistry or solvent crystallization. *Materials*, 16(6), 2242.
- Kumar, A., Singh, P., & Nanda, A. (2020). Hot stage microscopy and its applications in pharmaceutical characterization. *Applied Microscopy*, 50(12).
- Luger, P., Daneck, K., Engel, W., Trummlitz, G., & Wagner, K. (1996). Structure and physicochemical properties of meloxicam, a new NSAID. *European Journal of Pharmaceutical Sciences*, 4(3), 175–187.
- Macasoi, C., Meltzer, V., Stanculescu, I., Romanitan, C., & Pincu, E. (2024). Binary mixtures of meloxicam and L-tartaric acid for oral bioavailability modulation of pharmaceutical dosage forms. *Journal of Functional Biomaterials*, 15(4), 104.
- Mohammed, A., & Abdullah, A. (2018). Scanning electron microscopy (SEM): A review. *Proceedings of the 2018 International Conference on Hydraulics and Pneumatics – HERVEX*, 77–85.
- Myz, S. A., Shakhshneider, T. P., Fucke, K., Fedotov, A. P., Boldyreva, E. V., Boldreva, V. V., & Kuleshova, N. I. (2009). Synthesis of co-crystals of meloxicam with carboxylic acids by grinding. *Mendeleev Communications*, 19, 272–274.

- Najih, Y. A., Widjaja, B., Rakhma, D. N., & Satrio, A. (2022). Uji disolusi kokristal meloksikam dan asam malonat sebagai koformer dibuat dengan metode slurry. *J-PhAM Journal of Pharmaceutical Care Anwar Medika*, 5(1).
- National Center for Biotechnology Information. (2025). Maleic acid (PubChem Compound Summary). PubChem.
- National Center for Biotechnology Information. (2025). PubChem compound summary for meloxicam. PubChem.
- Peratiwi, R. P., Alatas, F, Wahyuni, F., Sugandi, R, Ratih, H., & Hermanto, F (2016). Pengaruh Pembentukan Ko-Kristal Pirimetamin-Asam Fumarat Terhadap Kelarutan Dan Laju Disolusinya. *Kartika Jurnal Ilmiah Farmasi*, 4(1).
- Schultheiss, N., & Newman, A. (2009). Pharmaceutical Cocrystals and Their Physicochemical Properties. *Crystal Growth & Design*, 9(6).
- Shekunov, B., & Montgomery, E. R. (2016). Theoretical analysis of drug dissolution: I. Solubility and intrinsic dissolution rate. *Journal of Pharmaceutical Sciences*, 105(9), 2685–2697.
- Suhartati, T. (2017). Dasar-dasar spektrofotometri UV-Vis dan spektrofotometri massa. Anugrah Utama Raharja.
- Sulistiyani, M. (2018). Spektroskopi Fourier Transform Infra Red dengan metode reflektansi (ATR-FTIR) pada optimasi pengukuran spektrum vibrasi vitamin C. *Journal*, 1(2), 39.
- Sun, Y., et al. (2025). Impact of solvents on the crystal morphology of CL-20/TFAZ cocrystals; a predictive study. *Compounds*, 5(6).
- Syukri, Y. (2018). Teknologi sediaan obat dalam bentuk solid. Universitas Islam Indonesia.
- Weyna, D. R., Cheney, M. L., Shan, N., Hanna, M., Zaworotko, M. J., Sava, V., Song, S., & Sanchez-Ramos, J. R. (2012). Improving solubility and pharmacokinetics of meloxicam via multiple-component crystal formation. *Molecular Pharmaceutics*, 9(7), 2094–2102.
- Wolff-Boenisch, D., Gislason, S. R., & Oelkers, E. H. (2006). The effect of crystallinity on dissolution rates and CO₂ consumption capacity of silicates. *Geochimica et Cosmochimica Acta*, 70(4), 858–870.
- Zheng, C., Wang, H., Xiao, Z., Sun, Z., Bao, J., Dai, W., Zhang, Q., & Mei, X. (2024). Cocrystal of lutein with improved stability and bioavailability. *ACS Omega*, 9, 36389–36397.