

DAFTAR PUSTAKA

- Abukhadra, M. R., Bakry, B. M., Adlii, A., Yakout, S. M., & El-Zaidy, M. A. (2019). Facile conversion of kaolinite into clay nanotubes (KNTs) of enhanced adsorption properties for toxic heavy metals (Zn^{2+} , Cd^{2+} , Pb^{2+} , and Cr^{6+}) from water. *Journal of Hazardous Materials*, 374, 296–308. <https://doi.org/10.1016/j.jhazmat.2019.04.047>
- Altalhi, A. A., Mohamed, E. A., & Negm, N. A. (2024). Recent advances in layered double hydroxide (LDH)-based materials: Fabrication, modification strategies, characterization, promising environmental catalytic applications, and prospective aspects. *Energy Advances*, 3, 2136–2151. <https://doi.org/10.1039/D4YA00272E>
- Anggriawan, A., Yanggi Atwanda, M., Lubis, N., & Fathoni, An. (2019). Kemampuan Adsorpsi Logam Berat Cu Dengan Menggunakan Adsorben Kulit Jagung (Zea Mays) Adsorption Ability Of Cu Heavy Metal Using Corn Husk Adsorbens (Zea Mays). Dalam *Jurnal Chemurgy* (Vol. 03, Nomor 2).
- Anisa, A., Putri, S., & Ramadhani, L. (2023). Identifikasi gugus fungsi senyawa organik menggunakan FTIR dalam analisis material berbasis karbon. *Jurnal Kimia dan Sains Material*, 12(3), 155–163.
- Aprilia, R., Maulida, H., & Siregar, D. (2020). Kajian adsorpsi zat organik menggunakan adsorben alami dan sintetis. *Indonesian Journal of Chemical Analysis*, 7(1), 12–20.
- Astuti, M. P., Notodarmojo, S., Priadi, C. R., & Padhye, L. P. (2023). Contaminants Of Emerging Concerns (Cecs) In A Municipal Wastewater Treatment Plant In Indonesia. *Environmental Science And Pollution Research*, 30(8), 21512–21532. <https://doi.org/10.1007/S11356-022-23567-8>
- Bahri, S., & Abd Rahim, E. (2015). Derajat deasetilasi kitosan dari cangkang kerang darah dengan penambahan NaOH secara bertahap. *Kovalen*, 1(1), 36–42.
- Basuki, K. T., Fatuzzahroh, M., Ariyanti, D., Saputra, A., Babarsari, J., Atk, P., Jalan, Y., & Prodjodikoro, W. (2022). Studi kinetika adsorpsi ion stronsium menggunakan zeolit terpillar titanium dioksida. (Vol. 1, No. 1).
- Bezerra, B. G. P., Bieseki, L., de Mello, M. I. S., da Silva, D. R., Rodella, C. B., & Pergher, S. (2021). Memory effect on a LDH/Zeolite A composite: An XRD in situ study. *Materials*, 14(9), 2102. <https://doi.org/10.3390/ma14092102>
- Bezerra, D. P., Oliveira, R. S., & Moreira, R. F. P. M. (2021). Improvement of adsorption capacity of layered double hydroxides via calcination–rehydration (memory effect) treatment. *Chemical Engineering Journal*, 415, 128996
- Calisto, V., & Esteves, V. I. (2016). Adsorption as a simple and cost-effective technique for caffeine removal from wastewater: A review. *Journal of*

- Environmental Chemical Engineering*, 4(3), 3133–3146. <https://doi.org/10.1016/j.jece.2016.06.020>
- Capomacchia, A. C., & Smith, A. C. (2019). Spectrophotometric determination of protonation constants of caffeine in aqueous solution. *Journal of Solution Chemistry*, 48(3), 350–359. <https://doi.org/10.1007/s10953-019-00883-7>
- Cavani, F., Trifirò, F., & Vaccari, A. (2010). Hydrotalcite-type anionic clays: Preparation, properties and applications. *Catalysis Today*, 11(2), 173–301. [https://doi.org/10.1016/0920-5861\(91\)80068-K](https://doi.org/10.1016/0920-5861(91)80068-K)
- Cheng, Y., Tang, H., & Zhang, L. (2018). Thermally activated Mg/Al hydrotalcite: Memory effect, rehydration mechanism and surface interaction. *Applied Surface Science*, 459, 268–276. <https://doi.org/10.1016/j.apsusc.2018.07.111>
- Elfariyanti, D., Hasbullah, L., & Putra, R. (2020). Analisis senyawa metilxantin dan sifat farmakologisnya. *Jurnal Farmasi Indonesia*, 11(1), 34–42.
- Fajriana, A., & Fajriati, A. (2018). Kajian pustaka mengenai kafein sebagai metabolit sekunder. *Journal of Advanced Chemistry*, 9(2), 53–60.
- Fajriani, I. Y., Syaiful, A. Z., & Ariani, F. (2022). Pemanfaatan zeolit yang teraktivasi asam klorida (HCl) sebagai adsorben logam berat timbal (Pb). *Saintis*, 3(1).
- Farhan, A., Khalid, A., Maqsood, N., Iftekhhar, S., Sharif, H. M. A., Qi, F., Sillanpää, M., & Asif, M. B. (2024). Progress in layered double hydroxides (LDHs): Synthesis and application in adsorption, catalysis and photoreduction. *Science*. <https://doi.org/10.1016/j.scitotenv.2023.169160>
- Farmakope Indonesia Edisi VI. (2020). Kementerian Kesehatan Republik Indonesia
- Frost, R. L., Klopprogge, J. T., Hibino, T., Russell, S. C., & Rintoul, L.. (2013). *Vibrational spectroscopy of the hydrotalcite minerals*. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 59(8), 1681–1691. [https://doi.org/10.1016/S1386-1425\(02\)00349-0](https://doi.org/10.1016/S1386-1425(02)00349-0)
- Gao, Z., Wang, J., Li, W., & Zhao, D. (2018). Effect of calcination and rehydration conditions on memory effect of Mg–Al LDH. *Applied Clay Science*, 157, 16–24
- Hajar, M. I., Ramlah, L., & Yulia, R. (2018). Model kinetika adsorpsi dan aplikasinya dalam penghilangan kontaminan. *Indonesian Journal of Applied Chemistry*, 5(2), 77–85.
- Handoyo Sahumena, M., Ruslin, R., Asriyanti, A., & Nurrohwindu Djuwarno, E. (2020). Identifikasi jamu yang beredar di Kota Kendari menggunakan metode spektrofotometri UV-Vis. *Journal Syifa Sciences and Clinical Research*, 2(2), 65–72. <https://doi.org/10.37311/jsscr.v2i2.6977>

- Hartawan, R. (2021). Prinsip kerja FTIR dan penerapannya dalam identifikasi gugus fungsi. *Jurnal Kimia Universal*, 10(4), 120–128
- Ho, Y. S., & McKay, G. (1999). Kinetic models for the sorption of dye from aqueous solution. *Journal of Environmental Science and Health, Part A*, 34(5), 1179–1204
- Ayawei, N., Ebelegi, A. N., & Wankasi, D. (2017). Modelling and interpretation of adsorption isotherms. *Journal of Chemistry*, 2017, 1–11. <https://doi.org/10.1155/2017/3039817>
- Jin, S., Qiu, Y., & Huang, X. (2022). Layered double hydroxide memory effect and structural reconstruction mechanism. *Journal of Molecular Structure*, 1263, 133142. <https://doi.org/10.1016/j.molstruc.2022.133142>
- Kloprogge, J. T., Hickey, L., & Frost, R. L. (2012). The effects of synthesis pH and hydrothermal treatment on the formation of zinc aluminum hydrotalcites. *Journal of Solid State Chemistry*, 165(1), 206–218. <https://doi.org/10.1006/jssc.2001.9498>
- Maryam, S., & Hidayanti, N. (2023). Identifikasi gugus fungsi limbah minyak trafo menggunakan FTIR. *Makassar Pharmaceutical Science Journal*, 1(2), 2023–2115
- Mufarrihati, A., Saefuloh, I., & Wulandari, H. (2023). Sifat struktur hidrotalsit dan potensi sebagai adsorben. *Jurnal Sains Material dan Energi*, 8(2), 89–97.
- Munene, M., Mureithi, G., & OI Wanjau, R. (2020). FTIR analysis of functional groups involved in adsorption processes using LDH-based materials. *Journal of Materials Science Research*, 9(1), 10–18
- Nurhasni, R., Rachman, F., & Lestari, D. (2018). Morphological analysis of synthesized hydrotalcite using SEM for adsorption applications. *Indonesian Journal of Environmental Chemistry*, 5(2), 45–52
- Paradkar, M. M., & Irudayaraj, J.. (2012). *Rapid determination of caffeine content in soft drinks using FTIR-ATR spectroscopy*. Food Chemistry, 78(2), 261–266. [https://doi.org/10.1016/S0308-8146\(02\)00103-8](https://doi.org/10.1016/S0308-8146(02)00103-8)
- Pazzagli, M., Paolucci, M., della Croce, P., & Neri, M. (2024). Ecotoxicological evaluation of caffeine exposure in freshwater organisms. *Aquatic Toxicology*, 272, 106134. <https://doi.org/10.1016/j.aquatox.2022.106000>
- Putri, D. A. (2023). Thermo-responsive polymers and their biomedical applications. *Archives Pharmacia*, 5(1).
- Rizki, R. A., Nugroho, Y., & Alif, M. (2022). Pengolahan limbah berkafein menggunakan teknologi adsorpsi: Tinjauan ilmiah. *Jurnal Teknologi Lingkungan*, 23(1), 11–21.

- Sarana, H., Kurniasih, E., & Amanda, R. (2020). Isoterm adsorpsi Freundlich dan Langmuir pada pemurnian kontaminan organik. *Jurnal Rekayasa Bahan*, 4(1), 66–73.
- Sari, N. P., Dewi, R. T., & Hartati, I. (2019). UV-Vis spectrophotometric determination and calibration of caffeine in aqueous solution. *Jurnal Analisis Farmasi*, 6(1), 12–20.
- Soares, A., Guieysse, B., Jefferson, B., Cartmell, E., & Lester, J. N. (2018). Pharmaceuticals and personal care products in the environment. *Environment International*, 64, 96–107. <https://doi.org/10.1016/j.envint.2013.12.012>
- Sumpter, J. P., Johnson, A. C., & Williams, R. (2022). Caffeine as an anthropogenic marker in aquatic pollution. *Water Research*, 225, 119243. <https://doi.org/10.1016/j.watres.2022.119243>
- Susanti, H., Araaf, N. P. M., & Kusbandari, A. (2020). Perbandingan metode spektrofotometri UV dan HPLC pada penetapan kadar kafein dalam kopi. *Majalah Farmasetika*, 4. <https://doi.org/10.24198/mfarmasetika.v4i0.25887>
- Susanti, W., Rahmawati, A. I., & Putra, A. (2020). Analisis kafein menggunakan metode spektrofotometri UV-Vis. *Jurnal Sains Farmasi & Klinis*, 7(2), 88–94.
- Syamsudin, F. I., Rahmawati, F., Indrowati, M., Suryana, R., & Saputro, S. (2023). Aplikasi nanopartikel melalui metode sol-gel sebagai fotoanoda DSSC. *Jurnal Sains Material dan Energi*, 8(2)
- Taoufik, N., Boumya, W., Elmoubarki, R., Elhalil, A., Achak, M., Abdenouni, M., & Barka, N. (2022). Optimization of caffeine adsorption using experimental design and machine learning approaches. *Materials Today Chemistry*, 23. <https://doi.org/10.1016/j.mtchem.2021.100732>
- Tavagnacco, L., Corucci, G., & Gerelli, Y. (2021). Interaction of caffeine with model lipid membranes. *Journal of Physical Chemistry B*, 125(36), 10174–10181. <https://doi.org/10.1021/acs.jpcc.1c04360>
- Wang, Q., & O'Hare, D. (2012). Recent advances in the synthesis and application of layered double hydroxide nanosheets. *Chemical Reviews*, 112(7), 4124–4155. <https://doi.org/10.1021/cr200434v>
- Wardani, G. A., & Wulandari, W. T. (2017). Studi kinetika dan isoterm adsorpsi timbal(II) pada kulit jengkol teraktivasi. *Kovalen*, 3(3), 252. <https://doi.org/10.22487/j24775398.2017.v3.i3.8592>
- Wardani, G. A., Damayanti, R., Fathurohman, M., Hidayat, T., & Nofiyanti, E. (2024). Potential of dimethyl sulfoxide modified kaolin and CTAB as amoxicillin adsorbent. *Indonesian Journal of Fundamental and Applied Chemistry*, 9(1), 18–25. <https://doi.org/10.24845/ijfac.v9.i1.18>

- Wijayanti, I. E., & Kurniawati, E. A. (2019). Studi kinetika adsorpsi isotherm Langmuir dan Freundlich pada abu gosok sebagai adsorben. *Educhemia*, 4(2), 175. <https://doi.org/10.30870/educhemia.v4i2.6119>
- Wijitwongwan, R., Intasa-Ard, S., & Ogawa, M. (2019). Preparation of layered double hydroxides toward hierarchical organization. *ChemEngineering*, 3(3), 1–22. <https://doi.org/10.3390/chemengineering3030068>
- Xu, Z., Wang, Y., Liu, H., & Zhang, X. (2023). Recent advances in layered double hydroxides: Synthesis, characterization, and environmental applications. *Journal of Environmental Chemical Engineering*, 11(5), 110123.
- Yao, J., Zhao, H., & Liang, X. (2018). Mg/Al-layered double hydroxide for anion exchange and adsorption. *Applied Clay Science*, 161, 255–264. <https://doi.org/10.1016/j.clay.2018.04.019>
- Zhao, C., Zeng, H., Wang, Y., Liu, P., Li, Y., & Yang, Y. (2022). Memory effect of Mg–Al hydrotalcite and adsorption performance for Cr(VI). *Journal of Molecular Liquids*, 346, 118278
- Zhao, H., Zhang, X., & Wang, Q. (2023). Memory-effect regeneration and structural recovery of calcined Mg–Al hydrotalcite. *Materials Chemistry and Physics*, 302, 127136. <https://doi.org/10.1016/j.matchemphys.2023.127136>
- Zou, Y., Ji, X., Chen, C., & Sun, Y. (2022). Structural modification and adsorption behavior of Mg/Al hydrotalcite. *Journal of Molecular Liquids*, 361, 119615. <https://doi.org/10.1016/j.molliq.2022.119615>
- Zulichatun, N., Lestari, A., & Fitria, D. (2015). Penggunaan surface area analyzer dalam karakterisasi pori adsorben. *Jurnal Teknologi Material*, 6(1), 19–24