

DAFTAR PUSTAKA

- Akram, M. R., Ahmad, M., Abrar, A., Sarfraz, R. M., & Mahmood, A. (2018). Formulation design and development of matrix diffusion controlled transdermal drug delivery of glimepiride. *Drug Design, Development and Therapy*, 12, 349–364. <https://doi.org/10.2147/DDDT.S147082>
- Al-Jarsha, H. Y. M., Ghareeb, M. M., & Hussein, A. A. (2021). A review on film forming drug delivery systems. *Research Journal of Pharmacy and Technology*, 14(10), 5579–5588. <https://doi.org/10.52711/0974-360X.2021.00972>
- Alexander, A., Dwivedi, S., Ajazuddin, Giri, T. K., Saraf, S., Saraf, S., & Tripathi, D. K. (2012). Approaches for breaking the barriers of drug permeation through transdermal drug delivery. *Journal of Controlled Release*, 164(1), 26–40. <https://doi.org/10.1016/j.jconrel.2012.09.017>
- Alharbi, W. S., Almughem, F. A., Almehmady, A. M., Jarallah, S. J., Alsharif, W. K., Alzahrani, N. M., & Alshehri, A. A. (2021). Phytosomes as an emerging nanotechnology platform for the topical delivery of bioactive phytochemicals. *Pharmaceutics*, 13(9), 1–20. <https://doi.org/10.3390/pharmaceutics13091475>
- Alkilani, A. Z., McCrudden, M. T. C., & Donnelly, R. F. (2015). Transdermal drug delivery: Innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum. *Pharmaceutics*, 7(4), 438–470. <https://doi.org/10.3390/pharmaceutics7040438>
- Alkilani, A. Z., Musleh, B., Hamed, R., Swellmeen, L., & Basheer, H. A. (2023). Preparation and Characterization of Patch Loaded with Clarithromycin Nanovesicles for Transdermal Drug Delivery. *Journal of Functional Biomaterials*, 14(2). <https://doi.org/10.3390/jfb14020057>
- Allen, L. V., Popovich, N. G., & Ansel, H. C. (1990). Pharmaceutical Dosage Forms and Drug Delivery Systems. In *Journal of Pharmaceutical Sciences* (Vol. 79, Issue 11). <https://doi.org/10.1002/jps.2600791127>
- American Diabetes Association. (2022). *Diabetes Technology: Standards of Medical Care in Diabetes — 2022*. 45(January), 97–112. <https://doi.org/https://doi.org/10.2337/dc22-S007>
- Anam, S., Safitri, N. L. Y., Rinaldhi Tandah, M., & Diana, K. (2023). Studi

- Tumbuhan Obat Tradisional Berkhasiat Antidiabetes di Kecamatan Balinggi Kabupaten Parigi Moutong Provinsi Sulawesi Tengah. *Jurnal Pharmascience*, 10(2), 235–258.
- Barani, M., Sangiovanni, E., Angarano, M., Rajizadeh, M. A., Mehrabani, M., Piazza, S., Gangadharappa, H. V., Pardakhty, A., Mehrbani, M., Dell'agli, M., & Nematollahi, M. H. (2021). Phytosomes as innovative delivery systems for phytochemicals: A comprehensive review of literature. In *International Journal of Nanomedicine* (Vol. 16, Issue August). <https://doi.org/10.2147/IJN.S318416>
- Bharkatiya, M., Nema, R. K., & Bhatnagar, M. (2010). Designing and Characterization of Drug Free Patches for Transdermal Application. *International Journal of Pharmaceutical Sciences and Drug Research*, 2(1), 35–39. <https://doi.org/10.25004/ijpsdr.2010.020106>
- Bhise, J. J., Bhusnure, O. G., Jagtap, S. R., Gholve, S. B., & Wale, R. R. (2019). Phytosomes: A Novel Drug Delivery for Herbal Extracts. *Journal of Drug Delivery and Therapeutics*, 9(3-s), 924–930. <https://doi.org/10.22270/jddt.v9i3-s.2863>
- Bhupathyraaj, M., Vijaya Rani, K. R., Sridhar, S. B., Shareef, J., Thomas, S., Halligudi, N., Sockalingam, A., Mohandoss, K., & Sundar, S. (2022). Effect of Polymers and Permeation Enhancers in the Release of Quetiapine Fumarate Transdermal Patch through the Dialysis Membrane. *Polymers*, 14(10). <https://doi.org/10.3390/polym14101984>
- Chaerunisaa, A. Y., Dewi, M. K., Sriwidodo, Joni, I. M., & Dwiyanana, R. F. (2022). Development of Cathelicidin in Liposome Carrier Using Thin Layer Hydration Method. *International Journal of Applied Pharmaceutics*, 14(4), 178–185.
- Choubey, A. (2011). Phytosome - A novel approach for herbal drug delivery. *International Journal of Pharmaceutical Sciences and Research*, 2(4), 807–815.
- Crowley, M. M., Zhang, F., Repka, M. A., Thumma, S., Upadhye, S. B., Battu, S. K., McGinity, J. W., & Martin, C. (2007). Pharmaceutical applications of hot-melt extrusion: Part I. *Drug Development and Industrial Pharmacy*, 33(9), 909–926. <https://doi.org/10.1080/03639040701498759>

- Danaei, M., Dehghankhold, M., Ataei, S., Hasanazadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- Dash, S., Murthy, P. N., Nath, L., & Chowdhury, P. (2010). Kinetic modeling on drug release from controlled drug delivery systems. *Acta Poloniae Pharmaceutica - Drug Research*, 67(3), 217–223.
- Departemen Kesehatan RI. (2000). Parameter Standar Umum Ekstrak Tanaman Obat. In *Departemen Kesehatan RI* (Vol. 1, pp. 10–11).
- Donato, L., & Bernardo, P. (2026). Polymeric Membrane-Based Systems in Transdermal Drug Delivery. *Polymers*, 18(3). <https://doi.org/10.3390/polym18030376>
- Drescher, S., & van Hoogevest, P. (2020). The phospholipid research center: Current research in phospholipids and their use in drug delivery. *Pharmaceutics*, 12(12), 1–36. <https://doi.org/10.3390/pharmaceutics12121235>
- Durga, K. N., P., B., B., H., & K., P. (2022). A Review on Transdermal Drug Delivery System. *Asian Journal of Pharmacy and Technology*, 18(02), 159–166. <https://doi.org/10.52711/2231-5713.2022.00027>
- Fatmawaty, A., Nisa, M., Irmayani, & Sunarti. (2017). Formulasi Patch Ekstrak Etanol Daun Murbei (*Morus Alba L.*) dengan Variasi Konsentrasi Polimer Polivinil Prolidon dan Etil Selulosa. *Journal of Pharmaceutical and Medicinal Sciences*, 2(1), 17–20.
- Fauzi, A. R., Aprilia, A. D., Jannah, F. N., Ais, R., Putri, A., Cahyani, V. R., & Farmasi, P. S. (2024). *Standardisasi Ekstrak Etanol Daun Ciplukan (Physalis angulata L.)*. 2, 15–22. <https://doi.org/10.47575/mb.v2i1.625>
- Febriyanti, A. P., & Sulistiyani, P. (2018). Karakterisasi Fitosom Ekstrak Pegagan (*Centela asiatica*). *Jurnal Farmasi UIN Alauddin Makassar*, 6(1), 72–67.
- Fitriani, N., & Erlyn, P. (2019). Aktivitas Antidiabetik Kombinasi Ekstrak Etanol Daun Ciplukan (*Physalis angulata*) dan Daun Gaharu (*Aquilaria malaccensis*) pada Tikus Diabetes. *Syifa' MEDIKA: Jurnal Kedokteran Dan Kesehatan*,

- 9(2), 70. <https://doi.org/10.32502/sm.v9i2.1660>
- Franco, P., & De Marco, I. (2020). The use of poly(N-vinyl pyrrolidone) in the delivery of drugs: A review. *Polymers*, 12(5), 18–21. <https://doi.org/10.3390/POLYM12051114>
- Fuziyanti, N., Najihudin, A., & Hindun, S. (2022). Pengaruh Kombinasi Polimer PVP:EC dan HPMC:EC Terhadap Sediaan Transdermal Pada Karakteristik Patch yang Baik : Review. *Pharmaceutical Journal of Indonesia*, 7(2), 147–152. <https://doi.org/10.21776/ub.pji.2022.007.02.10>
- Garg, A., & Gupta, M. M. (2013). Taste Masking and Formulation Development & Evaluation of Mouth Dissolving Tablets of Levocetirizine Dihydrochloride. *Journal of Drug Delivery and Therapeutics*, 3(3), 123–130. <https://doi.org/10.22270/jddt.v3i3.514>
- Ghanem, A. M. (2024). a Review on Recent Advances in Transdermal Drug Delivery Systems of Tamsulosin. *International Journal of Applied Pharmaceutics*, 16(2), 28–33. <https://doi.org/10.22159/ijap.2024v16i2.49950>
- Ghasemi, A., & Zahediasl, S. (2012). Normality tests for statistical analysis: A guide for non-statisticians. *International Journal of Endocrinology and Metabolism*, 10(2), 486–489. <https://doi.org/10.5812/ijem.3505>
- Ghatage, T., Jarag, R., Jadhav, S., & Raut, R. (2017). *International Journal of Allied Medical Sciences and Clinical Research (IJAMSCR)* A review on adverse drug reactions of antidiabetic drugs. 5(2).
- Goel, R., Bhardwaj, S., & Bana, S. (2009). Handbook of Pharmaceutical Excipients (6th ed.). *Dosage Forms, Formulation Developments and Regulations: Recent and Future Trends in Pharmaceutics, Volume 1*, 1, 311–348. <https://doi.org/10.1016/B978-0-323-91817-6.00003-6>
- Güngör, S., Erdal, M. S., & Özsoy, Y. (2012). Plasticizers in Transdermal Drug Delivery Systems. *Recent Advances in Plasticizers*. <https://doi.org/10.5772/38156>
- Gupta, J. R. D., Irchhiya, R., Garud, N., Tripathi, P., Dubey, P., & Patel, J. R. (2009). Formulation and Evaluation of Matrix Type Transdermal Patches of Glibenclamide. *International Journal of Pharmaceutical Sciences and Drug Research*.

- Hendra, R., Ahmad, S., Oskoueian, E., Sukari, A., & Shukor, M. Y. (2011). Antioxidant, Anti-inflammatory and Cytotoxicity of *Phaleria macrocarpa* (Boerl.) Scheff Fruit. *BMC Complementary and Alternative Medicine*, 11(1), 110. <https://doi.org/10.1186/1472-6882-11-110>
- Honary, S., & Zahir, F. (2013). Effect of Zeta Potential on the Properties of Nano-Drug Delivery Systems - A Review (Part 1). *Tropical Journal of Pharmaceutical Research*, 12(2), 255–264.
- Hooresfand, Z., Ghanbarzadeh, S., & Hamishehkar, H. (2015). Preparation and characterization of rutin-loaded nanophytosomes. *Pharmaceutical Sciences*, 21(3), 145–151. <https://doi.org/10.15171/PS.2015.29>
- Hu, L., Luo, Y., Yang, J., & Cheng, C. (2025). Botanical Flavonoids: Efficacy, Absorption, Metabolism and Advanced Pharmaceutical Technology for Improving Bioavailability. *Molecules*, 30(5). <https://doi.org/10.3390/molecules30051184>
- Husni, P., & Puspitaningrum, K. (2017a). Pengembangan formula nano-fitosom serbuk liofilisasi seduhan teh hitam (*Camellia sinensis* L. Kuntze). *IJPST*, 4(3).
- Husni, P., & Puspitaningrum, K. (2017b). Pengembangan Formula Nano-Fitosom Serbuk Liofilisasi Seduhan Teh Hitam (*Camellia sinensis* L. Kuntze). *IJPST*, 4(3), 344–350.
- Iman, I., Nadia, A., & Ebtsam, M. (2010). Formulation and stability study of chlorpheniramine maleate transdermal patch. *Asian Journal of Pharmaceutics*, 4(1), 17–23. <https://doi.org/10.4103/0973-8398.63978>
- Indriani, L., Hari, D. G., Natasya, A., & Putri, N. (2024). Penetapan Kadar Flavonoid Total Ekstrak Etanol 96% Daun Gaharu (*Aquilaria malaccensis* Lam) dengan Spektrofotometer UV-Vis. *Journal Of Pharmacy UMRI Des 2024*, 2(1), 26.
- International Diabetes Federation. (2025). IDF Diabetes Atlas. In IDF Diabetes Atlas. In *International Diabetes Federation: Vol. 11th editi.* <https://www.idf.org/aboutdiabetes/type-2-diabetes.html>
- Jadhav, A. I., Wadhav, A. A., Arsul, V. A., & Sawarkar, H. S. (2014). Phytosome a novel approach in herbal drug. *Int J Pharm Anal*, 2(5), 478.

- Karataş, A., & Turhan, F. (2015). Phyto-Phospholipid Complexes as Drug Delivery System for Herbal Extracts/Molecules. *Turk J Pharm Sci*, 12(1), 93–102.
- Kathe, K., & Kathpalia, H. (2017). Film forming systems for topical and transdermal drug delivery. *Asian Journal of Pharmaceutical Sciences*, 12(6), 487–497. <https://doi.org/10.1016/j.ajps.2017.07.004>
- Kemenkes RI. (2017). Farmakope Herbal Indonesia Edisi II. In *Pills and the Public Purse*. <https://doi.org/10.2307/jj.2430657.12>
- Kementerian Kesehatan Republik Indonesia. (2023). Survei Kesehatan Indonesia (SKI) 2023. *Kemenkes*, 235.
- Kumar, M., Trivedi, V., Shukla, A. K., & Dev, S. K. (2018). Effect of polymers on the physicochemical and drug release properties of transdermal patches of atenolol. *International Journal of Applied Pharmaceutics*, 10(4), 68–73. <https://doi.org/10.22159/ijap.2018v10i4.24916>
- Lane, M. E. (2013). Skin penetration enhancers. *International Journal of Pharmaceutics*, 447(1–2), 12–21. <https://doi.org/10.1016/j.ijpharm.2013.02.040>
- Latif, M. S., Al-Harbi, F. F., Nawaz, A., Rashid, S. A., Farid, A., Al Mohaini, M., Alsalman, A. J., Al Hawaj, M., & Alhashem, Y. N. (2022). Formulation and Evaluation of Hydrophilic Polymer Based Methotrexate Patches: In Vitro and In Vivo Characterization. *Polymers*, 14(7). <https://doi.org/10.3390/polym14071310>
- Lieberman, H. A., Rieger, M. M., & Banker, G. S. (2014). Pharmaceutical Dosage Forms: Disperse Systems Volume 3. In *Ullmann's Encyclopedia of Industrial Chemistry*. https://doi.org/10.1002/14356007.a19_241.pub2
- Lu, M., Qiu, Q., Luo, X., Liu, X., Sun, J., Wang, C., Lin, X., Deng, Y., & Song, Y. (2019). Phyto-phospholipid complexes (phytosomes): A novel strategy to improve the bioavailability of active constituents. *Asian Journal of Pharmaceutical Sciences*, 14(3), 265–274. <https://doi.org/10.1016/j.ajps.2018.05.011>
- Madishetti, S. K., Palem, C. R., Gannu, R., Thatipamula, R. P., Panakanti, P. K., & Yamsani, M. R. (2010). Development of domperidone bilayered matrix type transdermal patches: Physicochemical, in vitro and ex vivo characterization.

- DARU, Journal of Pharmaceutical Sciences*, 18(3), 221–229.
- Maiti, K., Mukherjee, K., Gantait, A., Saha, B. P., & Mukherjee, P. K. (2007). Curcumin-phospholipid complex: Preparation, therapeutic evaluation and pharmacokinetic study in rats. *International Journal of Pharmaceutics*, 330(1–2), 155–163. <https://doi.org/10.1016/j.ijpharm.2006.09.025>
- Makanoneng, D. S. D., Suwitonono, M. R., & Sulastri, T. (2025). Formulation and Evaluation of Transdermal Patch from Extract of Babadotan Leaves. *Jurnal Biologi Tropis*, 25(2), 1508–1513. <https://doi.org/10.29303/jbt.v25i2.8761>
- Makkayu, J. V., Suwitonono, M. R., & Sulastri, T. (2025). The Effect of HPMC and PVP Bases on the Formulation of Physical Properties and Transdermal Stability of Patch Estrak leaves of Jarak Pagar (*Jatropha curcas* L.). *Jurnal Biologi Tropis*, 25(1), 1119–1125. <https://doi.org/10.29303/jbt.v25i1.8783>
- Misnamayanti, M., Sugihantoro, H., & Fauziyah, B. (2020). Pengaruh Variasi Konsentrasi Propilen Glikol Sebagai Enhancer Terhadap Sediaan Transdermal Patch Ibuprofen In Vitro. *Journal of Islamic Pharmacy*, 4(2), 27. <https://doi.org/10.18860/jip.v4i2.8029>
- Modi, C. (2012). Effect of components (polymer, plasticizer and solvent) as a variable in fabrication of diclofenac transdermal patch. *Journal of Pharmacy and Bioallied Sciences*, 4(SUPPL.), 57–59. <https://doi.org/10.4103/0975-7406.94129>
- Nabrdalik, K., Skonieczna-Żydecka, K., Irlik, K., Hendel, M., Kwiendacz, H., Łoniewski, I., Januszkiewicz, K., Gumprecht, J., & Lip, G. Y. H. (2022). Gastrointestinal adverse events of metformin treatment in patients with type 2 diabetes mellitus: A systematic review, meta-analysis and meta-regression of randomized controlled trials. *Frontiers in Endocrinology*, 13(September), 1–17. <https://doi.org/10.3389/fendo.2022.975912>
- Nurmesa, A., Nurhabibah, N., & Najihudin, A. (2019). Formulasi Dan Evaluasi Stabilitas Fisik Patch Transdermal Alkaloid Nikotin Daun Tembakau (*Nicotiana Tobacum* Linn) Dengan Variasi Polimer Dan Asam Oleat. *Jurnal Penelitian Farmasi & Herbal*, 2(1), 1–8. <https://doi.org/10.36656/jpfh.v2i1.150>
- Panchaxari, D. M., Pampana, S., Pal, T., Devabhaktuni, B., & Aravapalli, A. K.

- (2013). Design and characterization of diclofenac diethylamine transdermal patch using silicone and acrylic adhesives combination. *DARU, Journal of Pharmaceutical Sciences*, 21(1), 1–14. <https://doi.org/10.1186/2008-2231-21-6>
- Paneo, M. A., Tungadi, R., Thomas, N., Ramadhani, F. N., & Mumtazah, N. (2024). Formulasi, Karakterisasi, dan Evaluasi Sediaan Krim Antosianin Berbasis Fitosom. *Jurnal Farmasi Teknologi Sediaan Dan Kosmetika*, 1(3), 64–76. <https://doi.org/10.70075/jftsk.v1i3.78>
- Papilaya, F. B., Wahyuningsih, M. S. H., & Syarif, R. A. (2025). Active fraction of Ciplukan (*Physalis angulate* L.) increases phosphorylation on IRS-1 Tyr-612 and Akt Ser-473 in 24-hour incubation time. *Journal of Applied Pharmaceutical Science*, 15(5), 121–128. <https://doi.org/10.7324/JAPS.2025.225043>
- Patel, D., Chaudhary, S. A., Parmar, B., & Bhura, N. (2012). THE PHARMA INNOVATION Transdermal Drug Delivery System: A Review. *The Pharma Innovation*, 1(4), 66–75. www.thepharmajournal.com
- Pillai, J. R., Wali, A. F., Menezes, G. A., Rehman, M. U., Wani, T. A., Arafah, A., Zargar, S., & Mir, T. M. (2022). Chemical Composition Analysis, Cytotoxic, Antimicrobial and Antioxidant Activities of *Physalis angulata* L.: A Comparative Study of Leaves and Fruit. *Molecules*, 27(5). <https://doi.org/10.3390/molecules27051480>
- Pinto, N. B., Morais, T. C., Carvalho, K. M. B., Silva, C. R., Andrade, G. M., Brito, G. A. C., Veras, M. L., Pessoa, O. D. L., Rao, V. S., & Santos, F. A. (2010). Topical anti-inflammatory potential of Physalin E from *Physalis angulata* on experimental dermatitis in mice. *Phytomedicine*, 17(10), 740–743. <https://doi.org/10.1016/j.phymed.2010.01.006>
- Prabhu, P., Shah, S., & Gundad, S. (2011). Formulation development and investigation of domperidone transdermal patches. *International Journal of Pharmaceutical Investigation*, 1(4), 240. <https://doi.org/10.4103/2230-973x.93008>
- Prajapati, S. T., Patel, C. G., & Patel, C. N. (2011). Formulation and Evaluation of Transdermal Patch of Repaglinide. *ISRN Pharmaceutics*, 2011, 1–9.

<https://doi.org/10.5402/2011/651909>

- Pratasik, M. C. M., Yamlean, P. V. Y., & Wiyono, W. I. (2024). Uji Stabilitas Fisik Sediaan Patch Ekstrak Etanol Daun Sesewanua (*Clerodendron squamatum* Vahl.). *Pharmacon*, 5(2), 11524. <https://doi.org/10.35799/pha.8.2019.29289>
- Prausnitz, M. R., & Langer, R. (2008). Transdermal drug delivery. *Nature Biotechnology*, 26(11), 1261–1268. <https://doi.org/10.1038/nbt.1504>
- Purnamasari, N., Alatas, F., & Gozali, D. (2019). Formulasi Dan Evaluasi Transdermal Patch Kalium Diklofenak. *Kartika : Jurnal Ilmiah Farmasi*, 7(1), 43. <https://doi.org/10.26874/kjif.v7i1.209>
- Rajesh, S., & Sujith, S. (2013). Permeation of flurbiprofen polymeric films through human cadaver skin. *International Journal of PharmTech Research*, 5(1), 177–182.
- Rastogi, V., & Yadav, P. (2012). Transdermal drug delivery system: An overview. *Asian Journal of Pharmaceutics*, 6(3), 161–170. <https://doi.org/10.4103/0973-8398.104828>
- Rathbone, M. J., Hadgraft, J., & Roberts, M. S. (2002). *The Atrigel Drug Delivery System*. <https://doi.org/10.1201/9780203910337.ch54>
- Rostikawati, R. T., & Supratman, L. (2020). Uji Antibakteri Obat Kumur Ekstrak Etanol Tanaman Ciplukan (*Physalis angulata* L.) Terhadap Bakteri Gram Positif. *Quagga: Jurnal Pendidikan Dan Biologi*, 13(1), 103. <https://doi.org/10.25134/quagga.v13i1.3827>
- Ruckmani, K., & Sankar, V. (2010). Formulation and optimization of zidovudine niosomes. *AAPS PharmSciTech*, 11(3), 1119–1127. <https://doi.org/10.1208/s12249-010-9480-2>
- Sa'adon, S., Abd Razak, S. I., Ismail, A. E., & Fakhruddin, K. (2019). Fabrication of Dual Layer Polyvinyl Alcohol Transdermal Patch: Effect of Freezing-Thawing Cycles on Morphological and Swelling Ability. *Procedia Computer Science*, 158, 51–57. <https://doi.org/10.1016/j.procs.2019.09.027>
- Santoso, B., Ginting, B. S. K., Widowati, T. W., & Pangawikan, A. D. (2022). Kandungan Senyawa Fungsional Daun Tanaman Gaharu (*Aquilaria malaccensis*) Berdasarkan Posisi Daun pada Cabang. *Jurnal Ilmu Kehutanan*, 16(1), 22–29. <https://doi.org/10.22146/jik.v16i1.1808>

- Semalty, A., Semalty, M., Rawat, M. S. M., & Franceschi, F. (2010). Supramolecular phospholipids-polyphenolics interactions: The PHYTOSOME® strategy to improve the bioavailability of phytochemicals. *Fitoterapia*, 81(5), 306–314. <https://doi.org/10.1016/j.fitote.2009.11.001>
- Septiani, T., Lestari, F., & Laksono, B. T. (2025). Keamanan Proton Pump Inhibitor (PPI) pada Kehamilan : Kajian Literatur Sistematis. *Jurnal Riset Farmasi*, 5(1), 37–46. <https://doi.org/10.29313/jrf.v5i1.6742>
- Siepmann, J., & Peppas, N. A. (2011). Higuchi equation: Derivation, applications, use and misuse. *International Journal of Pharmaceutics*, 418(1), 6–12. <https://doi.org/10.1016/j.ijpharm.2011.03.051>
- Singh, A., & Bali, A. (2016). Formulation and characterization of transdermal patches for controlled delivery of duloxetine hydrochloride. *Journal of Analytical Science and Technology*, 7(1). <https://doi.org/10.1186/s40543-016-0105-6>
- Singh, A., & Vijaykumar, M. (2014). the Effect of Plasticizer Concentration on Polymeric Transdermal Patch. *Journal of Drug Delivery and Therapeutics*, 4(1), 59–62. <https://doi.org/10.22270/jddt.v4i1.736>
- Sivadasan, D., & Madkhali, O. A. (2024). The Design Features, Quality by Design Approach, Characterization, Therapeutic Applications, and Clinical Considerations of Transdermal Drug Delivery Systems—A Comprehensive Review. *Pharmaceutics*, 17(10). <https://doi.org/10.3390/ph17101346>
- Stoughton, R. B., & Fritsch, W. (1964). Influence of Dimethylsulfoxide (DMSO): On Human Percutaneous Absorption. In *Archives of Dermatology* (Vol. 90, Issue 5, pp. 512–517). <https://doi.org/10.1001/archderm.1964.01600050060012>
- Surini, S., Mubarak, H., & Ramadon, D. (2018). Cosmetic serum containing grape (*Vitis vinifera* L.) seed extract phytosome: Formulation and in vitro penetration study. *Journal of Young Pharmacists*, 10(2), s51–s55. <https://doi.org/10.5530/jyp.2018.2s.10>
- Susilawati, E., Levita, J., Susilawati, Y., & Sumiwi, S. A. (2023). Review of the Case Reports on Metformin, Sulfonylurea, and Thiazolidinedione Therapies in Type 2 Diabetes Mellitus Patients. *Medical Sciences*, 11(3), 1–12.

<https://doi.org/10.3390/medsci11030050>

- Sutisna, S. F. Z., & Chaerunisaa, A. Y. (2022). Review: formulasi dan karakterisari fitosom-ekstak hidrofilik & hidrofobik: metode hidrasi lapis tipis dan penguapan pelarut. *Medical Sains : Jurnal Ilmiah Kefarmasian*, 7(2), 381–394.
- Swarnalatha, K. M., Saikiran, C., Mounika, B., Swetha, B., & Ramarao, T. (2023). A Comprehensive Review on Role of Polymers in Transdermal Drug Delivery System. *International Journal of Pharmaceutical and Bio-Medical Science*, 03(10), 568–574. <https://doi.org/10.47191/ijpbms/v3-i10-11>
- Syahanaya, R. G. B.-B., Neswita, E., Sembiring, N. B., Novriani, E., Simanjuntak, N. J. P., Halimahtussa, E., & Pakpahan, D. (2022). Electronic Phytochemical screening test and measurement of total flavonoid levels in paku (*Nephrolepis biserrata*) extract with n-hexane, ethyl acetate, and water fractions. Uji skrining fitokimia dan pengukuran kadar total flavonoid pada ekstrak paku (Nep. *Journal of Pharmaceutical and Sciences*, 6(3), 1142–1160. <https://www.journal-jps.com>
- Talebi, M., Shahbazi, K., Dakkali, M. S., Akbari, M., Almasi Ghale, R., Hashemi, S., Sashourpour, M., Mojab, F., & Aminzadeh, S. (2025). Phytosomes: A promising nanocarrier system for enhanced bioavailability and therapeutic efficacy of herbal products. *Phytomedicine Plus*, 5(2), 100779. <https://doi.org/10.1016/j.phyplu.2025.100779>
- Tella, T., Pohl, C., & Igor, K. (2024). *A review on diabetes mellitus : complications , synthetic anti- Toluwani Tella*. 1–16.
- Tiwari, C., Choudhary, M., Malik, P., Jaiswal, P. K., & Chauhan, R. (2022). *Journal of Drug Delivery and Therapeutics Transdermal Patch : A Novel Approach for Transdermal Drug Delivery*. 12(6), 179–188.
- Wahid, R. A. H. (2020). Pengaruh Polivinilpirolidon sebagai Polimer Mukoadhesif terhadap L .). *Lambung Farmasi : Jurnal Ilmi Kefarmasian*, 1(2), 85–89.
- Williams, A. C., & Barry, B. W. (2012). Penetration enhancers. *Advanced Drug Delivery Reviews*, 64(SUPPL.), 128–137. <https://doi.org/10.1016/j.addr.2012.09.032>
- Wong, W. F., Ang, K. P., Sethi, G., & Looi, C. Y. (2023). Recent Advancement of

Medical Patch for Transdermal Drug Delivery. *Medicina (Lithuania)*, 59(4), 1–20. <https://doi.org/10.3390/medicina59040778>

Wunu, H. U., Beama, C. A., & Rame, M. M. T. (2019). Pengaruh Pemberian Ekstrak Etanol 70% Daun Kirinyuh (*Cromolaena Odorata* L.) Terhadap Penurunan Kadar Gula Darah Pada Tikus Putih (*Rattus Norvegicus*) Galurwistar Yang Diinduksi Sukrosa. *Chmk Pharmaceutical Scientific Journal*, 2(2), 62–72.

Yanti, U. N., Sumping, A., Dandri, M., Dona, A., Secong, T. T., Sirhi, S., & Setiawan, B. (2020). Pemanfaatan Daun Gaharu Sebagai Pengobatan Secara Alami Penyakit Kanker Dan Hipertensi. *Jurnal Pengabdian Masyarakat Khatulistiwa*, 3(2), 88–93. <https://doi.org/10.31932/jpmk.v3i2.885>