

STUDI LITERATUR
FAKTOR-FAKTOR PENYEBAB PENYAKIT AKIBAT KERJA
(PAK) PADA PETUGAS KESEHATAN (PERAWAT DAN
PETUGAS LABORATORIUM)

KARYA TULIS ILMIAH

Diajukan Untuk Melengkapi Tugas-tugas Dan Memenuhi Syarat-syarat Mencapai
Jenjang Pendidikan Diploma III Analis Kesehatan

GITA FEMI SUPARMAN PUTRI

20117060



PROGRAM STUDI DIII ANALIS KESEHATAN
SEKOLAH TINGGI ILMU KESEHATAN
BAKTI TUNAS HUSADA TASIKMALAYA
TAHUN 2020

ABSTRAK

Penyakit Akibat Kerja (PAK) merupakan penyakit yang disebabkan oleh pekerjaan dan atau lingkungan kerja, bisa berupa faktor kimia, biologi, fisika, ergonomi, atau psikososial. Petugas kesehatan diantaranya perawat dan petugas laboratorium merupakan karyawan yang rentan terkena PAK. Berdasarkan hasil studi literatur, kejadian PAK pada perawat dan petugas laboratorium disebabkan oleh faktor kimia akibat lateks dan *benzyl alcohol*, faktor biologi, dan faktor ergonomi. Dari hasil studi literatur dapat disimpulkan bahwa terdapat 3 faktor penyebab PAK pada perawat dan petugas laboratorium, yaitu faktor kimia berupa lateks dan *benzyl alcohol*, faktor biologi, dan faktor ergonomi. Adapun kejadian PAK pada perawat dan petugas laboratorium lebih banyak disebabkan oleh faktor ergonomi.

Kata kunci: Faktor penyebab PAK, Penyakit Akibat Kerja (PAK), perawat, petugas laboratorium

ABSTRACT

Occupational disease is a disease caused by work or work environment. In the form of chemical, biological, physical, ergonomical, or psychosocial factors. Health workers including nurses and laboratory staffs are employees who are vulnerable to the disease. According to the studies, the incident of occupational disease in nurses and laboratory staffs is caused by chemical factors due to latex and benzyl alcohol, biological, and ergonomical factors. The result of the study it can be concluded that there are 3 factors caused occupational disease in nurses and laboratory staffs, such as chemical factors in the form of latex and benzyl alcohol, biological, and ergonomical factors. The incident of occupational disease in nurses and laboratory staffs is mostly caused by ergonomic factor.

Key Word: *Factors of occupational disease caused, occupational disease, nurse, laboratory staffs*