

## DAFTAR PUSTAKA

- Agoes, Goeswin. 2012. *Sediaan Farmasi Padat*. Bandung. Penerbit ITB
- Agustini, Rini Diah et al. (2015). Peningkatan Kelarutan Dan Laju Disolusi Glimepirid Dengan Koformer Asam Malonat Melalui Metode Kokristalisasi Dan Kimia Komputasi. *Jurnal Kesehatan dan Kimia Komputasi*. Jurnal Kesehatan dan Farmasi UNISBA ISSN : 2460-6472.
- Allen, L. V., 2009, Handbook of Pharmaceutical Excipients, Sixth Edition, Rowe R. C., Sheskey, P. J., Queen, M. E., (Editor), London, Pharmaceutical Press and American Pharmacists Association.
- Anilkumar *et al* . 2010. Development and Characteristics of Oral Dissolving Tablet of Nifedipine Using Camphor as a Subliming Material, *Research Journal of Pharmaceutical Biological and Chemical Sciences*, 1(1), 46-49.
- Arulkumaran, K.S.G and Padma Preetham, J., 2014. Enhancement of Solubility of Ezetimibe by Liquisolid Technique. *International Journal of Pharmaceutical Chemistry Analysis*, Vol 1, 15-18.
- Ayoub, M., Hasan, A., El Nahas, H., & Ghazy, F. E. (2016). Enhancing Oral Bioavailability of Carvedilol Using Solid Dispersion Technique. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(7), 193–199.
- Azizah, Nailatul, 2012, Pengaruh Perbedaan Cara Penambahan Bahan Penghancur Secara Intragranular Dan Ekstragranular Terhadap Sifat Fisis Tablet Parasetamol, Tugas Akhir, Fakultas Matematika Dan Ilmu Pengetahuan Alam, Universitas Sebelas Maret, Surakarta
- Bilal, A., Rehman, K., Akash, M. A. H., Husain, K., Ibrahim, M., and Hussan, S.S. 2013. Development and Validation of Analytical Methods for Qualitative and Quantitative Determination of Glibenclamide in Different Brands of Tablet Dosage Form Using UV-visible Spectroscopy, *Journal Molecular and Genetic Medicine*, Vol.7, 3-7.
- Budiman, A., Husni, P., & Al Fauziah, T. Q. (2019). The Development of Glibenclamide-Saccharin Cocrystal Tablet Formulations To Increase The Dissolution Rate of The Drug. *International Journal of Applied Pharmaceutics*. 11(4) : 359-364.

- Budiman, A., Megantara, S. And Apriliani, A. (2017). Virtual Screening of Coformers and Solubility Test for Glibenclamide Cococrystallization. *National Journal of Physiology, Pharmacy and Pharmacology*, 8(1), pp. 1. doi: 10.5455/njppp.2017.7.0833229092017.
- Budiman, A., Nurlatifah, E and Amin, S. 2016. Enhancement of Solubility and Dissolution Rate of Glibenclamide by Cococrystal Approach With Solvent Drop Grinding Method. *International Journal of Current Pharmaceutical Review and Research*. 7(5): 248-250.
- Chaturvedi, A. K., & Verma, A. (2012). Solubility Enhancement of Poorly Water-Soluble Drugs by Solid Dispersion. *International Journal of Pharmaceutical Sciences*, 3(1), 26–34.
- Chieng, N., Rades, T., Aaltonen, J., 2011. An overview of recent studies on the analysis of pharmaceutical polymorphs. <https://doi.org/10.1016/j.jpba.2010.12.020>
- Depkes RI, 1979. *Farmakope Indonesia Edisi III*. Departemen Kesehatan Republik Indonesia. Jakarta.
- Depkes RI. 2014. *Farmakope Indonesia*, Jilid V. Departemen Kesehatan Republik Indonesia. Jakarta.
- Deshpande, A., & Road, M. (2014). Co-crystallization-a Technique for Solubility Enhancement. *International Journal of Pharmaceutical Sciences and Research* 5(9): 3566-3576. [https://doi.org/10.13040/IJPSR.0975-8232.5\(9\).3566-76](https://doi.org/10.13040/IJPSR.0975-8232.5(9).3566-76).
- Edge, S., Steele, D. F., Chen, A., Toby, M. J., & Staniforth, J. N. (2000). The Mechanical Properties Of Compacts Of Microcrystalline Cellulose And Silicified Microcrystalline Cellulose. *International Journal Of Pharmaceutics*, 200(1), 67–72. [https://doi.org/10.1016/S0378-5173\(00\)00343-4](https://doi.org/10.1016/S0378-5173(00)00343-4)
- Goyal, P., Rani, D., & Chadha, R. (2018). Crystal Engineering: A Remedy To Tailor The Biopharmaceutical Aspects Of Glibenclamide. *Crystal Growth And Design*, 18(1), 105–118. <https://doi.org/10.1021/acs.cgd.7b00933>
- Gozali, D., Bahti, H. H., & Soewandhi, S. N. (2012). Pembentukan Kokristal Antara Kalsium Atorvastatin Dengan Isonikotinamid Dan Karakterisasinya. *Jurnal Sains Materi Indonesia*. 15(2) : 103–110
- Gracesella, C., & Sopyan, I. (2016). Ko-Kristal Di Bidang Farmasi : Review Jurnal. *Farmaka*, 14, 63–79.
- Gusfarendi. 2013. Uji Amilum Limbah Batang Kelapa Sawit (*Elaeis Guineensis* Jacq.) Sebagai Bahan Pengikat Pada Tablet Parasetamol Dengan Metode Granulasi Basah. *Skripsi*. Universitas Tanjungpura Pontianak

- Hadisoewignyo L. Dan Fudholi A., 2013, Sediaan Solida, Pustaka Pelajar, Yogyakarta.
- Handayani, F. W., Muhtadi, A. (2013). Metode Pembuatan Dispersi Padat Glibenklamid. *Jurnal Farmaka*. 16(3) : 20-28
- Hermita. 2006. Buku Ajar Analisis Fisikokimia. Depok: Departemen Farmasi Fmipa Universitas Indonesia: 40 – 59
- Haemita, Musfikah, A., & Fitrah. 2015. Karakterisasi Kokristal Parasetamol – Asam Suksinat Melalui Metode Solvent Drop Grinding. *Jf Fik Uinam*, 2(3), 108–114.
- Kar, A. 2005. Pharmaceutical Drug Analysis. New age International, India
- Kotak, U., Prajapati, V., Solanki, H., Jani, G., & Jha, P. (2015). Co-crystallization Technique-Its Rationale and Recent Progress. *World Journal of Pharmacy and Pharmaceutical Sciences*, 4(04), 1484–1508. Retrieved from [www.wjpps.com/download/article/1427970181.pdf](http://www.wjpps.com/download/article/1427970181.pdf)
- Krok, A., Vitorino, N., Zhang, J., Frade, J. R., & Wu, C. Y. (2017). Thermal Properties Of Compacted Pharmaceutical Excipients. *International Journal Of Pharmaceutics*, 534(1–2), 119–127. <https://doi.org/10.1016/j.ijpharm.2017.10.018>
- Kusuma, A. P., Fudholi, A., & Nugroho, A. K. (2014). Optimization Direct Compression's Co-Processed Excipient Microcrystalline Cellulose PH 102 and Povidone® K 30. *IOSR Journal of Pharmacy and Biological Sciences*, 9(2), 65–69. <https://doi.org/10.9790/3008-09246569>
- Lachman L, Lieberman HA. A et al.1994. *Teori dan Praktek Farmasi Industri Edisi III Jilid 2*. Jakarta: UI
- Lachman, L., Schwartz, J.B., And Lieberman H.A., 1989, Pharmaceutical Dosage Forms., Tablets, 2nd Ed, 492, Marcell Dekker Inc., New York.
- Loyd V. Allen., Popovich, N, G., Ansel, H, C. 2013. Ansel: *Bentuk Sediaan Farmasetis & Sistem Penghantaran Obat Edisi 9*. Jakarta : EGC.
- Moffat, C, A., Osselton, D, M., dan Widdop, B., 2004. *Clarke's Analysis of Drug and Poisons, Third Edition*. London. Pharmaceutical Press.
- Mustapa, Dieki Rian. 2012. Pengaruh Suhu Pembentukan Kristal Terhadap Karakteristik Kokristal Asam Mefenamat Dengan Asam Tartrat. *Skripsi*. Depok: Ui

- Najih, Y. A., Setyawan, D., D., Radjaran, A., (2018). Pembentukan Kokristal Ketokonazol-Asam Suksinat yang Dibuat dengan Metode Penggilingan (Grinding). *Journal Of Pharmacy Science And Technology*. 1(1), 8–12
- Nisa, M., Umar, A. H., & Fatmawati, A. (2016). Formulasi Glibenklamid Dengan Metode Self Emulsifying Drug Delivery System (SEDDS) Dan Uji in-Vitro Disolusi. *Pharmacon*, 5(1), 142–149.
- Panzade, P., Shendarkar, G., Shaikh, S., & Rathi, P. B. (2017). Pharmaceutical Cocrystal of Piroxicam : Design , Formulation and Evaluation. *Tabriz University of Medical Sciences*, 7(3), 399–408. <https://doi.org/10.15171/apb.2017.048>
- Pratiwi, R. P., Alatas, F., Wahyuni, F., Sugandi, R, Ratih, H., Hermanto, F., 2016. Pengaruh Pembentukan Kokristal Pirimetamin-Asam Fumarat Terhadap Kelarutan dan Laju Disolusinya. *Kartika J. Ilm. Farm.* 4(1), 31–36.
- Pudjaatmaka, A.H. 1997. *Kimia Organik*. Jilid 2 edisi ke-3. Erlangga. Jakarta, Terjemahan : *Organic Chemistry*, R.J Fessenden and J.S. Fesessenden. 1986. Third Edition. Wadsworth Inc. California.
- Qiao N, Li M, Schlindwein W, Malek N, Davies A, Trap Pitt G. 2011. Pharmaceutical cocrystals: An overview. *Int J Pharm*; 419:1-11
- Ramadhania, Rosiana. (2019). Peningkatan Kelarutan dan Laju Disolusi Glibenklamid dengan Koformer Piperazin melalui Metode Kristalisasi. *Skripsi*. STIKes Bakti Tunas Husada. Tasikmalaya.
- Rohayati , A., Hasanah, N.A., Saptarini , M. N., Aryani, D. A., 2015. Optimasi Kondisi Pemisahan Glibenklamid Kombinasi Metformin Dalam Plasma Darah Menggunakan KCKT. *Indonesian Journal of Pharmaceutical Science and Technology*, Vol 2, 101.
- Rohman. 2014. *Spektroskopi Inframerah Dan Kemometrika Untuk Analisis Farmasi*. Yogyakarta: Pustaka Pelajar.
- Rori, Winda M., Yamlean. Paulina V. Y., Sudewi, Sri. 2016. Formulasi Dan Evaluasi Sediaan Tablet Ekstrak Daun Gedi Hijau (*Abelmoschus Manihot*) Dengan Metode Granulasi Basah. *Jurnal Ilmiah Farmasi*. 5 (2): 243 – 25
- Setiawan, Asep, Anjar. (2019). Pengaruh Kokristal Terhadap Laju Disolusi Glibenklamid dengan Menggunakan Koformer Piperazin (*Solvent Drop Grinding*). *Skripsi*. STIKes Bakti Tunas Husada. Tasikmalaya.
- Setyawan, D., Sari, R., Yusuf, H., & Primaharinastiti, R. (2014). Preparation and Characterization of Artesunate-Nicotinamide Cocrystal by Solvent Evaporation and Slurry Method. *Asian J Pharm Clin Res*. 7(1) : 62-65

- Setyawan, D., Widjaja, B., & Ningtyas, Z. F. (2010). Pengaruh Avicel Ph 102 Laju Disolusi Orally Disintegrating Tablet Piroksikam. *Maj Ilmu Kefarmasian*, 8(1): 9-16
- Shargel, L., Susana., Andrew B.C. 2012. *Biofarmasetika & Farmakokinetika Edisi V*. Universitas Airlangga. Surabaya
- Shukla, A. K., Bishnoi, R. S., Dev, S. K., Kumar, M., & Fenin, V. (2018). Biopharmaceutical Classification System: Tool Based Prediction for Drug Dosage Formulation. *Advance Pharmaceutical Journal*, 2(6), 204–209
- Silva Filho, S. F., Pereira, A. C., Sarraguça, J. M. G., Sarraguça, M. C., Lopes, J., Façanha Filho, P. de F. da Silva Ribeiro, P. R. (2018). Synthesis of a Glibenclamide Cocrystal: Full Spectroscopic and Thermal Characterization. *Journal of Pharmaceutical Sciences*, 107(6), 1597–1604. <https://doi.org/10.1016/j.xphs.2018.01.029>
- Siregar, C.J.P., Dan Wikarsa, S., 2010, *Teknologi Farmasi Sediaan Tablet Dasar* Praktis, Penerbit Buku Kedokteran EGC, Jakarta. 54 – 55, 98 – 115.
- Skoog, D.A., 1985, *Principles Of Instrumental Analysis*, 3rd., Saunders College Publ., Philadelphia. 210-211.
- Sopyan, I., Fudholi, A., Muchtaridi, M., & Sari, I. P. (2017). Simvastatin-Nicotinamide Cocrystal: Design, Preparation and Preliminary Characterization. *Tropical Journal of Pharmaceutical Research*, 16(2), 297–303. <https://doi.org/10.4314/tjpr.v16i2.6>
- Sulaiman, T.N.S., 2007, *Teknologi & Formulasi Sediaan Tablet*, Pustaka Laboratorium Teknologi Farmasi, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta. 56 – 59, 198 – 215.
- Syarif, Amir *et al.* 2016. *Farmakologi dan Terapi Edisi VI*. Departemen Farmakologi dan Terapeutik Fakultas Kedokteran – Universitas Indonesia, Jakarta.
- Syukri, Y., Ulfa, F., Lestari, A., Saputri, L. A., Istikharah, R., & Kusuma, A. P. (2018). Characterization, Formulation and Evaluation Of Glibenclamide With  $\beta$ -Cyclodextrin Inclusion Complexes Tablets. *Jurnal Kedokteran Dan Kesehatan Indonesia*, 9(3), 139–148. <https://doi.org/10.20885/jkki.vol9.iss3.art3>
- Thakuria, R., & Thakur, T. S. (2017). Crystal Polymorphism in Pharmaceutical Science Author's personal copy., 5(2) 283-309. <https://doi.org/10.1016/B978-0-12-409547-2.12570-3>

Triani, F. 2012. Pengaruh Metode Pembentukan Kokristal Terhadap Laju Pelarutan Karbamazepin Menggunakan Asam Suksinat Sebagai Koformer. *Skripsi*. Jakarta

United States Pharmacopeial Convention. 2014. *The United States Pharmacopeia*, 28<sup>th</sup> edition. United States Pharmacopeial Convention INC., Rockville, pp 3161-3163

Watts, J. 2011. Clarke's Analysis of Drugs and poisons (Anthony et al Moffat, ed) (4<sup>th</sup> ed). London : Pharmaceutical Press

William, D. H., dan Fleming, I. 2013. *Metode Spektroskopi Dalam Kimia Organik*. Jakarta: Buku Kedokteran EGC.

Wiraswati, Wina. (2019). Peningkatan Kelarutan dan Laju Disolusi Glibenklamid dengan Piperazin sebagai koformer (Metode Slurry). *Skripsi*. STIKes Bakti Tunas Husada. Tasikmalaya.

Zaini, E. *et al.* 2011. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-Kristalisasi. *Jurnal Farmasi Indonesia*. 5(4) : 205-212 Panzade, P., Shendarkar, G., Shaikh, S., & Rathi, P. B. (2017). Pharmaceutical Cocrystal of Piroxicam: Design, Formulation and Evaluation. *Tabriz University of Medical Sciences*, 7(3), 399–408. <https://doi.org/10.15171/apb.2017.048>