

Daftar Pustaka

- Agoes, G. (2012). *Sediaan Farmasi Padat Seri Farmasi Industri 6*. Bandung: ITB.
- Alhasani, K. F., Ibrahim, M., Kazi, M., Shahba, A. A., & Alanazi, F. (2019). *Self Nanoemulsifying Ramipril Tablets: A novel Delivery System for the Enhancement of Drug Dissolution and Stability*. 14: 5435–5448.
- American Pharmacists Association. (2009). *Drug Information Handbook* (17th ed.). Hudson: Lexicomp.
- Angeli, D. G., & Trezza, C. (2009). Quality and Stability of Ramipril Generics / Copies versus Reference Ramipril. *Clin Drug Investigig*, 29 (10): 667–676.
- Anwar, E. (2012). *Eksipien dalam Sediaan Farmasi Karakterisasi dan Aplikasi*. Jakarta: Dian Rakyat.
- Asyarie, S., & Wikarsa, S. (2012). *Pembuatan dan Karakterisasi Dispersi Padat Sistem Biner dan Terner dari Gliklazid*. 37 (3): 95–101.
- Banne, Y., Ulaen, S. P. J., & Lombeng, F. (2012). *Uji Kekerasan, Keregaran, dan Waktu Hancur Beberapa Tablet Ranitidin*. Neliti Journal: 74–78.
- Chiou, W. I. N. L., & Riegelman, S. (1971). *Pharmaceutical Applications of Solid Dispersion System*. Pharmaceutical Sciences, 60 (9): 1281–1302. <https://doi.org/https://doi.org/10.1002/jps.2600600902>.
- Committee for Proprietary Medicinal Products. (2001). *Note for Guidance on The Investigation of Bioavailability and Bioequivalence In EMEA*. London.
- Departemen Kesehatan RI. (1979). *Farmakope Indonesia Edisi III*. Jakarta: Direktorat Jendral Pengawas Obat dan Makanan.
- Departemen Kesehatan RI. (2014). *Farmakope Indonesia Edisi V*. Jakarta: Direktorat Jendral Pengawas Obat dan Makanan.
- Department of Health. (2009). *British Pharmacopenia* (20th ed.). London: The Department of Health, Social Services and Public Safety.
- Dhirendra, K., Lewis, S., Udupa, N., & Atin, K. (2009). *Solid Dispersions: A Review*. 22 (2): 234–246.
- Dixit, M. (2010). *Preparation and Characterization f Spherical Agglomerates of Ibuprofen by Neutralization Method*. 1 (1): 305–313.
- Dwi, N., & Rohmani, S. (2018). *Effect of Pressure Compression on Vitamin Tablet with Avicel Ph 102 and Dicalcium Posphate Anhydrous as Filler-Binder and Disintegran Pengaruh Tekanan Kompresi pada Tablet Vitamin C dengan Avicel Ph 102 dan Dikalsium Fosfat Anhidrat sebagai Filler-Binde*. 59–68.

- Eryani, M. C., Wikarsa, S., & Soemirtapura, Y. C. (2014). *Formulasi dan Evaluasi Fast Disintegrating Tablet (FDT) Loratadin*. Acta Pharmaceutical Indonesia, 39 (1 dan 2): 26–32.
- Gozali, D., & Wardhana, Y. W. (2015). *Formulasi dan Evaluasi Tablet Dispersi Padat Kalsium Atorvastatin*. 2 (2): 63–70.
- Gu, D., Hu, Q., Shi, Y., & Gao, N. (2014). *Investigation of Solid Dispersion of Atorvastatin Calcium in Polyethylene Glycol 6000 and Polyvinylpyrrolidone*. 13: 835–842.
- Hadioewignyo, L., Teny, G. F., Handayani, E. T., & Yunita, B. (2011). *Pengaruh Bahan Pengisi pada Tablet Ibuprofen dengan Metode Cetak Langsung*. 22: 279–285.
- Harahap, Y., Sasongko, L., Prasaja, B., Lusthom, W., Setiawan, E. C., Meliala, R. S., & Lipin. (2009). *Comparative Bioavailability Study of Two Ramipril Tablet Formulations in Indonesian Healthy Volunteers*. 1 (1): 17–21. <https://doi.org/10.4172/1948-593X.1000004>.
- Hay, A. M. A. El, & Adawy, S. A. El. (2017). *Enhancement of Dissolution Rate of Ramipril Tablets by Solid Dispersion Technique*. 12 (3): 55–62. <https://doi.org/10.9790/3008-1203015562>.
- Jagdale, S., Dangat, Y., & Kuchekar, B. (2012). *Improvement of Dissolution Rate of Ramipril by Solid Dispersion Technique*.
- Japanese Pharmacopoeia Committee. (2016). *Japanese Pharmacopoeia Seventeenth Edition*. Tokyo: The Minister of Health, Labour and Welfare.
- Lachman, L., Herbert, A. L., & Joseph, L. K. (1994). *Teori dan Praktek Farmasi Industri II; TERJEMAHAN*. Jakarta: UI Press.
- Makadia, H. A., Bhatt, A. Y., Parmar, R. B., Paun, J. S., & Tank, H. M. (2013). *Self-Nanoemulsifying Drug Delivery System (SNEDDS): Future Aspects*. Asian J. Pharm, 3 (1): 21–24.
- Margareth Christina Halim, Retnosari Andrajati, S. S. (2015). *Risiko Penggunaan ACE-I Terhadap Kejadian Batuk Kering pada Pasien Hipertensi di RSUD Cengkareng dan RSUD Tarakan DKI Jakarta*. 5 (2): 113–122.
- Nor, I. binti M., & Nuwarda, R. F. (2017). *Variasi Metode Uji Disolusi Terbanding (UDT)*. Farmaka, 15 (1): 29–38.
- Nugroho, B. H., & Sari, N. P. (2018). *Formulation of Self Nano Emulsifying Drug Delivery System (SNEDDS) Karamunting Leaf Extract (Rhodomyrtus tomentosa (Ait.) Hassk)*. Jurnal Ilmiah Farmasi, 14 (1): 1–8.
- Nurul, H., & Iis, W. (2016). *Karakterisasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Buah Merah (Pandanus conoideus Lam.)*. Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia, 3 (2): 49–57.

- Parrot, E. (1970). *Pharmaceutical Technology Fundamental Pharmaceutics*. United States of America: Burgess Publishing Company.
- Qalbi, M. Z., Irramah, M., & Asterina. (2018). *Perbedaan Derajat Keasaman (pH) Saliva Antara Perokok dan Bukan Perokok pada Siswa SMA PGRI 1 Padang*. UNAD, 7 (3): 358–363.
- Sabnabila Khoerun Nisa, T. R. (2016). *Formulasi Co-Amorf Untuk Meningkatkan Kelarutan Obat BCS Kelas II*. 16: 285–294.
- Safitri, I., Sulistyaningsih, & Chaerunisaa, A. Y. (2019). *Superdisintegran dalam Sediaan Oral*. Farmasetika Unpad, 4 (3): 57–66. <https://doi.org/https://doi.org/10.24198/farmasetika.v4i3.22945>.
- Santkrupa, S., Ghogaon, A. P., Karad, T., & Satara, D. (2014). *Spherical Crystallization : a Method to Improve Tabletability*. *Spherical Crystallization : a Method to Improve Tabletability*.
- Saragih, Y., & Sofian, I. (2016). *Perbedaan Metode Pembuatan Obat dengan Sistem Dispersi Padat*. Farmaka, 14 (3): 37–52.
- Savale, S. K. (2015). *Self Nanoemulsifying Drug Delivery System (SNEDDS)*. Research in Pharmaceutical and Nano Sciences, 4 (6): 385–397.
- Shafiq, S., Shakeel, F., Talegaonkar, S., Khar, R. K., & Ali, M. (2014). *Nanoemulsion as Carrier for Stability Enhancement of Ramipril*. 31 (7): 975–979. <https://doi.org/10.1080/01932690903224144>.
- Shakeel, F., Baboota, S., Ahuja, A., Ali, J., Faisal, M. S., & Shafiq, S. (2008). *Stability Evaluation of Celecoxib Nanoemulsion Containing Tween 80*. J. Pharm, 32: 4–9.
- Soni, A., Rajoriya, V., & Kashaw, V. (2015). *Formulation Development and Evaluation of Fast Dissolving Tablet of Ramipril*. Innovare Academic Sciences, 7 (8): 127–131.
- Suryawanshi, V. K., Bina, G., Verma, A., Dubey, N., & Chanchal, D. K. S. (2019). *Formulation and Evaluation of Ramipril Liquisolid Compact using Novel Carrier*. 10 (2): 917–925. [https://doi.org/10.13040/IJPSR.0975-8232.10\(2\).917-25](https://doi.org/10.13040/IJPSR.0975-8232.10(2).917-25).
- The United States Pharmacopeia. (1980). *The National Formulary 20th Edition*. Northampton Streets: Mack Publishing.Co.
- Thomas, T. (2016). *Crystallo-Co-Agglomeration : An Effective Tool to Change the Powder Characteristics of Indomethacin IP*.
- Velmurugan, S., & Vinushitha, S. (2010). *Oral Disintegrating Tablets : An Overview*. IJCPS, 1 (2): 1–12.
- Venugopal P, Gnanaprakash K, Kumar B, Gobinath M, N. R. B. (2014). *Development of Formulation and Evaluation of Ramipril Porous Tablet by*

- Sublimation Technique.* 5 (4): 258–264.
- Wardiyah, Sukmadjaja, A., & Saleh, W. (2012). *Pembuatan dan Karakterisasi Dispersi Padat Sistem Biner dan Terner dari Gliklazid*. Acta Pharmaceutica Indonesia, 37 (3): 95–101.
- Yadav, G., Kapoor, A., & Bhargava, S. (2012). *Fast Dissolving Tablets Recent Advantages*. Pharmaceutical Science and Research, 3 (3): 728–736.